



Commonwealth  
of Australia

# Gazette

No. TC 18/01, Wednesday, 10 January 2018

Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCO Applications Reworded .....	12
TCO Applications Refused .....	14
TCO Applications Withdrawn .....	15
TCOs Made .....	16
Local Manufacturer Initiated - TCO Revocation Requests .....	17
Customs Initiated - Intention to Revoke Cancelled .....	24
Local Manufacturer Initiated - TCOs Revoked .....	25
Intention to Revoke TCOs not used in over 2 years .....	34
TCOs Revoked - Unused for over 2 years .....	36
AAT Review of TCO Applications Notification .....	38

Please note that the TCO related forms have been updated and are available on the Department of Home Affairs website (search on Tariff Concession Orders).

Please also be advised that applications for TCOs (Form B443), Submissions objecting to the making of a TCO (Form B444) and Request for revocation of a TCO (Form B441) must be lodged using the new forms with effect 1 February 2018.

The Commonwealth of Australia Tariff Concessions Gazette  
(the Tariff Concessions Gazette) is free of charge on  
the Department of Home Affairs internet site at:

<https://www.homeaffairs.gov.au/busi/domestic-manufacturers-and-importers>

The Tariff Concessions Administration Section is located at  
5 Constitution Ave Canberra City 2601

Contact details:

General Email Inquiries:..... tarcon@abf.gov.au

General Inquiries: .....(02) 6229 3567

TAPIN help desk: .....(02) 6275 6534

Facsimile:.....(02) 6223 8180

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.homeaffairs.gov.au/Forms/Documents/b444.pdf>

Contact: Email [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3920.10.00 LOW DENSITY POLYETHYLENE (LDPE) FILM, embossed Op. 11.12.17  Stated Use: Used as a backing to uncured rubber compound  Applicant: REBAIN INTERNATIONAL (AUST) PTY LTD	- TC 17132547     5%
4911.99.90 TAGS AND/OR LABELS, plastic, printed, having a melting point NOT less than 500 degrees Celsius Op. 21.11.17  Stated Use: For labelling goods  Applicant: ONESTEEL NSW PTY LTD	50     - TC 17124190     5%
7019.90.90 GLASS FIBRE FABRIC, polyvinyl chloride (PVC) coated Op. 15.12.17  Stated Use: Used in the renovation of sewer and water pipes  Applicant: INTERFLOW PTY LTD	50     - TC 17134311     5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8402.20.00	<p>HOT WATER BOILER PLANT, solid biomass having wet base moisture content exceeding 40%, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) furnace;</li> <li>(b) boiler;</li> <li>(c) cleaning AND ash removal;</li> <li>(d) fuel feeding;</li> <li>(e) emission control;</li> <li>(f) combustion grates;</li> <li>(g) particulate output NOT greater than 200 mg/m<sup>3</sup>N db at 12% CO<sub>2</sub>;</li> <li>(h) carbon monoxide output NOT greater than 100 mg/m<sup>3</sup>N db at 12% CO<sub>2</sub>;</li> <li>(i) nitrogen oxides output NOT greater than 300 mg/m<sup>3</sup>N db at 12% CO<sub>2</sub></li> </ul> <p>Op. 08.12.17</p>	50
	<p>Stated Use: Provide thermal energy output from waste biomass input</p>	
	Applicant: VAN WYK FLOWER SUPPLY PTY LTD	5%
8413.70.90	<p>END SUCTION PUMPS, incorporating a screw centrifugal impeller, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) impeller mounted taper shaft;</li> <li>(b) suction cone AND/OR liner;</li> <li>(c) bearing frame unit including ANY one OR more of the following: <ul style="list-style-type: none"> <li>(i) back cover;</li> <li>(ii) back cone;</li> <li>(iii) back plate</li> </ul> </li> </ul> <p>Op. 29.11.17</p>	50
	<p>Stated Use: To pump industrial effluent, raw sewerage, viscous sludge, stormwater and food</p>	
	Applicant: HIDROSTAL AUSTRALIA PTY LTD	5%
8414.59.90	<p>FANS AND/OR BLOWERS, DC OR AC, axial OR radial OR crossflow type, having ANY one OR more of the following:</p> <ul style="list-style-type: none"> <li>(a) sleeve OR ball OR magnetic bearings;</li> <li>(b) DC operating voltage NOT less than 5 V and NOT greater than 48 V;</li> <li>(c) AC operating voltage NOT less than 115 V and NOT greater than 240 V;</li> <li>(d) maximum speed exceeding 1 000 RPM;</li> <li>(e) diameter NOT greater than 300 mm;</li> <li>(f) height NOT greater than 300 mm;</li> <li>(g) length NOT greater than 300 mm,</li> </ul> <p>with OR without filters</p> <p>Op. 04.12.17</p>	50
	<p>Stated Use: Used as enclosure fans in small sized electronic equipment</p>	
	Applicant: RS COMPONENTS PTY LTD	5%
8417.90.00	<p>PARTS, BLAST FURNACE, being static distributors</p> <p>Op. 28.11.17</p>	50
	<p>Stated Use: Coal injection to the tuyeres in a blast furnace</p>	
	Applicant: BLUESCOPE STEEL (AIS) PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8419.81.90 DEFROSTING MACHINES, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) humidification AND temperature controls;</li> <li>(b) atomizing water spray nozzles;</li> <li>(c) remote monitoring AND control;</li> <li>(d) product core AND surface probe controls;</li> <li>(e) refrigeration controls;</li> <li>(f) trolleys;</li> <li>(g) ice breaker trays AND/OR baskets</li> </ul> <p>Op. 01.12.17</p> <p>Stated Use: Defrosting system capable of defrosting solid frozen food to a ready to prepare or sell state, from approximately -18 degrees Celsius to 0 Degrees Celsius</p> <p>Applicant: TASSAL OPERATIONS PTY LTD</p>	<p>50</p> <p>- TC 17128706</p> <p>5%</p>
<p>8422.30.90 PLASTIC BOTTLE MAKING AND FILLING LINE, including BOTH of the following:</p> <ul style="list-style-type: none"> <li>(a) stretch blow moulder;</li> <li>(b) bottle aseptic cleaner AND filler,</li> </ul> <p>with OR without ANY of the following:</p> <ul style="list-style-type: none"> <li>(i) bottle size AND shape AND defect sensors;</li> <li>(ii) aseptic steriliser;</li> <li>(iii) steam tunnel;</li> <li>(iv) labelling machine;</li> <li>(v) bottle dryer;</li> <li>(vi) conveyor AND hopper;</li> <li>(vii) bottle cap feeder;</li> <li>(viii) conveyors</li> </ul> <p>Op. 24.11.17</p> <p>Stated Use: For making and filling plastic bottles</p> <p>Applicant: COCA-COLA AMATIL (AUST) PTY LTD</p>	<p>50</p> <p>- TC 17126625</p> <p>5%</p>
<p>8424.30.90 CLEANING MACHINE, hot water, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) diesel engine;</li> <li>(b) pump;</li> <li>(c) water boiler;</li> <li>(d) hose;</li> <li>(e) spray gun;</li> <li>(f) lance</li> </ul> <p>Op. 05.12.17</p> <p>Stated Use: Industrial high pressure water jet cleaning</p> <p>Applicant: JETWAVE GROUP PTY LTD</p>	<p>50</p> <p>- TC 17130301</p> <p>5%</p>
<p>8428.39.00 HANDLING AND STORAGE MACHINES, TIMBER TRUSS PRODUCTION PLANT, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) chain AND belt conveyors;</li> <li>(b) destacking unit;</li> <li>(c) transverse pushing unit;</li> <li>(d) truss boxes;</li> <li>(e) lifting unit</li> </ul> <p>Op. 13.12.17</p> <p>Stated Use: For materials handling and storage in automatic timber truss production plant</p> <p>Applicant: BOWEN &amp; POMEROY PTY LTD</p>	<p>50</p> <p>- TC 17133635</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
8428.90.00 FOOD OR BEVERAGE GRAIN OR POWDER HANDLING SYSTEM, including ALL of the following: (a) suction conveying tubes; (b) suction pump; (c) separator valve; (d) storage silo Op. 24.11.17	50     - TC 17126637
Stated Use: For conveying food or beverage grains or powder such as ground coffee to vacuum packing machines	
Applicant: CANTARELLA BROS PTY LTD	5%
8428.90.00 PALLETIZERS, programmable logic controlled, including ALL of the following: (a) pallet dispensers; (b) infeed AND outfeed conveyors; (c) wrapping machines; (d) control panels Op. 28.11.17	50     - TC 17127570
Stated Use: Intended for automatic conveying and stacking bags on pallets with a fixed and dependent maximum capacity	
Applicant: PREMIER STOCK FEEDS (AUST) PTY LTD	5%
8430.49.00 DOWNHOLE MILLING TOOLS, OIL AND/OR GAS WELL, whether OR not assembled, with OR without milling bits, including ALL of the following: (a) compensators; (b) motor; (c) 4 stage planetary gear train Op. 08.12.17	50     - TC 17131947
Stated Use: To remove hard scale obstructions and to mill valves located downhole in oil and gas well operations	
Applicant: SCHLUMBERGER AUSTRALIA PTY LTD	5%
8437.10.00 CLEANING AND SORTING MACHINES, GRAIN AND/OR SEED, impeller airflow, including ALL of the following: (a) grain cleaning AND sorting NOT less than 5 tonne per hour; (b) seed sorting NOT less than 3 tonne per hour; (c) feeders; (d) hoppers; (e) separation chambers; (f) grain ducts Op. 14.12.17	50         - TC 17134304
Stated Use: Grain and/or seed cleaning and sorting using impeller driven airflow	
Applicant: GRAIN CLEANING LLC	5%
8465.10.00 WOODWORKING MACHINES, TIMBER TRUSS PRODUCTION PLANT, including ALL of the following: (a) saws having NOT less than 5 axes; (b) vertical mills; (c) conveyors; (d) printers Op. 13.12.17	50         - TC 17133633
Stated Use: For automatic production of timber truss	
Applicant: BOWEN & POMEROY PTY LTD	5%









Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8486.40.99 DIODE ASSEMBLING LINE, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) sorting robot;</li> <li>(b) ethanol liquid sprayer AND dispenser;</li> <li>(c) solder ribbon cutters;</li> <li>(d) wire feeder AND/OR cutter;</li> <li>(e) soldering oven;</li> <li>(f) diode stacker AND/OR lifter;</li> <li>(g) diode unloader AND/OR loader;</li> <li>(h) diode lacquer sprayer AND/OR dispenser;</li> <li>(i) diode sorter;</li> <li>(j) electrical current tester;</li> <li>(k) cameras;</li> <li>(l) diode flipper;</li> <li>(m) diode sorter AND unloader;</li> <li>(n) diode ejector;</li> <li>(o) diode rotator;</li> <li>(p) wafer stretcher;</li> <li>(q) barcode reader;</li> <li>(r) conveyors;</li> <li>(s) diode feeder;</li> <li>(t) varnish AND solvent tanks;</li> <li>(u) diode scrubber</li> </ul> <p>Op. 23.11.17</p>	<p>50</p> <p>- TC 17125458</p>
<p>Stated Use: For manufacturing electrical diodes for purposes such as diodes used in automobile alternators</p>	
<p>Applicant: ROBERT BOSCH (AUSTRALIA) PTY LTD</p>	<p>5%</p>
<p>8501.52.00 GEARED MOTORS, AC, asynchronous, four pole, three phase, with OR without motor speed encoders, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) rated power NOT less than 30 kW and NOT greater than 55 kW;</li> <li>(b) surface AND/OR air cooling;</li> <li>(c) brakes;</li> <li>(d) motor operating voltage NOT less than 380 V AC and NOT greater than 420 V AC;</li> <li>(e) temperature sensors</li> </ul> <p>Op. 21.11.17</p>	<p>50</p> <p>- TC 17124988</p>
<p>Stated Use: As motors in gantry cranes during the loading, unloading and carriage of wagons in steel mills</p>	
<p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>5%</p>
<p>8501.53.00 MOTORS, AC, asynchronous, six pole, three phase, with OR without motor speed encoders, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) power rating NOT less than 220 kW and NOT greater than 255 kW;</li> <li>(b) forced AND/OR fan cooling;</li> <li>(c) operating voltage NOT less than 360 V AC and NOT greater than 400 V AC;</li> <li>(d) temperature sensors</li> </ul> <p>Op. 21.11.17</p>	<p>50</p> <p>- TC 17124985</p>
<p>Stated Use: As motors in gantry cranes during the loading and unloading of wagons in steel mills</p>	
<p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8501.53.00 TRACTION MOTORS, DIESEL-ELECTRIC LOCOMOTIVE, 3 phase AC induction, having an output exceeding 3 000 kW Op. 22.11.17</p> <p>Stated Use: Electric traction motors, rail locomotive or passenger train</p> <p>Applicant: INDUSTREA MINING EQUIPMENT PTY LTD</p>	<p>50</p> <p>- TC 17124993</p>
<p>8501.53.00 GEAR MOTORS, AC, asynchronous, three phase four pole type, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) power rating NOT less than 76 kW and NOT greater than 90 kW;</li> <li>(b) operating voltage NOT less than 380 V AC and NOT greater than 420 V AC;</li> <li>(c) surface cooling;</li> <li>(d) brakes;</li> <li>(e) temperature sensors,</li> </ul> <p>with OR without speed encoders Op. 12.12.17</p> <p>Stated Use: In hot strip mill or plate mill rolling within a steel manufacturing works</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>50</p> <p>- TC 17132559</p> <p>5%</p>
<p>8504.40.90 POWER CARTRIDGE, WIRELINE INTERVENTION TOOL, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) power supply board;</li> <li>(b) DC-AC converter;</li> <li>(c) controller board</li> </ul> <p>Op. 12.12.17</p> <p>Stated Use: To provide power and control to and from wireline intervention tools located downhole</p> <p>Applicant: SCHLUMBERGER AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 17133104</p> <p>5%</p>
<p>8536.41.00 SURFACE MOUNT RELAYS, PRINTED CIRCUIT BOARD, direct current (DC), having a coil voltage NOT exceeding 60 VDC Op. 05.12.17</p> <p>Stated Use: Used in for printed circuit board mounting in low voltage electronic equipment</p> <p>Applicant: RS COMPONENTS PTY LTD</p>	<p>50</p> <p>- TC 17130310</p> <p>5%</p>
<p>8537.10.90 POWER DISTRIBUTION MODULES, three pole, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) circuit breaker;</li> <li>(b) power cord;</li> <li>(c) output voltage NOT less than 230 V;</li> <li>(d) input voltage NOT greater than 400 V;</li> <li>(e) maximum line current NOT greater than 63 A;</li> <li>(f) input frequency NOT greater than 50 Hz</li> </ul> <p>Op. 05.12.17</p> <p>Stated Use: Simplified delivery of power</p> <p>Applicant: SCHNEIDER ELECTRIC IT AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 17130308</p> <p>5%</p>



## CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 2691(4B)(b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION  
SUBMISSION

Amended descriptions have been proposed for the Tariff Concession Order applications shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Contact: Email [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

7308.90.00	ASSEMBLIES, SOLAR PANEL SUPPORT STRUCTURE, POWER GENERATION, with OR without braces, having ALL of the following: (a) C shaped section OR U shaped section rails, having BOTH of the following: (i) NOT less than eight holes; (ii) length NOT greater than 12 metres, (b) support rails, having inbuilt slides; (c) rail connectors; (d) screws; (e) end stoppers; (f) steel ground posts; (g) supporting tubes, having BOTH of the following: (i) keyholes; (ii) compliance with European Standard EN 10143:2006, (h) main tubes, having BOTH of the following: (i) rectangular openings; (ii) compliance with European Standard EN 10219-1:2006, (i) NOT less than 3 rail clamps; (j) NOT less than 3 threaded plates; (k) NOT less than 7 bolts; (l) NOT less than 7 nuts; (m) washers; (n) compliance with BOTH of the following: (i) Eurocode 1: Actions on structures - Part 1 to 3: General actions - Snow loads EN 1991-1-3:2003; (ii) Eurocode 1: Actions on structures - Part 1 to 4: General actions - Wind actions EN 1991-1-4:2005	50
Op. 30.08.17	- TC 1793011	

Stated Use:  
For supporting photovoltaic solar panels in power generation  
plants

Applicant: RCR O'DONNELL GRIFFIN PTY LTD

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number
8421.31.00     FILTERS, AIR, having a polyurethane OR silicone foam sealant AND impregnated filter paper, being EITHER of the following: (a) rectangular prism shaped, having ALL of the following: (i) height NOT less than 50 mm and NOT greater than 220 mm; (ii) width NOT less than 65 mm and NOT greater than 270 mm; (iii) length NOT less than 210 mm and NOT greater than 400 mm, (b) cylindrical shaped, having BOTH of the following: (i) diameter NOT less than 95 mm and NOT greater than 175 mm; (ii) height NOT less than 115 mm and NOT greater than 225 mm  Op. 27.09.17	- TC 17103048	50
Stated Use: For air purification in diesel engines such as passenger motor vehicle engines		
Applicant: VOLKSWAGEN GROUP AUSTRALIA PTY LTD		
8711.60.00     MOTORCYCLES, STAND ON AND/OR SIT ON, electric, including ALL of the following: (a) electric motor drive mounted on frame OR on rear wheel swing arm; (b) hand operated front AND rear brakes; (c) motor power capacity NOT less than 600 W; (d) wheel sizes NOT exceeding 21 inches  Op. 04.09.17	- TC 1794387	50
Stated Use: For children's outdoor activities and racing		
Applicant: GODDARD RACING & DEVELOPMENT PTY LTD		



**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269G(3) - WITHDRAWAL OF A TARIFF CONCESSION ORDER APPLICATION**

The Tariff Concession Order applications set out in the following TABLE have been withdrawn by the applicant.

The number and date shown in the second column refers to the Gazette in which the application was notified.

## THE TABLE

Description of Goods including the Customs Tariff Classification	No. and Date of Gazette	Date of Withdrawal
7312.10.00 ROPES, FULL LOCKED STEEL COIL STRAND, having ALL of the following: (a) nominal diameter NOT less than 16 mm and NOT greater than 144 mm; (b) minimum breaking load NOT less than 250 kN and NOT greater than 21 425 kN, with OR without cable socket ends AND/OR pin fittings Op. 15.09.17	TC 17/44 18.10.17	19.12.17
	- TC 1799468	





**NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT**

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 120 MPa and NOT greater than 180 MPa; (b) tensile strength NOT less than 260 MPa and NOT greater than 350 MPa; (c) total elongation NOT less than 37%; (d) total coating mass NOT less than 90 g/m <sup>2</sup> ; (e) thickness 0.80 mm and width 1 640 mm	50 11.12.17
For the purposes of this Order, tolerances allowable for specification (e) are:	
(a) thickness +/- 10% (b) width +/- 1% Op. 13.03.13	Dec. date 03.06.13 - TC 1309160
7210.49.00 STEEL, flat rolled, non-alloy, hot dipped zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 110 MPa and NOT greater than 280 MPa; (b) tensile strength NOT less than 260 MPa; (c) elongation NOT less than 37%; (d) coating mass NOT less than 45 g/m <sup>2</sup> and NOT greater than 100 g/m <sup>2</sup> on each side; (e) in ANY of the following sizes: (i) thickness 0.60 mm and width 1 670 mm; (ii) thickness 0.65 mm and width 960 mm; (iii) thickness 0.65 mm and width 1 075 mm; (iv) thickness 0.65 mm and width 1 160 mm; (v) thickness 0.65 mm and width 1 240 mm; (vi) thickness 0.65 mm and width 1 425 mm; (vii) thickness 0.65 mm and width 1 430 mm; (viii) thickness 0.65 mm and width 1 445 mm; (ix) thickness 0.65 mm and width 1 630 mm; (x) thickness 0.65 mm and width 1 730 mm; (xi) thickness 0.70 mm and width 810 mm; (xii) thickness 0.70 mm and width 840 mm; (xiii) thickness 0.70 mm and width 850 mm; (xiv) thickness 0.70 mm and width 890 mm; (xv) thickness 0.70 mm and width 896 mm; (xvi) thickness 0.70 mm and width 1 390 mm; (xvii) thickness 0.70 mm and width 1 400 mm; (xviii) thickness 0.70 mm and width 1 410 mm; (xix) thickness 0.70 mm and width 1 440 mm; (xx) thickness 0.70 mm and width 1 460 mm; (xxi) thickness 0.70 mm and width 1 540 mm; (xxii) thickness 0.70 mm and width 1 590 mm; (xxiii) thickness 0.70 mm and width 1 650 mm; (xxiv) thickness 0.70 mm and width 1 655 mm; (xxv) thickness 0.75 mm and width 1 600 mm; (xxvi) thickness 0.75 mm and width 1 695 mm; (xxvii) thickness 0.75 mm and width 1 760 mm;	50 11.12.17

(Continued on next page)

Description of Goods including the  
Customs Tariff ClassificationSchedule 4 Item Number  
Lodgement Request Date

(Continued from previous page)

- (xxviii) thickness 0.80 mm and width 680 mm;
- (xxix) thickness 0.80 mm and width 1 185 mm;
- (xxx) thickness 0.80 mm and width 1 300 mm;
- (xxxi) thickness 0.80 mm and width 1 370 mm;
- (xxxii) thickness 0.80 mm and width 1 325 mm;
- (xxxiii) thickness 0.80 mm and width 1 545 mm;
- (xxxiv) thickness 0.80 mm and width 1 600 mm;
- (xxxv) thickness 0.80 mm and width 1 695 mm;
- (xxxvi) thickness 0.80 mm and width 1 760 mm;
- (xxxvii) thickness 0.80 mm and width 1 840 mm;
- (xxxviii) thickness 0.90 mm and width 950 mm;
- (xxxix) thickness 0.90 mm and width 1 530 mm;
- (xl) thickness 0.90 mm and width 1 800 mm;
- (xli) thickness 1.20 mm and width 1 730 mm;
- (xlii) thickness 1 20 mm and width 1 770 mm

For the purposes of this Order, tolerances allowable for  
specification (e) are:

(a) thickness +/- 10%

(b) width +/- 1%

Op. 22.05.13

Dec. date 12.08.13

- TC 1316841

7210.49.00

STEEL, flat rolled, non-alloy, hot dipped galvanized  
zinc coated, in coils, having ALL of the following:50  
11.12.17

- (a) yield strength NOT less than 115 MPa and NOT greater than 305 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) elongation NOT less than 37% and NOT greater than 57%;
- (d) total coating mass NOT less than 35 g/m<sup>2</sup> and NOT greater than 65 g/m<sup>2</sup> on each side;
- (e) thickness 1.00 mm and width 997 mm

For the purposes of this Order, tolerances allowable for  
specification (e) are:

(a) thickness +/- 10%

(b) width +/- 1%

Op. 06.09.13

Dec. date 02.12.13

- TC 1330276

7210.49.00

STEEL, flat rolled, non-alloy, hot dipped galvanized zinc  
coated, in coils, having ALL of the following:50  
11.12.17

- (a) yield strength NOT less than 160 MPa and NOT greater than 325 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) elongation NOT less than 35% and NOT greater than 50%;
- (d) coating mass NOT less than 45 g/m<sup>2</sup> and NOT greater than 65 g/m<sup>2</sup> each side;
- (e) thickness 1.20 mm and width 793 mm

For the purposes of this order, tolerances allowable for  
specification (e) are:

(a) thickness +/- 10%

(b) width +/- 1%

Op. 17.12.13

Dec. date 12.03.14

- TC 1341633

7210.49.00

STEEL, flat rolled, non-alloy, hot dipped galvanized zinc  
coated, in coils, having ALL of the following:50  
11.12.17

- (a) yield strength NOT less than 235 MPa and NOT greater than 400 MPa;
- (b) tensile strength NOT less than 390 MPa;
- (c) total elongation NOT less than 28%;
- (d) total coating mass NOT less than 35 g/m<sup>2</sup> and NOT greater than 65 g/m<sup>2</sup> each side;
- (e) thickness 2.30 mm and width 940 mm

For the purposes of this order, tolerances allowable for

(Continued on next page)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
---	--

(Continued from previous page)

specification (e) are:

(a) thickness +/- 10%

(b) width +/- 1%

Op. 17.12.13

Dec. date 12.03.14

- TC 1341634

7210.70.00	SHEETS, non-alloy steel, hot dipped zinc coated, high polymer prepainted, having ALL of the following: (a) yield strength NOT less than 280 MPa and NOT greater than 440 MPa; (b) tensile strength NOT less than 360 MPa and NOT greater than 550 MPa; (c) elongation NOT less than 20% and NOT greater than 35%; (d) zinc coating density NOT less than 120 g/m <sup>2</sup> ; (e) one side surface colour painted EITHER white OR grey; (f) polyurethane adhering coating; (g) prepainted steel with a specular gloss level at 60 degrees NOT less than 40 units and NOT more than 95 units as defined by Australian Standard/New Zealand Standard AS/NZS 1580.602.2:1995; (h) sheet thickness of 0.35 mm OR 0.40 mm OR 0.45 mm, having ANY of the following: (i) width 708 mm AND length 548 mm OR 708 mm OR 988 mm; (ii) width 660 mm AND length 3 600 mm OR 3 740 mm OR 3 875mm OR 3 940 mm OR 4 035 mm; (iii) width 710 mm AND length 4 281 mm OR 4 383 mm; (iv) width 722 mm AND length 3 785 mm OR 3 875 mm OR 3 985 mm OR 4 035 mm OR 4 135 mm; (v) width 800 mm AND length 1 437 mm; (vi) width 700 mm AND length 1 357 mm OR 1 437 mm; (vii) width 883 mm AND length 1 253 mm OR 1 682 mm OR 2 338 mm OR 2 658 mm OR 3 218 mm OR 3 938mm OR 4 798 mm,	50 18.12.17
------------	---	----------------

For the purposes of this Order, tolerances allowable for specification (h) are ANY of the following:

(a) width +2 mm;

(b) length +4 mm;

(c) thickness + OR - 0.03 mm

Op. 13.11.13

Dec. date 03.03.14

- TC 1338556

7210.70.00	SHEETS, non-alloy steel, hot dipped zinc coated, high polymer prepainted, having ALL of the following: (a) yield strength NOT less than 140 MPa and NOT greater than 360 MPa; (b) tensile strength NOT less than 270 MPa and NOT greater than 400 MPa; (c) elongation NOT less than 32% and NOT greater than 43%; (d) zinc coating density NOT less than 120g/m <sup>2</sup> ; (e) one side surface colour painted white OR silver OR grey; (f) epoxy coating; (g) sheet thickness of 0.45 mm OR 0.50 mm, having ANY of the following: (i) width 607 mm AND length 1 725 mm; (ii) width 672 mm AND length 1 725 mm OR 1 800mm; (iii) width 729 mm AND length 1 520mm OR 1 570mm OR 1 680 mm; (iv) width 774 mm AND length 1 580 mm OR 1 680 mm OR 1 725 mm; (v) width 824 mm AND length 1 540 mm OR 1 610 mm OR 1 680 mm; (vi) width 924 mm AND length 1 610 mm OR 1 670 mm OR 1 800 mm OR 2 030 mm; (vii) width 952 mm AND length 666 mm; (viii) width 1032 mm AND length 570 mm,	50 18.12.17
------------	---	----------------

(Continued on next page)





Description of Goods including the  
Customs Tariff ClassificationSchedule 4 Item Number  
Lodgement Request Date

(Continued from previous page)

For the purposes of this Order, tolerances allowable for  
specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 22.05.13

Dec. date 12.08.13

- TC 1316844

7225.99.00

STEEL, flat rolled, alloy, having ALL of the following:

- (a) hot dipped coating aluminium content NOT less than 85%;
- (b) hot dipped coating silicon content NOT less than 5% and NOT greater than 11%;
- (b) total coating mass NOT less than 60 g/m2 and NOT greater than 100 g/m2 on each side;
- (c) yield strength NOT less than 300 MPa;
- (d) tensile strength NOT less than 500 MPa;
- (e) total elongation NOT less than 17%;
- (f) in BOTH of the following sizes:
  - (i) thickness 1.00 mm and width 938 mm;
  - (ii) thickness 1.40 mm and width 918 mm

50  
11.12.17

Tolerances allowable for specification (f) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 13.03.13

Dec. date 03.06.13

- TC 1309157

7226.92.00

STEEL, flat rolled, alloy steel, cold rolled, complying with Japanese Industrial Standard G3135 (JIS G3135), grade SPFC980Y, having ALL of the following:

- (a) yield strength NOT less than 580 MPa and NOT greater than 920 MPa;
- (b) tensile strength NOT less than 980 MPa;
- (c) total elongation NOT less than 11% and NOT greater than 22%;
- (d) thickness 1.40 mm and width 435 mm

50  
18.12.17For the purposes of this Order, tolerances allowable for  
specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 28.12.12

Dec. date 18.03.13

- TC 1349347

7226.99.00

STEEL, flat rolled, alloy, having ALL of the following:

- (a) hot dipped coating of NOT less than 85% aluminium;
- (b) hot dipped coating silicon content NOT less than 5% and NOT greater than 11%;
- (c) total coating mass NOT less than 50 g/m2 and NOT greater than 110 g/m2 on each side;
- (d) yield strength NOT less than 300 MPa;
- (e) tensile strength NOT less than 500 MPa;
- (f) total elongation NOT less than 12%;
- (g) in BOTH of the following sizes:
  - (i) thickness 1.00 mm and width 232 mm;
  - (ii) thickness 1.40 mm and width 454 mm

50  
11.12.17For the purposes of this Order, tolerances allowable for  
specification (g) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 05.09.13

Dec. date 02.12.13

- TC 1330258

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date	
7228.70.00 PILLAR BLANKS, being pre-cut shapes OR sections of flat rolled alloy steel, having ALL of the following: <ul style="list-style-type: none"> <li>(a) hot dipped coating NOT less than 85% aluminium and NOT less than 5% silicon and NOT greater than 11% silicon;</li> <li>(b) yield strength NOT less than 300 MPa;</li> <li>(c) tensile strength NOT less than 500 MPa;</li> <li>(d) total elongation NOT less than 17%;</li> <li>(e) total coating mass on each side NOT less than 60 g/m2 and NOT greater than 100 g/m2;</li> <li>(f) chemistry specification of base steel being:               <ul style="list-style-type: none"> <li>(i) carbon NOT less than 0.19% and NOT greater than 0.27%;</li> <li>(ii) manganese NOT less than 1.00% and NOT greater than 1.50%;</li> <li>(iii) aluminium NOT less than 0.010%;</li> <li>(iv) silicon NOT greater than 0.50%;</li> <li>(v) phosphorous NOT greater than 0.030%;</li> <li>(vi) sulphur NOT greater than 0.050%;</li> <li>(vii) chromium NOT greater than 0.35%;</li> <li>(viii) titanium NOT less than 0.020% and NOT greater than 0.055%;</li> <li>(ix) nitrogen NOT greater than 0.010%;</li> <li>(x) boron NOT less than 0.0005% and NOT greater than 0.004%</li> </ul> </li> </ul>	50 11.12.17	
Op. 25.03.13	Dec. date 17.06.13	- TC 1310468
8438.50.00 GOAT SLAUGHTER AND PROCESSING LINE, including ALL of the following: <ul style="list-style-type: none"> <li>(a) restraining conveyors;</li> <li>(b) goat stunning guns;</li> <li>(c) exsanguinating AND sticking tables;</li> <li>(d) blood troughs;</li> <li>(e) hock cutters, with OR without sterilising machines;</li> <li>(f) horn cutters, with OR without sterilising machines;</li> <li>(g) head cutters, with OR without sterilising machines;</li> <li>(h) brisket clippers, with OR without wash cabinets;</li> <li>(i) tail cutters;</li> <li>(j) neck cutters;</li> <li>(k) air knives;</li> <li>(l) hide removal punches;</li> <li>(m) shoulder hide pullers;</li> <li>(n) carcass final hide pullers;</li> <li>(o) evisceration table with pans, including a cleaning AND sterilising machine;</li> <li>(p) carcass spray washer;</li> <li>(q) band saws;</li> <li>(r) rolling knife saws;</li> <li>(s) overhead conveyors</li> </ul>	50 03.01.18	
Op. 15.09.17	Dec. date 11.12.17	- TC 1799462

---

**CUSTOMS ACT 1901****CANCELLATION OF THE INTENTION TO REVOKE**

The Request for revocation of the Tariff Concession Order for goods described in the following TABLE has been cancelled.

## THE TABLE

---

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
8481.80.90 VALVES, AXIAL FLOW, having a bore diameter NOT less than 140 mm Op. 16.07.10 Dec. date 06.10.10	50 - TC 1032533

---



**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1) - AUSTRALIAN INDUSTRY INITIATED - TARIFF CONCESSION  
ORDERS REVOKED**

The Tariff Concession Orders for the goods described in the following TABLE have been revoked.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
<p>7209.16.00 STEEL, flat rolled, iron OR non-alloy, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3141 (JIS G3141) grades SPCC OR SPCD OR SPCE, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 115 MPa and NOT greater than 265 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa;</li> <li>(c) elongation NOT less than 36% and NOT greater than 57%;</li> <li>(d) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 1.40 mm and width 773 mm;</li> <li>(ii) thickness 1.40 mm and width 1 050 mm;</li> <li>(iii) thickness 2.00 mm and width 620 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 04.03.13</p> <p>Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply</p>	50 26.11.17
<p>7209.16.00 STEEL, flat rolled, iron OR non-alloy steel, cold rolled, in coils, not coated, complying with Japanese Industrial Standard G3135 (JIS G3135), grade SPFC440 OR SPFC590, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 265 MPa and NOT greater than 560 MPa;</li> <li>(b) tensile strength NOT less than 440 MPa;</li> <li>(c) total elongation NOT less than 18%;</li> <li>(d) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 1.20 mm and width 962 mm;</li> <li>(ii) thickness 1.20 mm and width 1 090 mm;</li> <li>(iii) thickness 1.20 mm and width 1 306 mm;</li> <li>(iv) thickness 1.40 mm and width 715 mm;</li> <li>(v) thickness 1.40 mm and width 1 182 mm;</li> <li>(vi) thickness 1.40 mm and width 1 185 mm;</li> <li>(vii) thickness 1.40 mm and width 1 302 mm;</li> <li>(viii) thickness 1.60 mm and width 1 240 mm;</li> <li>(ix) thickness 1.80 mm and width 1 132 mm;</li> <li>(x) thickness 1.80 mm and width 1 166 mm;</li> <li>(xi) thickness 1.80 mm and width 1 225 mm;</li> <li>(xii) thickness 2.00 mm and width 890 mm;</li> <li>(xiii) thickness 2.00 mm and width 990 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 28.12.12</p> <p>Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply</p>	50 26.11.17

Dec. date 13.05.13

- TC 1308126

Dec. date 18.03.13

- TC 1349343



Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
<p>7209.17.00 STEEL, flat rolled, iron OR non-alloy steel, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3135 (JIS G3135), grades SPFC440, OR SPFC590, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 265 MPa and NOT greater than 560 MPa;</li> <li>(b) tensile strength NOT less than 440 MPa;</li> <li>(c) total elongation NOT less than 18%;</li> <li>(d) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 0.80 mm and width 1 097 mm;</li> <li>(ii) thickness 1.00 mm and width 1 010 mm;</li> <li>(iii) thickness 1.00 mm and width 1 120 mm;</li> <li>(iv) thickness 1.00 mm and width 1 390 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (D) are:</p>	50 26.11.17
<ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul>	Op. 28.12.12 Dec. date 18.03.13 - TC 1349341
<p>Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply</p>	
<p>7209.18.00 STEEL, flat rolled, non-alloy, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3141 (JIS G3141), grades SPCC, SPCD OR SPCE, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 115 MPa and NOT greater than 265 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa;</li> <li>(c) elongation NOT less than 36% and NOT greater than 57%;</li> <li>(d) thickness 0.45 mm and width 710 mm</li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p>	50 26.11.17
<ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul>	Op. 06.09.13 Dec. date 02.12.13 - TC 1330277
<p>Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply</p>	
<p>7209.18.00 STEEL, flat rolled, iron OR non-alloy steel, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3141 (JIS G3141) grades SPCC, SPCD OR SPCE, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 115 MPa and NOT greater than 265 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa;</li> <li>(c) total elongation NOT less than 36% and NOT greater than 57%;</li> <li>(d) in EITHER of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 0.40 mm and width 745 mm;</li> <li>(ii) thickness 0.40 mm and width 960 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p>	50 26.11.17
<ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul>	Op. 28.12.12 Dec. date 18.03.13 - TC 1349336
<p>Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply</p>	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

<p>7210.30.00 STEEL, flat rolled, non-alloy, electrolytically plated or coated with zinc, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 140 MPa and NOT greater than 210 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa and NOT greater than 350 MPa;</li> <li>(c) total elongation NOT less than 38%;</li> <li>(d) total coating mass NOT less than 47 g/m<sup>2</sup> and NOT greater than 61 g/m<sup>2</sup> on each side;</li> <li>(e) thickness 0.70 mm and width 1 160 mm</li> </ul>	<p>50 03.12.17</p>
---	------------------------

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 13.03.13

Dec. date 03.06.13

- TC 1309163

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

<p>7210.30.00 STEEL, flat rolled, non-alloy, electrolytically plated OR coated with zinc, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 110 MPa and NOT greater than 240 MPa;</li> <li>(b) tensile strength NOT less than 260 MPa;</li> <li>(c) elongation NOT less than 37%;</li> <li>(d) coating mass NOT less than 36 g/m<sup>2</sup> and NOT greater than 90 g/m<sup>2</sup> on each side;</li> <li>(e) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 0.70 mm and width 980 mm;</li> <li>(ii) thickness 0.70 mm and width 1 160 mm;</li> <li>(iii) thickness 0.70 mm and width 1 250 mm;</li> <li>(iv) thickness 0.70 mm and width 1 520 mm;</li> <li>(v) thickness 0.70 mm and width 1 640 mm;</li> <li>(vi) thickness 0.80 mm and width 960 mm;</li> <li>(vii) thickness 0.80 mm and width 1 160 mm;</li> <li>(viii) thickness 0.80 mm and width 1 370 mm;</li> <li>(ix) thickness 0.80 mm and width 1 600 mm;</li> <li>(x) thickness 0.90 mm and width 950 mm</li> </ul> </li> </ul>	<p>50 03.12.17</p>
--	------------------------

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 22.05.13

Dec. date 12.08.13

- TC 1316842

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

<p>7210.30.00 STEEL, flat rolled, iron OR non-alloy steel, tin AND zinc alloy electrolytically coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 115 MPa and NOT greater than 370 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa;</li> <li>(c) total elongation NOT less than 33%;</li> <li>(d) total coating mass NOT less than 30 g/m<sup>2</sup> and NOT greater than 50 g/m<sup>2</sup> on each side;</li> <li>(e) thickness 0.40 mm and width 970 mm</li> </ul>	<p>50 26.11.17</p>
---	------------------------

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 28.12.12

Dec. date 18.03.13

- TC 1349355

(Continued on next page)

Description of Goods including the  
Customs Tariff ClassificationSchedule 4 Item Number  
Last Date of Effect

(Continued from previous page)

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.30.00	<p>STEEL, flat rolled, iron OR non-alloy steel, tin AND zinc alloy electrolytically coated, in coils, having ALL of the following:</p> <p>(a) yield strength NOT less than 115 MPa and NOT greater than 370 MPa;</p> <p>(b) tensile strength NOT less than 270 MPa;</p> <p>(c) total elongation NOT less than 33%;</p> <p>(d) total coating mass NOT less than 30 g/m<sup>2</sup> and NOT greater than 50 g/m<sup>2</sup> on each side;</p> <p>(e) in ANY of the following sizes:</p> <p style="padding-left: 20px;">(i) thickness 0.60 mm and width 980 mm;</p> <p style="padding-left: 20px;">(ii) thickness 0.80 mm and width 1 159 mm;</p> <p style="padding-left: 20px;">(iii) thickness 0.80 mm and width 1 209 mm;</p> <p style="padding-left: 20px;">(iv) thickness 0.80 mm and width 890 mm;</p> <p style="padding-left: 20px;">(v) thickness 1.00 mm and width 780 mm;</p> <p style="padding-left: 20px;">(vi) thickness 1.00 mm and width 840 mm;</p> <p style="padding-left: 20px;">(vii) thickness 1.00 mm and width 865 mm</p>	50 26.11.17
------------	--	----------------

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%  
(b) width +/- 1%

Op. 28.12.12

Dec. date 18.03.13

- TC 1349357

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00	<p>STEEL, flat rolled non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <p>(a) yield strength NOT less than 275 MPa and NOT greater than 380 MPa;</p> <p>(b) tensile strength NOT less than 440 MPa;</p> <p>(c) elongation NOT less than 30%.</p> <p>(d) coating mass NOT less than 45 g/m<sup>2</sup> and NOT greater than 65 g/m<sup>2</sup> on each side;</p> <p>(e) thickness 2.00 mm and width 792 mm</p>	50 03.12.17
------------	---	----------------

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%  
(b) width +/- 1%

Op. 04.02.13

Dec. date 02.05.13

- TC 1304297

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00	<p>STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <p>(a) yield strength NOT less than 115 MPa and NOT greater than 305 MPa;</p> <p>(b) tensile strength NOT less than 270 MPa;</p> <p>(c) elongation NOT less than 37% and NOT greater than 57%;</p> <p>(d) coating mass NOT less than 35 g/m<sup>2</sup> and NOT greater than 65 g/m<sup>2</sup> on each side;</p> <p>(e) in ANY of the following sizes:</p> <p style="padding-left: 20px;">(i) thickness 0.55 mm and width 1 117 mm;</p> <p style="padding-left: 20px;">(ii) thickness 0.55 mm and width 1 201 mm;</p> <p style="padding-left: 20px;">(iii) thickness 0.60 mm and width 1 473 mm;</p>	50 03.12.17
------------	---	----------------

(Continued on next page)

Description of Goods including the  
Customs Tariff ClassificationSchedule 4 Item Number  
Last Date of Effect

(Continued from previous page)

- (iv) thickness 0.65 mm and width 895 mm;
- (v) thickness 0.65 mm and width 1 275 mm;
- (vi) thickness 0.65 mm and width 1 595 mm;
- (vii) thickness 0.70 mm and width 870 mm;
- (viii) thickness 0.75 mm and width 1 090 mm;
- (ix) thickness 0.75 mm and width 1 450 mm;
- (x) thickness 0.80 mm and width 1 214 mm;
- (xi) thickness 0.80 mm and width 1 700 mm;
- (xii) thickness 1.00 mm and width 815 mm;
- (xiii) thickness 1.00 mm and width 1 180 mm;
- (xiv) thickness 1.40 mm and width 933 mm
- (xv) thickness 1.40 mm and width 1 070 mm;
- (xvi) thickness 1.80 mm and width 835 mm;
- (xvii) thickness 1.80 mm and width 1 022 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1

Op. 04.03.13

Dec. date 13.05.13

- TC 1308115

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00

STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:

50  
03.12.17

- (a) yield strength NOT less than 160 MPa and NOT greater than 325 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) elongation NOT less than 35% and NOT greater than 50%;
- (d) coating mass NOT less than 45 g/m<sup>2</sup> and NOT greater than 65 g/m<sup>2</sup> on each side;
- (e) in ANY of the following sizes:
  - (i) thickness 1.00 mm and width 878 mm;
  - (ii) thickness 1.20 mm and width 801 mm;
  - (iii) thickness 1.20 mm and width 1 049 mm;
  - (iv) thickness 1.40 mm and width 1 030 mm;
  - (v) thickness 1.60 mm and width 870 mm;
  - (vi) thickness 1.60 mm and width 1 172 mm;
  - (vii) thickness 1.80 mm and width 960 mm;
  - (viii) thickness 1.80 mm and width 1 175 mm;
  - (ix) thickness 2.00 mm and width 1 070 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.03.13

Dec. date 13.05.13

- TC 1308121

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00

STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:

50  
03.12.17

- (a) yield strength NOT less than 155 MPa and NOT greater than 295 MPa;
- (b) tensile strength NOT less than 340 MPa;
- (c) elongation NOT less than 34%;
- (d) coating mass NOT less than 35 g/m<sup>2</sup> and NOT greater than 65 g/m<sup>2</sup> on each side;
- (e) thickness 0.75 mm and width 1 600 mm

For the purposes of this Order, tolerances allowable for

(Continued on next page)

Description of Goods including the  
Customs Tariff ClassificationSchedule 4 Item Number  
Last Date of Effect

(Continued from previous page)

specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.03.13

Dec. date 13.05.13

- TC 1308125

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00

STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:

- (a) yield strength NOT less than 235 MPa and NOT greater than 400 MPa;
- (b) tensile strength NOT less than 390 MPa;
- (c) elongation NOT less than 28%;
- (d) coating mass NOT less than 35 g/m2 and NOT greater than 65 g/m2 on each side;
- (e) thickness 2.00 mm and width 785 mm

50  
03.12.17

For the purposes of this order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 29.05.13

Dec. date 19.08.13

- TC 1317486

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00

STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:

- (a) yield strength NOT greater than 250 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) elongation NOT less than 36%;
- (d) coating mass on each side NOT less than 30 g/m2 and NOT greater than 70 g/m2;
- (e) thickness 1.15 mm and width 1 105 mm

50  
03.12.17

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 06.09.13

Dec. date 02.12.13

- TC 1330458

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00

STEEL, flat rolled, non-alloy steel, hot dipped galvanized zinc coated, in coils, having ALL of the following:

- (a) yield strength NOT less than 115 MPa and NOT greater than 305 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) total elongation NOT less than 37% and NOT greater than 57%;
- (d) total coating mass NOT less than 35 g/m2 and NOT greater than 65 g/m2 on each side;
- (e) in ANY of the following sizes:
  - (i) thickness 0.65 mm and width 870 mm;
  - (ii) thickness 0.65 mm and width 930 mm;
  - (iii) thickness 0.65 mm and width 1 150 mm;
  - (iv) thickness 0.65 mm and width 1 640 mm;
  - (v) thickness 0.65 mm and width 1 645 mm;
  - (vi) thickness 0.65 mm and width 1 680 mm;
  - (vii) thickness 0.65 mm and width 1 710 mm;

50  
03.12.17

(Continued on next page)

Description of Goods including the  
Customs Tariff ClassificationSchedule 4 Item Number  
Last Date of Effect

(Continued from previous page)

- (viii) thickness 0.70 mm and width 925 mm;
- (ix) thickness 0.70 mm and width 930 mm;
- (x) thickness 0.70 mm and width 1 000 mm;
- (xi) thickness 0.70 mm and width 1 005 mm;
- (xii) thickness 0.70 mm and width 1 010 mm;
- (xiii) thickness 0.70 mm and width 1 045 mm;
- (xiv) thickness 0.70 mm and width 1 455 mm;
- (xv) thickness 0.70 mm and width 1 485 mm;
- (xvi) thickness 0.70 mm and width 1 550 mm;
- (xvii) thickness 0.75 mm and width 1 135 mm;
- (xviii) thickness 0.75 mm and width 1 140 mm;
- (xix) thickness 0.75 mm and width 1 625 mm;
- (xx) thickness 0.75 mm and width 1 670 mm;
- (xxi) thickness 0.80 mm and width 1 060 mm;
- (xxii) thickness 0.80 mm and width 1 150 mm;
- (xxiii) thickness 0.80 mm and width 1 200 mm;
- (xxiv) thickness 1.00 mm and width 1 610 mm;
- (xxv) thickness 1.20 mm and width 1 595 mm;
- (xxvi) thickness 2.30 mm and width 985 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1

Op. 28.12.12

Dec. date 18.03.13

- TC 1349351

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00

STEEL, flat rolled, non-alloy steel, hot dipped galvanized zinc coated, in coils, having ALL of the following:

- (a) yield strength NOT less than 155 MPa and NOT greater than 295 MPa;
- (b) tensile strength NOT less than 340 MPa;
- (c) total elongation NOT less than 34%;
- (d) total coating mass NOT less than 35 g/m<sup>2</sup> and NOT greater than 65 g/m<sup>2</sup> on each side;
- (e) in ANY of the following sizes:
  - (i) thickness 0.70 mm and width 830 mm;
  - (ii) thickness 0.70 mm and width 855 mm;
  - (iii) thickness 0.75 mm and width 840 mm;
  - (iv) thickness 0.75 mm and width 855 mm;
  - (v) thickness 0.75 mm and width 1 630 mm;
  - (vi) thickness 0.75 mm and width 1 645 mm;
  - (vii) thickness 0.75 mm and width 1 683 mm;
  - (viii) thickness 0.75 mm and width 1 700 mm;
  - (ix) thickness 1.20 mm and width 1 170 mm;
  - (x) thickness 1.20 mm and width 1 175 mm;
  - (xi) thickness 1.20 mm and width 1 198 mm;
  - (xii) thickness 1.60 mm and width 1 160 mm

50  
03.12.17

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 28.12.12

Dec. date 18.03.13

- TC 1349352

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply



Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

7210.49.00 STEEL, flat rolled, non-alloy steel, hot dipped galvanized zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 235 MPa and NOT greater than 400 MPa; (b) tensile strength NOT less than 390 MPa; (c) total elongation NOT less than 28%; (d) total coating mass NOT less than 35 g/m <sup>2</sup> and NOT greater than 65 g/m <sup>2</sup> on each side; (e) in ANY of the following sizes: (i) thickness 2.00 mm and width 975 mm; (ii) thickness 2.30 mm and width 948 mm; (iii) thickness 2.30 mm and width 1 030 mm; (iv) thickness 2.30 mm and width 1 190 mm; (v) thickness 2.60 mm and width 1 230 mm	50 03.12.17
---	----------------

For the purposes of this Order, tolerances allowable for  
specification (e) are:

(a) thickness +/- 10%  
 (b) width +/- 1%  
 Op. 28.12.12

Dec. date 18.03.13

- TC 1349354

Substitutable goods produced in Australia in the ordinary  
course of business by Bluescope Steel (AIS) Ltd, Port Kembla,  
NSW. In transit provisions apply

**TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS**

The Comptroller-General of Customs is satisfied that the CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 8 February 2018, it is intended to take action to revoke these Orders under subsection 269SD (1A) of the Customs Act 1901. In accordance with subsection 269SG (2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 8 February 2018.

Interested parties are invited to provide, by close of business, Wednesday 7 February 2018, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

## THE TABLE

Tariff Classification	Description	Concession Number
3906.10.00	ACRYLIC POWDER, consisting of ALL of the following: (a) poly (methyl methacrylate); (b) titanium dioxide; (c) dibenzoyl peroxide	
	Op. 29.04.10	Dec. date 26.07.10 - TC 1019462
5911.90.10	ROLL SLEEVES AND/OR ROLL BLOCKS, ABSORBING, WRINGER OR OILER	
	Op. 04.01.10	Dec. date 22.03.10 - TC 1000201
5911.90.10	ROLL SLEEVES AND/OR ROLL BLOCKS, absorbent, cylindrical, being ANY of the following: (a) bridle; (b) deflector; (c) pinch; (d) wringer; (e) squeegee; (f) feeder; (g) support; (h) snubber; (i) wiper; (j) oiler; (k) dammy	
	Op. 04.01.10	Dec. date 22.03.10 - TC 1000206
8302.42.00	CASTOR CUPS, having carpet cushion base and nail on application	
	Op. 31.12.09	Dec. date 26.03.10 - TC 1000112
8414.80.19	AIR SUPPLY MODULES, PASSENGER TRAIN BRAKE SYSTEM, comprising ALL of the following: (a) oil-less compressor; (b) valves; (c) isolating cocks; (d) pressure switch; (e) filters	
	Op. 26.03.10	Dec. date 18.06.10 - TC 1015007
8414.90.90	PARTS, STEELWORKS BAG FILTER PLANT, being axial fan blades	
	Op. 23.02.10	Dec. date 07.05.10 - TC 1009520

8419.90.00	PARTS, HEAT EXCHANGER, being EITHER of the following: (a) outlet bellows; (b) inlet bellows	Op. 22.01.10	Dec. date 09.04.10	- TC 1004434
8421.19.00	CENTRIFUGES, piston discharge, programmable logic controlled, maximum gravitational force NOT less than 10 000 G	Op. 04.01.10	Dec. date 22.03.10	- TC 1000286
8425.39.00	WINCHES, OIL AND GAS FIELD, having BOTH of the following: (a) hydraulic power pack; (b) maximum working load NOT less than 340 t	Op. 11.02.10	Dec. date 30.04.10	- TC 1007517
8425.39.00	SPOOLERS, CABLE, comprising ALL of the following: (a) tension controllers; (b) winch controllers; (c) hydraulic power pack comprising BOTH of the following: (i) three phase electric motor; (ii) variable displacement pumps; (d) pitch chains; (e) winch skids; (f) drum adapters	Op. 18.01.08	Dec. date 03.03.10	- TC 1010434
8428.90.00	LOADERS, MARINE, PETROLEUM, having EITHER of the following: (a) transfer arms having a maximum flow rate NOT less than 2 000 tonnes per hour; (b) marine loading arm couplers	Op. 09.02.07	Dec. date 21.01.10	- TC 1003275
8454.90.00	PARTS, STEEL CONVERTER VESSEL, being lamella suspensions consisting of BOTH of the following: (a) lamella brackets; (b) lamella plates	Op. 28.06.10	Dec. date 21.09.10	- TC 1028800
8514.20.00	INDUCTION FURNACES, channel, having BOTH of the following: (a) holding capacity NOT less than 22 tonnes; (b) copper melting output NOT less than 6.3 tonnes per hour at 1 150 degrees Celsius	Op. 19.05.10	Dec. date 09.08.10	- TC 1022441
8608.00.00	DRIVE LOCKING DETECTION SYSTEM, RAIL, SWINGNOSE CROSSING, having BOTH of the following: (a) double clamp lock; (b) integrated electrical detector	Op. 06.07.10	Dec. date 06.10.10	- TC 1030590

## CUSTOMS ACT 1901

## NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have has not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC/49 dated 22 November 2017.

Contact: Email [tarcon@abf.gov.au](mailto:tarcon@abf.gov.au)

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3816.00.00 REFRACTORY GROUT, HEARTH OR SEAL PLATE, BLAST FURNACE, having a fixed carbon or graphite content NOT less than 86% Op. 30.01.09 Dec. date 24.04.09 2 Years non use. In transit provisions apply	50 19.12.17 - TC 0903181
3816.00.00 MORTARS, REFRACTORY, TUYERE ZONE, BLAST FURNACE, resin bonded, having ALL of the following: (a) silicon carbide (SiC) content NOT less than 59%; (b) silicon dioxide (SiO <sub>2</sub> ) content NOT greater than 6% Op. 30.01.09 Dec. date 24.04.09 2 Years non use. In transit provisions apply	50 19.12.17 - TC 0903183
3816.00.00 MORTARS, REFRACTORY, BOSH ZONE, BLAST FURNACE, resin bonded, having BOTH of the following: (a) silicon carbide (SiC) content NOT less than 29%; (b) fixed carbon (F.C) or graphite content NOT less than 19% Op. 30.01.09 Dec. date 24.04.09 2 Years non use. In transit provisions apply	50 19.12.17 - TC 0903185
3816.00.00 MIXES, GUNNING, BLAST FURNACE HOT BLAST MAINS OR BUSTLE MAINS ARCH FLATS, having a basis of epoxy resin Op. 11.02.09 Dec. date 08.05.09 2 Years non use. In transit provisions apply	50 19.12.17 - TC 0904506
3824.40.00 BONDING EMULSION, waterproof, synthetic, comprising BOTH of the following: (a) polysilicon prepolymer; (b) polyacrylate copolymer Op. 12.03.09 Dec. date 29.05.09 2 Years non use. In transit provisions apply	50 19.12.17 - TC 0908466
3926.90.90 COVERS, SLUDGE STORAGE, being polyfoam encased in polyethylene, with or without anchors Op. 04.02.09 Dec. date 08.05.09 2 Years non use. In transit provisions apply	50 19.12.17 - TC 0903707
4811.59.10 PAPER, in sheets, having ALL of the following: (a) adhesive laminated one side with high density polyethylene film; (b) weight NOT less than 50 gsm and NOT greater than 60 gsm; (c) thickness NOT less than 73 microns and NOT greater than 79 microns Op. 12.03.09 Dec. date 29.05.09 2 Years non use. In transit provisions apply	50 19.12.17 - TC 0908499

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
5210.31.00 FABRIC, white, dyed, NOT less than 40% polyester, remainder cotton, having ALL of the following: (a) thread count NOT less than 100 x 70 picks and NOT greater than 200 x 100 picks; (b) yarn gauge NOT less than 16/16 and NOT greater than 40/40; (c) width NOT less than 240 cm and NOT greater than 285 cm Op. 06.02.09 Dec. date 17.04.09 2 Years non use. In transit provisions apply	50 19.12.17      - TC 0904162
7308.90.00 MARINE PILINGS, steel, having ALL of the following: (a) thickness NOT less than 20 mm; (b) length NOT less than 28.5 m; (c) diameter NOT less than 900 mm; (d) maximum of one splice per piling; (e) maximum straightness difference of 1 mm per metre over entire length Op. 30.04.09 Dec. date 24.07.09 2 Years non use. In transit provisions apply	50 19.12.17      - TC 0914435
7326.90.90 SUB ASSEMBLIES, PUMP SUPPORT, BY PASS SYSTEM, OIL AND GAS WELL Op. 23.04.09 Dec. date 10.07.09 2 Years non use. In transit provisions apply	50 19.12.17  - TC 0913560
8414.90.90 PARTS, FANS, BAGHOUSE, being impellor assemblies consisting of ALL of the following: (a) silica nitride and alumina tiled impellors; (b) shafts; (c) bearings Op. 17.04.09 Dec. date 03.07.09 2 Years non use. In transit provisions apply	50 19.12.17      - TC 0912739
8428.90.00 TURNTABLES, ROOF TILE, having BOTH of the following: (a) conveyors; (b) tile capacity NOT less than 2 500 tiles per hour Op. 24.03.09 Dec. date 12.06.09 2 Years non use. In transit provisions apply	50 19.12.17   - TC 0909923
8474.90.00 PARTS, SPIKE ROLL SINTER CRUSHER, being shafts Op. 28.04.09 Dec. date 17.07.09 2 Years non use. In transit provisions apply	50 19.12.17  - TC 0914119

**NOTICE OF APPLICATIONS FOR REVIEW OF DECISIONS MADE UNDER PROVISIONS OF ADMINISTRATIVE APPEALS TRIBUNAL ACT  
1975**

An application has been lodged with the Administrative Appeals Tribunal under section 29 of the Administrative Appeals Tribunal Act 1975 for a review of the decision of the Comptroller-General of Customs in respect of the Tariff Concession Order for the goods described in the following TABLE.

The operative date (Op.) and TC reference number follow the description of goods.

The decision to be reviewed by the Administrative Appeals Tribunal is nominated following the description of goods.

Subject to the Administrative Appeals Tribunal Act 1975, any person whose interests are affected by the decision under review may apply in writing to the Tribunal to be made a party to the proceedings. Interested persons who do become a party to these proceedings may be able to present evidence and make submissions to the Tribunal and the matter could not be settled by consent without their agreement. The Administrative Appeals Tribunal reference number and location appear against the Tariff Concession.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
7308.90.00 PARTS, BRICK CLADDING, being steel support trays AND/OR interlocking steel rails, complying with Australian Standard/New Zealand Standard AS/NZS 4284:2008 Op. 10.04.17 Comptroller-General of Customs Decision: REFUSE	50  - TC 1738137
Applicant	AAT Ref                      AAT Location
PGH BRICKS & PAVERS PTY LIMITED	S20177564 CSO 6              ADELAIDE

Under ss.269SHA(3), an application by a person affected by the decision of the Comptroller-General of Customs in respect of this TCO may apply (under ss.30(1A) of the Administrative Appeals Tribunal Act 1975) to become a party joined to the proceedings provided such application is made within 60 days of the publication of this notice.