



**Commonwealth
of Australia**

Gazette

No. TC15/35, Wednesday, 9 September 2015
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made.....	7
Local Manufacturer Initiated - TCO Revocation Request	9
TCOs Revoked - Unused for over 2 years	10
Intention to Revoke – TCO’s Unused for over 2 years	12

The Department of Immigration and Border Protection (DIBP) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the DIBP internet site at:
<http://www.border.gov.au>

Please note that the Industry Assistance Section has changed address.
We are now located at 5 Chan St Belconnen ACT 2617.

Contact numbers are listed below:

General Email Inquiries.....tarcon@border.gov.au

General Inquiries:(02) 6198 7289

Facsimile:(02) 6198 7203

TAPIN help desk.....(02) 6275 6534

Cat. No.

ISSN 0813-8389

©Commonwealth of Australia, 2015

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at
<http://www.border.gov.au/Tariffclassificationofgoods/Documents/typableb4442001.pdf>

For guidance on the required description style, phone 02 6198 7289, fax 02 6198 7203 or email
tarcon@border.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3924.90.00 SHOWER HEADS, ABS (Acrylonitrile Butadiene Styrene), chrome plated, ball joint swivel connector Op. 13.08.15	50 - TC 1531722
Stated Use: To be installed in bathrooms for sanitary and hygienic purposes	
Applicant: ACM PTY LTD	5%
3926.90.90 PARTS, GROUND STABILISATION SYSTEM, glass fibre reinforced, being ANY of the following: (a) continuously threaded ground anchor bars having ALL of the following: (i) diameters NOT less than 22 mm and NOT greater than 40 mm; (ii) pultruded vinyl ester resin formed thread; (iii) tensile strength NOT less than 900 N/mm ² , (b) holding plates; (c) nuts Op. 12.08.15	50 - TC 1531653
Stated Use: For long term corrosion resistance for anchoring and soil stabilisation projects	
Applicant: BLUEY TECHNOLOGIES PTY LTD	5%
3926.90.90 BOARDS, plastic, with OR without solid homogeneous microfibres OR metal profiles, in ALL the following dimensions; (a) thickness NOT less than 35 mm and NOT greater than 60 mm; (b) width NOT less than 900 mm and NOT greater than 1 430 mm; (c) length NOT less than 1 100 mm and NOT greater than 1 305 mm Op. 18.08.15	50 - TC 1532165
Stated Use: Blocks sit on boards, which are transported via conveyors during the manufacture of concrete blocks	
Applicant: BLISS & REELS PTY LTD	5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
5703.20.00	BATH MATS, microfibre, having a non-slip backing being ANY of the following: (a) thermoplastic rubber; (b) thermoplastic elastomer; (c) silicone; (d) polyurethane; (e) plastic Op. 17.08.15 Stated Use: Non-slip bathroom floor covering Applicant: SUPERTEX PTY LTD	50 5%
6910.10.00	WASH BASINS, fire clay, with OR without ANY of the following: (a) waste plugs; (b) overflow rings; (c) fitting hardware, including ANY of the following: (i) bolts AND/OR nuts; (ii) screws AND/OR screw inserts AND/OR screw covers; (iii) washers AND/OR spacers Op. 13.08.15 Stated Use: For personal washing in bathroom Applicant: CAROMA INDUSTRIES LTD	50 5%
8205.59.00	SCRAPERS, PIPE END, having NOT less than five of the following: (a) threaded spindles, with OR without cross handles AND/OR adjustment knobs; (b) length setting catches; (c) piloting arm carriers; (d) piloting arm having a cylindrical handles; (e) blade holders AND blades; (f) scraper blades; (g) tensioning heads; (h) cylindrical heads; (i) star knobs Op. 17.08.15 Stated Use: Used for scraping of the oxide layer on polyethylene pipes as a preparation for the electro-fusion of pipe fittings Applicant: PLASSON AUSTRALIA PTY LTD	50 5%
8413.70.90	PUMPS, vertical turbine, motor driven, flanged column Op. 11.08.15 Stated Use: For removing ballast liquids on oil rigs Applicant: SEDCO FOREX INTERNATIONAL INC	50 5%
8419.89.90	DEHYDRATORS, CONTAMINATED WASTE, having a volume capacity NOT greater than 6 800 L Op. 10.08.15 Stated Use: Automated treatment of waste issues from embryonic egg cultured vaccines or similar applications Applicant: BIOCSL PTY LTD	50 5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8421.29.00 OIL FILTERS, STAND ALONE, MULTI BAG, having an operating pressure of 3 bar AND operating temperature of 98 degrees Celsius with a capacity of 0.125 m3, consisting of ALL of the following: (a) oil outlet pipe; (b) oil inlet pipe; (c) manually operated top vent Op. 11.08.15</p> <p>Stated Use: Part of oil extraction plants, filtration and removal of debris from the production of crushed grape seed oil</p> <p>Applicant: RIVERINA OILS & BIO ENERGY PTY LTD</p>	<p>50</p> <p>- TC 1531493</p> <p>5%</p>
<p>8421.29.00 FILTER PRESSES, VERTICAL PLATE, SLURRY DEWATERING, programmable logic controlled, with OR without plates, having ALL of the following: (a) upper beams AND support frames; (b) mobile AND fixed headers; (c) plate compression hydraulic cylinders; (d) robotic cloth washing unit; (e) drip tray with hydraulic cylinders; (f) plate size 2.5 m x 2.5 m Op. 17.08.15</p> <p>Stated Use: Dewatering of slurry</p> <p>Applicant: ALCOA OF AUSTRALIA LTD</p>	<p>50</p> <p>- TC 1531982</p> <p>5%</p>
<p>8428.90.00 STRETCHER LOADING MACHINES, VEHICLE, having BOTH of the following: (a) extending, tilting and sliding stretcher platform; (b) automatic stretcher fastening Op. 12.08.15</p> <p>Stated Use: For the rapid loading, unloading and restraining of patients in field ambulances</p> <p>Applicant: G.H. VARLEY PTY LTD</p>	<p>50</p> <p>- TC 1531651</p> <p>5%</p>
<p>8433.60.00 FRUIT AND/OR VEGETABLE GRADING LINE, including ALL of the following: (a) grading unit; (b) conveyor belt elevators; (c) pumps; (d) optical sorters; (e) centrifugal separator Op. 17.08.15</p> <p>Stated Use: Preparation of tomatoes for processing</p> <p>Applicant: SPC ARDMONA OPERATIONS LTD</p>	<p>50</p> <p>- TC 1531914</p> <p>5%</p>
<p>8474.20.00 COAL GRINDING PLANT, including ALL of the following: (a) discharge feeders; (b) bucket elevators; (c) conveyors with OR without weighers; (d) filters; (e) burner dryers; (f) grinding mills; (g) nitrogen receivers AND tanks; (h) valves; (i) silencers;</p>	<p>50</p>

(Continued on next page)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
(Continued from previous page)	
(j) combustion air AND draft fans; (k) magnets; (l) coal discharge bins; (m) monitors; (n) chutes; (o) pipework; (p) ground coal bag house Op. 12.08.15	- TC 1531652
Stated Use: For pulverising coal into fine particles to be used as fuel in blast furnaces	
Applicant: NYRSTAR PORT PIRIE PTY LTD	5%
8479.89.90 TIE-IN AND CONNECTION SYSTEM, SUBSEA, OIL AND/OR GAS, remotely operated vehicle, with OR without ANY of the following: (a) connection cradles; (b) base plates; (c) bumper frame Op. 06.08.15	50
- TC 1530641	
Stated Use: Designed for both first end and second end tie in of flow lines and umbilicals	
Applicant: FMC TECHNOLOGIES	5%
8479.89.90 WASTE PROCESSING MACHINES, electrically powered, having ALL of the following: (a) rotary shredder; (b) mercury vapour AND dust capturing air cleaning system; (d) magnetic separator; (e) drum screen; (e) weight NOT exceeding 40 tonnes Op. 07.08.15	50
- TC 1531410	
Stated Use: To shred and process electronic waste containing mercury with zero emissions	
Applicant: PGM REFINERS PTY LTD	5%
8481.80.90 VALVES, BALL, SUBSEA, having BOTH of the following: (a) remotely operated vehicle (ROV) actuation; (b) internal diameter NOT greater than 279.4 mm Op. 13.08.15	50
- TC 1531809	
Stated Use: In manifolds with subsea applications	
Applicant: FMC TECHNOLOGIES	5%
8481.80.90 VALVES, RECLOSEABLE ANNULAR FLOW, OIL AND/OR GAS WELL, having hydraulically balanced pistons Op. 13.08.15	50
- TC 1531810	
Stated Use: To control fluid loss and post completion zonal isolation in wellbores	
Applicant: BAKER HUGHES AUSTRALIA PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8537.10.90 DISTRIBUTION BOARD CONTROL MODULES, lighting AND power outlet, voltage NOT exceeding 1 000 V, having ALL of the following: (a) automatic AND manual operation; (b) on AND/OR off sensors; (c) emergency testing timer Op. 10.08.15</p> <p>Stated Use: For controlling electrical power and lighting in a copper refining and concentrator plant</p> <p>Applicant: CUDECO LTD</p>	<p>50</p> <p>- TC 1531411</p> <p>5%</p>
<p>8705.90.00 SWEEPERS, SUCTION, ride in, diesel engine, having ALL of the following: (a) two wheel OR four wheel steering; (b) sweeping width NOT greater than 3 150 mm; (c) hopper capacity NOT greater than 1.85 m3; (d) transit speed NOT greater than 3 780 mm; (e) outer turning radius NOT greater than 3 780 mm; (f) width NOT greater than 1 325 mm; (g) height NOT greater than 1 995 mm Op. 14.08.15</p> <p>Stated Use: Clean pedestrian mall areas of litter and dirt</p> <p>Applicant: BUCHER MUNICIPAL PTY LTD</p>	<p>50</p> <p>- TC 1531834</p> <p>5%</p>
<p>9404.90.00 COT LINERS, having BOTH of the following: (a) cotton outer layer; (b) polyester inner layer Op. 18.08.15</p> <p>Stated Use: Line cot to prevent babies' extremities from being caught in the rails</p> <p>Applicant: THE LITTLE LINEN CO</p>	<p>50</p> <p>- TC 1532241</p> <p>5%</p>
<p>9506.91.00 STANDS, BICYCLE EXERCISE, including BOTH of the following: (a) rear wheel activated roller; (b) wheel speed fixed magnetic resistor Op. 12.08.15</p> <p>Stated Use: For converting outdoor bicycles into stationary bicycles for physical exercise and fitness purposes</p> <p>Applicant: JET BLACK PTY LTD</p>	<p>50</p> <p>- TC 1531505</p> <p>5%</p>

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
4016.99.00	STOPPERS, MEDICAL INFUSION BOTTLE, rubber Op. 19.06.15	Dec. date 07.09.15	- TC 1522233 50
6805.30.00	REPLACEMENT HEADS, HAND HELD ELECTRONIC NAIL FILE, having an abrasive coating Op. 19.06.15	Dec. date 07.09.15	- TC 1522232 50
7324.90.00	SHOWER HEADS, stainless steel Op. 17.06.15	Dec. date 07.09.15	- TC 1522003 50
7324.90.00	SHOWERS, HANDHELD AND OVERHEAD, including ALL of the following: (a) rail; (b) wall connectors; (c) hose; (d) diverter; (e) metal AND/OR plastic shower head; (f) rail slide holders Op. 17.06.15	Dec. date 07.09.15	- TC 1522004 50
7411.10.00	TUBES, copper, straight lengths, conforming to Australian Standard 1432-2004 (AS 1432-2004), having BOTH of the following: (a) outside diameter NOT less than 63 mm and NOT greater than 250 mm; (b) type A AND/OR B Op. 24.06.15	Dec. date 07.09.15	- TC 1523445 50
8412.39.10	ACTUATOR ASSEMBLIES, GAS WATER HEATER, having ALL of the following: (a) housing; (b) bush; (c) shaft; (d) coupling; (e) piston; (f) spring; (g) pin; (h) interlock arm AND/OR link; (i) piston cap; (j) damper indicator; (k) washer AND/OR seal; (l) housing liner; (m) bellows; (n) screw; (o) compression connector; (p) bracket Op. 10.06.15	Dec. date 07.09.15	- TC 1521115 50
8425.42.00	JACKS, CARAVAN AND/OR TRAILER, hydraulic, manual operation, having BOTH of the following: (a) working load limit NOT greater than 1 500 kg; (b) lifting range NOT greater than 420 mm, with OR without ANY of the following: (i) detachable jockey wheel AND/OR base plate; (ii) promotional wheel brace wrench AND/OR baseball cap; (iii) engagement fittings AND/OR lifting clamp Op. 15.06.15	Dec. date 07.09.15	- TC 1521319 50

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number	Last Date of Effect
8428.90.00 SHIP LOADERS, mobile tower, electrically operated, conveyor capacity NOT greater than 1 500 tonnes per hour, consisting of ALL of the following: (a) pneumatic tyre supported mobile platform; (b) twin bucket elevators; (c) mobile belt conveyor linked to bottom of fixed hopper with dust extractor; (d) mobile transfer belt conveyors with OR without dust removal system; (e) mobile tripper belt conveyor with dust removal system; (f) boom assembly having BOTH of the following: (i) luffing AND slewing mechanism; (ii) discharging roller system AND chute with dust removal system; (g) hydraulic control system; (h) operator cab Op. 25.05.15	50	Dec. date 07.09.15 - TC 1519357
8479.90.00 PARTS, LONGWALL MINING ROOF SUPPORT, being ANY of the following: (a) base frames; (b) canopies; (c) caving canopies; (d) lemniscatic links; (e) flippers; (f) flipper extensions; (g) flipper flaps; (h) running boards; (i) tie bars; (j) cover plates; (k) fork control arms; (l) retractable roof canopy extenders; (m) canopy side seals; (n) caving shields Op. 15.06.15	50	Dec. date 07.09.15 - TC 1521651
8483.40.19 GEARBOXES, CONCRETE MIXER DRIVE, having ALL of the following: (a) output flange incorporating a single stage planetary gear set; (b) displacement radial piston motor NOT less than 1 120 cm ³ and NOT greater than 1 900 cm ³ ; (c) maximum rated torque NOT less than 64 000 Nm and NOT greater than 90 000 Nm; (d) elastomer multi leaf suspension springs; (e) elastomer central conical spring Op. 16.06.15	50	Dec. date 07.09.15 - TC 1521706
9506.91.00 EXERCISE APPARATUS, AQUATIC, having ALL of the following: (a) stainless steel pole; (b) base; (c) punching bag Op. 16.06.15	50	Dec. date 07.09.15 - TC 1521814

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

An application has been lodged for revocation of the Tariff Concession Order set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
8427.20.00 FORKLIFT TRUCKS, including ALL of the following: (a) rubber tyred wheels; (b) telescopic boom; (c) 2 wheel drive OR 4 wheel drive; (d) diesel OR liquefied petroleum gas (LPG) powered engine Op. 15.05.15 Dec. date 11.08.15	50 01.09.15
	- TC 1518606

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE
COMPTROLLER-GENERAL OF CUSTOMS**

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 15/30 on 5 August 2015.

Contact: Email tarcon@border.gov.au, fax 02 6198 7203 or phone 02 6275 6534.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7223.00.00 WIRE, stainless steel, cold rolled, rectangular, polished, in coils, having BOTH the following: (a) width NOT exceeding 7 mm; (b) thickness NOT exceeding 5 mm Op. 30.11.01 Dec. date 01.03.02	50 01.09.15 - TC 0110877
Revoked: 2 years non-use. In transit provisions apply.	
7225.40.00 STEEL PLATE, chromium-molybdenum alloy, conforming to European Standard 10028 10CrMo9-10 (EN 10028 10CrMo9-10), having ALL of the following: (a) length NOT less than 5 000 mm; (b) width NOT less than 1 200 mm; (c) thickness NOT less than 20 mm Op. 16.05.11 Dec. date 01.08.11	50 01.09.15 - TC 1115409
Revoked: 2 years non-use. In transit provisions apply.	
7225.50.00 PLATES AND SHEET, high speed steel, but NOT including those that have been hollow ground OR those that have centre holes OR pin holes Op. 01.01.07 Dec. date 08.11.06	50 01.09.15 - TC 0614206
Revoked: 2 years non-use. In transit provisions apply.	
7225.50.00 PLATE OR SHEET, nickel alloy steel, complying with American Society for Testing and Materials (ASTM) designation A553 Op. 09.05.08 Dec. date 08.08.08	50 01.09.15 - TC 0807302
Revoked: 2 years non-use. In transit provisions apply.	
7225.99.00 PLATES AND SHEET, high speed steel, but NOT including those that have been hollow ground OR those that have centre holes OR pin holes Op. 01.01.07 Dec. date 08.11.06	50 01.09.15 - TC 0614207
Revoked: 2 years non-use. In transit provisions apply.	
7225.99.00 PLATE OR SHEET, nickel alloy steel, complying with American Society for Testing and Materials (ASTM) designation A553 Op. 09.05.08 Dec. date 08.08.08	50 01.09.15 - TC 0807297
Revoked: 2 years non-use. In transit provisions apply.	
7226.91.00 PLATES, SHEET OR FLATS, high alloy steel, to DIN specification 1.2436 (X210CrW12) Op. 10.04.96 Dec. date 12.07.96	50 01.09.15 - TC 9605603
Revoked: 2 years non-use. In transit provisions apply.	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7227.20.90 COIL, alloy steel, hot rolled, having a diameter NOT less than 19 mm and NOT greater than 23 mm Op. 16.07.08 Dec. date 10.10.08 Revoked: 2 years non-use. In transit provisions apply.	50 01.09.15 - TC 0818981
7227.90.10 COIL, alloy spring steel, hot rolled, having ALL of the following: (a) NOT less than 0.40% by weight carbon; (b) NOT less than 1.0% by weight silicon; (c) diameter NOT less than 19 mm and NOT greater than 23 mm Op. 23.12.10 Dec. date 17.02.11 Revoked: 2 years non-use. In transit provisions apply.	50 01.09.15 - TC 1106497
7228.10.00 RODS, HIGH SPEED STEEL, hot rolled, annealed, in coil form, having a diameter of 5 mm OR greater Op. 14.11.02 Dec. date 31.01.03 Revoked: 2 years non-use. In transit provisions apply.	50 01.09.15 - TC 0210775

TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 08 October 2015, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 07 October 2015.

Interested parties are invited to provide, by close of business, Wednesday, 07 October 2015, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration in the previous 2 years.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email tarcon@border.gov.au, fax 02 6198 7203 or phone 02 6275 6534.

THE TABLE

Tariff Classification	Description	Concession Number
7311.00.00	STORAGE TANKS, LIQUIFIED PROPYLENE, VERTICAL, having ALL of the following: (a) height greater than 25 m; (b) width greater than 4.5 m; (c) volume greater than 600 m3 Op. 08.09.05 Dec. date 25.11.05	- TC 0512079
7312.10.00	CORD, TYRE, brass coated steel and high tensile steel Op. 01.11.07 Dec. date 21.01.08	- TC 0718675
7315.11.00	CHAIN, power transmission, roller, heavy duty offset sidebar, complying with ALL of the following: (a) pitch 114.30 mm; (b) tensile strength 113 000 kg; (c) roller diameter 57.15 mm; (d) side plate thickness 14.5 mm; (e) side plate height 76.0 mm; (f) conforming to ANSI standard B29.10M Op. 02.03.93 Dec. date 05.07.93	- TC 9308594
7315.82.00	CHAINS, ANCHOR, welded, having a diameter NOT less than 84 mm Op. 23.04.07 Dec. date 06.07.07	- TC 0705864
7315.82.00	CHAINS, KILN, welded link, stainless steel, with or without stainless steel shackles Op. 21.05.08 Dec. date 08.08.08	- TC 0809061
7318.16.00	NUTS, EXTENDER, having BOTH of the following: (a) length NOT less than 100 mm; (b) NOT less than two internal threads of different diameters Op. 23.01.09 Dec. date 09.07.09	- TC 0902344