



**Commonwealth
of Australia**

Gazette

No. TC 15/05, Wednesday, 4 February 2015
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Application Refused	5
TCOs Made.....	6
AAT Review of a TCO Application Notification.....	10
Section 273 Determinations Made.....	11

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>

Please select “tariff”, then “tariff concessions gazette”.

The gazettes are listed in date order and may be selected from the list of Adobe (PDF) files.

General Inquiries:(02) 6275 6404
Facsimile:(02) 6275 6376

Cat. No.

ISSN 0813-8389

©Commonwealth of Australia, 2015

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at hyperlink
<http://www.customs.gov.au/webdata/resources/files/TYPABLEB4442001.pdf>

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email
tarcon@customs.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
4819.20.00 BOXES, PHARMACEUTICAL, cellulose cardboard, foiled OR printed, varnish coated Op. 07.01.15 Stated Use: Protective and decorative casing for pharmaceutical and therapeutic products Applicant: PEMBERLEY HOUSE PTY LTD	50 - TC 1500811 5%
4823.90.90 PADS, EVAPORATIVE COOLERS, corrugated cellulose paper, whether OR not edge coated, having BOTH of the following: (a) resin impregnated; (b) cross-flute angles Op. 13.01.15 Stated Use: Cooling pad for evaporative air coolers Applicant: MUNTERS PTY LTD	50 - TC 1502071 5%
5402.39.00 YARN, polyethylene, having ALL of the following: (a) yarn count NOT less than 4 400 decitex and NOT greater than 14 000 decitex; (b) filament NOT less than 35 twists per metre; (c) NOT less than 4 and NOT greater than 8 coloured AND textured filaments Op. 08.01.15 Stated Use: To be used in the local manufacture of synthetic turf surfaces Applicant: GRASS MANUFATURERS PTY Ltd	50 - TC 1501253 5%
7326.90.90 CABLE BOLT TENSIONERS, having ALL of the following: (a) dome; (b) barrel; (c) socket; (d) pre-tension capacity NOT greater than ten tonnes Op. 12.01.15 Stated Use: (Continued on next page)	50 - TC 1501703

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
(Continued from previous page)	
Tensioning of cables in mine roof support systems	
Applicant: JENNMAR AUSTRALIA PTY LTD	5%
8302.41.00 GRAB RAILS, with OR without ANY of the following: (a) toilet roll holder; (b) towel rail; (c) backrest Op. 05.01.15	50 - TC 1500275
Stated Use: To assist in providing mobility	
Applicant: METLAM AUSTRALIA PTY LTD	5%
8413.70.90 PUMPS, RING SECTION, multistage, having ALL of the following: (a) pump sizes NOT less than 25 mm and NOT greater than 200 mm; (b) capacity NOT greater than 1 100 m ³ /h; (c) working pressure NOT greater than 100 bar Op. 05.01.15	50 - TC 1500525
Stated Use: High pressure liquid pumping in various industry applications	
Applicant: SULZER PUMPS (ANZ) PTY LTD	5%
8418.69.00 BEVERAGE CHILLERS, AC, with OR without dispensing faucets, having ALL of the following: (a) stainless steel casing; (b) coils; (c) refrigeration compressor AND condenser; (d) insulated plastic reservoir coolant tank; (e) power rating NOT less than 220 V and NOT greater than 240 V Op. 08.01.15	50 - TC 1501325
Stated Use: Cooling of beverage such as beer, soft drink, wine, cider and water	
Applicant: BRACON INDUSTRIES (NSW) PTY LTD	5%
8419.90.00 PARTS, EXOTHERMIC WASTE FERMENTATION DRUM, being ANY of the following: (a) unassembled cylindrical drums with OR without ANY of the following: (i) supporting frames; (ii) machined path rings; (iii) tangential plates; (iv) electric rail AND brush mounting, (b) inlet shield housings with hopper; (c) outlet housings with OR without access gangway; (d) perforated shell OR pierced trommel output; (e) cylindrical drum components being ANY of the following: (i) machined path rings; (ii) tangential plates; (iii) electric rail AND brush mounting Op. 12.01.15	50 - TC 1501699
Stated Use: Exothermally transforming waste into compost	
Applicant: VEOLIA ENVIRONMENTAL SERVICES (AUSTRALIA) PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8421.39.00 LABORATORY AND/OR MEDICAL DRYING MACHINES, ENDOSCOPY AND/OR MEDICAL INSTRUMENTS, programmable logic controlled Op. 30.12.14</p> <p>Stated Use: Drying of endoscopy and medical instruments</p> <p>Applicant: IN VITRO TECHNOLOGIES PTY LTD</p>	<p>50</p> <p>- TC 1500006</p> <p>5%</p>
<p>8481.80.90 GATE VALVES, conforming to American Society of Mechanical Engineers (ASME) standard B16.34-2013 (including any subsequent amendments), carbon steel, stainless steel OR alloy steel valve body, having ALL of the following:</p> <ul style="list-style-type: none"> (a) pressure-temperature rated to ASME Standard Class 2500; (b) butt weld end connections with face to face dimensions as per ASME B16.10; (c) fitted with OR without bypass valves; (d) one OR more of the following valve actuator mechanisms: <ul style="list-style-type: none"> (i) handwheel; (ii) gear operator; (iii) electric motor <p>Op. 19.12.14</p> <p>Stated Use: For isolation (on/off) purposes where the process medium (usually steam or feedwater applications) is subject to high pressure and high temperature conditions</p> <p>Applicant: FLOWSERVE AUSTRALIA PTY. LTD.</p>	<p>50</p> <p>- TC 1444215</p> <p>5%</p>

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269R(1) - APPLICATION FOR A TARIFF CONCESSION ORDER REFUSED**

The application for the Tariff Concession Order for the goods described in the following TABLE has been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

7308.90.00 COLUMNS, cold pressed, cylindrical, having ALL of the following: (a) single complete penetration submerged arc welded longitudinal seam complying with American Welding Society Standard D1 (AWS D1); (b) columns fabricated in compliance with Australian Standard 4100-1998 (AS 4100-1998) AND American Petroleum Institute Standard 2B (API 2B); (c) complete column length NOT less than 10 250 mm; (d) column wall thickness NOT less than 22 mm; (e) column diameter NOT less than 1 500 mm; (f) internal steel reinforcement cage complying with Australian Standards 4100-1998 and 3600-2009 (AS 4100-1998 and AS 3600-2009); (g) sheer studs; (h) concrete slab reinforcement ring AND base plate; (i) lifting lugs; (j) installed column load rating NOT less than 17 000 kN dead load and NOT less than 18 000 kN live load	50
---	----

Op. 30.07.14

- TC 1426272

Reason for refusal:

Substitutable goods produced in Australia in the ordinary course of business by Pentair Water Solutions Pty Ltd, Carole Park, QLD

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3924.10.00 CONTAINERS, KITCHENWARE, plastic, in the shape of a cupcake Op. 24.11.14 Dec. date 02.02.15	50 - TC 1441252
3924.90.00 BOTTLES, DRINKING, having a copolyester body Op. 10.11.14 Dec. date 28.01.15	50 - TC 1439130
4016.10.00 BARRIER PANELS, NOISE REDUCTION, foldable, including BOTH of the following: (a) panel securing eyelets; (b) reflective safety strips Op. 03.11.14 Dec. date 28.01.15	50 - TC 1438139
4016.99.00 BASES, TRAFFIC CONE OR BOLLARD, rubber Op. 19.11.14 Dec. date 02.02.15	50 - TC 1440761
6910.10.00 TOILET PANS, vitreous china, including BOTH of the following: (a) complying with Australian/New Zealand Standard 1172.1 (AS/NZS 1172.1); (b) NOT less than four star rating as required by the Australian Water Efficiency Labelling and Standards Act 2005 (WELS Act 2005) Op. 07.11.14 Dec. date 02.02.15	50 - TC 1438846
6910.10.00 TOILET CISTERNS, vitreous china, including BOTH of the following: (a) complying with Australian/New Zealand Standard 1172.2 (AS/NZS 1172.2); (b) NOT less than four star rating as required by the Australian Water Efficiency Labelling and Standards Act 2005 (WELS Act 2005) Op. 07.11.14 Dec. date 02.02.15	50 - TC 1438853
7018.20.00 MICROSPHERES, OIL AND GAS DRILLING, glass, hollow Op. 18.11.14 Dec. date 02.02.15	50 - TC 1440704
7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 135 MPa and NOT greater than 225 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 40% and NOT greater than 50%; (d) coating mass NOT less than 35 g/m ² and NOT greater than 65 g/m ² ; (e) thickness 0.70 mm and width 1 660 mm For the purposes of this order, tolerances allowable for specification (e) are: (a) thickness +/- 10% (b) width +/- 1% Op. 06.11.14 Dec. date 28.01.15	50 - TC 1438583

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot-dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 275 MPa and NOT greater than 380 MPa; (b) tensile strength NOT less than 440 MPa; (c) elongation NOT less than 29%; (d) coating mass NOT less than 35 g/M2 and NOT greater than 65 g/M2 on each side; (e) in ANY of the following sizes: <ul style="list-style-type: none"> (i) thickness 1.20 mm and width 908 mm (ii) thickness 2.00 mm and width 1 130 mm 		50
<p>For the purposes of this order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% 	Op. 07.11.14 Dec. date 28.01.15	- TC 1438838
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot-dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 115 MPa and NOT greater than 225 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 39% and NOT greater than 53%; (d) coating mass NOT less than 35 g/M2 and NOT greater than 65 g/M2 on each side; (e) in ANY of the following sizes: <ul style="list-style-type: none"> (i) thickness 0.55 mm and width 1 127 mm (ii) thickness 0.55 mm and width 1 164 mm (iii) thickness 0.70 mm and width 1 287 mm (iv) thickness 1.20 mm and width 1 117 mm 		50
<p>For the purposes of this order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% 	Op. 13.11.14 Dec. date 02.02.15	- TC 1440014
<p>7211.13.00 FLAT BAR, alloyed steel, hot rolled, having ALL of the following:</p> <ul style="list-style-type: none"> (a) thickness of 14 mm; (b) width NOT less than 200 mm and NOT greater than 300 mm; (c) minimum yield strength NOT less than 325 Mpa; (d) minimum tensile strength NOT less than 490 Mpa; (e) minimum elongation greater than 17%; (f) rolled edge condition; (g) chemical composition by weight of ALL of the following: <ul style="list-style-type: none"> (i) carbon content NOT greater than 0.20%; (ii) manganese content greater than 1.20% and NOT greater than 1.64%; (iii) phosphorus content NOT greater than 0.035%; (iv) sulphur content NOT greater than 0.035%; (v) silicon content NOT greater than 0.55% 		50
<p>For the purposes of this order, tolerances allowable for (a) are +/- 10%</p>	Op. 11.11.14 Dec. date 28.01.15	- TC 1439186
<p>7308.90.00 PARTS, DEMOUNTABLE FLOOD CONTROL CONTAINMENT SYSTEM, conforming to British Standard PAS 1188-4, (BSI PAS 1188-4), being ANY of the following:</p> <ul style="list-style-type: none"> (a) supports; (b) corner posts; (c) braces; (d) support covers 		50
Op. 06.11.14 Dec. date 28.01.15	- TC 1438761	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7610.90.00 PARTS, DEMOUNTABLE FLOOD CONTROL CONTAINMENT SYSTEM, conforming to British Standard PAS 1188-4, (BSI PAS 1188-4), being EITHER of the following: (a) interlocking flood boards with seals; (b) support covers Op. 06.11.14	50 Dec. date 28.01.15 - TC 1438760
8413.91.90 PARTS, CENTRIFUGAL PUMP, being back pull out unit having ALL of the following: (a) AC electric motor; (b) diffuser; (c) casing; (d) flanges; (e) seals; (f) lifting points Op. 06.11.14	50 Dec. date 02.02.15 - TC 1438757
8428.33.00 CONVEYORS, BELT, SINGULATOR, including ALL of the following: (a) feeder conveyor; (b) unstacking module; (c) landing belt; (d) converging module; (e) diverging module; (f) recirculation module; (g) side by side eliminator; (h) flow controller conveyor; (i) skew conveyor; (j) metering conveyors; (k) output speed NOT less than 1.8 m/s; (l) performance rating NOT less than 3 400 parcels/h; (m) carried articles weight NOT less than 0.2 kg and NOT greater than 30 kg Op. 15.09.14	50 Dec. date 30.01.15 - TC 1432889
8428.90.00 BEAMS, SPREADER AND LIFTING, PRECAST CONCRETE SLABS OR BLOCKS, incorporating a manual OR electric motor self-centring gravity adjustment mechanism Op. 05.09.14	50 Dec. date 30.01.15 - TC 1431652
8428.90.00 SWARF EXTRACTION SYSTEM, electric, having ALL of the following: (a) heat treated screw flighting outer diameter NOT less than 130 mm and NOT greater than 150 mm; (b) extraction capacity NOT greater than 950 kg/h; (c) horizontal screw conveyors; (d) vertical screw conveyors; (e) sensor chute container filling system Op. 24.11.14	50 Dec. date 02.02.15 - TC 1441234
8428.90.00 TIPPING AND/OR EMPTYING MACHINES, BINS AND/OR CRATES, having BOTH of the following: (a) emptying capacity NOT greater than 55 bins per hour; (b) bin weight NOT greater than 550 kg Op. 25.11.14	50 Dec. date 02.02.15 - TC 1441641
8436.80.90 HEDGE OR TREE TRIMMING AND TOPPING MACHINES, self-propelled, having ALL of the following: (a) boom AND circular saw cutting reach NOT less than 3.3 m; (b) circular saw blade diameter NOT less than 0.6 m; (c) NOT less than 4 wheels Op. 21.11.14	50 Dec. date 02.02.15 - TC 1441121
8479.89.90 GARMENT FOLDING AND STACKING MACHINES, programmable logic controlled, having conveyor OR manual feed, with OR without sorters Op. 30.10.14	50 Dec. date 02.02.15 - TC 1437965
8479.89.90 GRINDING WHEEL PRESSES, including ALL of the following: (a) shuttle feeders; (b) working stations; (c) rotating moulds Op. 05.11.14	50 Dec. date 28.01.15 - TC 1438478

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8479.89.90 CHEMICAL DOSING SYSTEM, containerised, including ALL of the following: (a) pumps; (b) tanks; (c) sensors AND/OR probes; (d) meters; (e) control module; (f) air conditioning modules; (g) piping; (h) valves; (i) filters Op. 07.11.14	Dec. date 28.01.15 - TC 1438639
8481.30.00 DIFFUSERS, WASTEWATER TREATMENT AERATION, disc Op. 28.10.14	Dec. date 28.01.15 - TC 1437640
8518.40.90 AMPLIFIERS, AUDIO FREQUENCY INDUCTION LOOP, rack mountable, having ALL of the following: (a) NOT less than two phase shift output channels; (b) NOT less than two balanced microphone inputs AND/OR line switchable inputs; (c) gain control; (d) cooling fans Op. 29.10.14	Dec. date 28.01.15 - TC 1437743
8536.69.90 POWER POINTS, plastic AND/OR metal, single OR multiple power outlet, with OR without EITHER of the following: (a) LED (light-emitting diode) night light; (b) single OR multiple power switches Op. 20.11.14	Dec. date 28.01.15 - TC 1440896
8709.11.00 TRACTORS, TOWING, ride-on, battery operated, having a tractive effort NOT less than 550 daN and NOT greater than 1 800 daN Op. 24.11.14	Dec. date 02.02.15 - TC 1441254
8716.80.00 TROLLEYS, LAUNDRY BASKET CARRYING, foldable, including NOT less than four wheels Op. 10.11.14	Dec. date 28.01.15 - TC 1439129
9506.91.00 TRACK, VELODROME, self-supporting, unassembled, having ALL of the following: (a) substructure, including ALL of the following: (i) track beams; (ii) track uprights; (iii) safety zone beams, (b) surface; (c) balustrades; (d) inner AND outer fences; (e) ramps; (f) podiums; (g) track homologation complying with Union Cycliste Internationale (UCI) Regulations Op. 12.11.14	Dec. date 02.02.15 - TC 1439858

**NOTICE OF AN APPLICATION FOR REVIEW OF DECISIONS MADE UNDER PROVISIONS OF ADMINISTRATIVE APPEALS TRIBUNAL ACT
1975**

An application has been lodged with the Administrative Appeals Tribunal under section 29 of the Administrative Appeals Tribunal Act 1975 for a review of the decision of the Australian Customs Service in respect of the Tariff Concession Order for the goods described in the following TABLE.

The operative date (Op.) and TC reference number follow the description of goods.

The decision to be reviewed by the Administrative Appeals Tribunal is as nominated following the description of goods.

Subject to the Administrative Appeals Tribunal Act 1975, any person whose interests are affected by the decision under review may apply in writing to the Tribunal to be made a party to the proceedings. Interested persons who do become a party to these proceedings may be able to present evidence and make submissions to the Tribunal and the matter could not be settled by consent without their agreement. The Administrative Appeals Tribunal reference number and location appear against the Tariff Concession.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Revocation Date	AAT Ref	AAT Location
3808.93.00 HERBICIDES, technical intermediate, having a basis of NOT less than 37% clethodim Op. 05.11.12 Customs Decision: REVOKED	50 06.08.14	- TC 1242279	
Applicant		N2014 6656	NSW

Under ss.269SHA(3), an application by a person affected by the decision of the ACS in respect of this TCO may apply (under ss.30(1A) of the Administrative Appeals Tribunal Act 1975) to become a party joined to the proceedings provided such application is made by 03/04/15

NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of determinations applying to goods of a kind specified in the table below.

In the table:

(i) the first column specifies the kind of goods to which the Determination applies, any conditions specified in the Determination, the commencement and cessation dates of the Determination and the Determination reference number;

(ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods.

Goods ancillary to an EPBS project, including office equipment, buildings, office/personnel accommodation and goods used in activities such as land preparation, road construction and maintenance, transportation (other than pipes, pipelines, conveyors, power transmission lines, flexible flow lines, etc. integral to the project and used to convey gas liquids, minerals, electricity or other materials or goods) and the provision of telecommunications and other general services are excluded. Materials, consumables and construction and servicing equipment, including all fuels, oils lubricants, adhesives, filters, protective garments, tools, ladders (other than articles auxiliary to and designed to be permanently attached to eligible goods under EPBS, such as pylons, supporting structures, staircases, ladders, railings, etc.) paint, varnish and the like are ineligible under EPBS, as are spare parts used for on-going maintenance beyond the commissioning of the project.

EPBS Determinations also apply to all goods listed in the Determination when they are imported in multiple shipments, which may be from different locations at different times.

Where a number of EPBS Determinations are issued for a particular eligible good, all associated Determinations must not exceed the quantity of goods approved by the Delegate in the EPBS Project Eligible Goods List.

THE TABLE

Importer Project Proponent Project Name Description of Goods Dates of Effect Exclusions	Schedule 4 Item Number
Polyethylene terephthalate, PET resin, for use in manufacturing of 3.2 litre bottles to contain alcoholic carbonated beverages. 08.08.14 to 06.08.16	46 - AD 01003962
Goods, imported by CHEVRON AUSTRALIA PTY LTD (ABN 29086197757), for use in the CHEVRON AUSTRALIA PTY LTD (ABN 29086197757), Gorgon Gas Development Project, as follows: (a) one (1) only LNG Cryogenic Storage and Loader, consisting of ALL the following: (i) loaders (b) but specifically excluding the following: (i) valves; (ii) insulation; (iii) fire and gas suppressor; (iv) pumps; (v) jetty headstock and piles; (vi) controllers; (vii) inner and outer plating; (viii) frame; and (ix) suspended hanger (c) components of the goods specified in (a) above, including commissioning spare parts integral to the project	44
04/12/2014 to 19/11/2015	- AD 01004006

Importer	
Project Proponent	
Project Name	Schedule 4
Description of Goods	Item Number
Dates of Effect	
Exclusions	

Goods, imported by CHEVRON AUSTRALIA PTY LTD (ABN 29086197757), for use in the CHEVRON AUSTRALIA PTY LTD (ABN 29086197757), Wheatstone Project, as follows: 44

- (a) one (1) only Gas Gathering System, consisting of ALL of the following:
- (i) nine (9) only subsea wells;
 - (ii) nine (9) only vertical 7" x 2" subsea production trees;
 - (iii) nine (9) only 10" x 2" x 2" SAWL multibore well to subsea manifold jumpers;
 - (iv) nine (9) only tubing hangers and spools;
 - (v) one (1) only 6-slot 16" x 12" dual production header manifold;
 - (vi) two (2) only 6-slot 16" single production header manifold;
 - (vii) twelve (12) only 24" CRA clad tie-in spools;
 - (viii) fifteen (15) only 14" CRA clad tie-in spools;
 - (ix) three (3) only 4" flexible stainless MEG jumpers;
 - (x) three (3) only 24" x 14" pipeline termination structures;
 - (xi) two (2) only 14" utility pipeline termination structures;
 - (xii) thirty-five (35) kms only 24" SAWL CRA clad carbon steel production flowline;
 - (xiii) thirty-five (35) kms only 14" SAWL CRA clad carbon steel utility flowline;
 - (xiv) thirty-five (35) kms only 6" SMLS carbon steel MEG flowline;
 - (xv) forty (40) kms only electrical, hydraulic, chemical and fibre optic umbilical;
 - (xvi) four (4) only subsea isolation ball valve structures;
 - (xvii) twenty-five (25) only subsea ball valves (2"-24");
 - (xviii) four (4) only 18" CRA carbon steel clad tie-in spools;
 - (xix) two (2) only 4" MEG seamless tie-in spools;
 - (xx) four (4) only subsea isolation valve hydraulic and instrument umbilicals;
 - (xxi) one (1) only inlet processor;
 - (xxii) seven (7) only hydraulic flying leads;
 - (xxiii) twenty four (24) only steel flying leads;
 - (xxiv) forty seven (47) only electrical flying leads;
 - (xxv) two (2) only in-line tee protection structures for 24" tees

But excluding the following:

- (i) four (4) only 24" CRA clad pipeline end termination structures;
- (ii) eight (8) only 14" CRA clad pipeline end termination structures;
- (iii) two (2) only 24" production flowline in-line extruded tees;
- (iv) three (3) only 6" MEG in-line extruded tees.

- (b) components of the goods specified in (a) above, including commissioning spare parts integral to the project.

02/01/2015 to 31/10/2016 - AD 01004023

Goods, imported by CHEVRON AUSTRALIA PTY LTD (ABN 29086197757), for use in the CHEVRON AUSTRALIA PTY LTD (ABN 29086197757), Wheatstone Project, as follows: 44

- a) two (2) only 48" x 1.25" WT Slugcatchers, API 5L x 70; and
b) Components of the goods specified in (a) above, including commissioning spare parts integral to the project.

02/01/2015 to 31/10/2016 - AD 01004024

Goods, imported by METSO AUSTRALIA LIMITED (ABN 99000197428), for use in the CITIC PACIFIC MINING MANAGEMENT PTY LTD (ABN 64119578371), Sino Iron Project, as follows: 44

- (a) one (1) only Plant, Mined Ore Concentrator, consisting of All of the following:
- (i) feed conveyor;
 - (ii) ball mills;
 - (iii) cyclones;
 - (iv) crushers;
 - (v) apron feeders;
 - (vi) sieves;
 - (vii) control module;
 - (viii) magnetic separator; and
- (b) but specifically excluding:

Importer	
Project Proponent	
Project Name	Schedule 4
Description of Goods	Item Number
Dates of Effect	
Exclusions	

- (i) drums;
- (ii) cooling tower;
- (iii) thickeners.
- (c) components of the goods specified in (a) above, including commissioning spare parts integral to the project.

14/10/2014 to 12/10/2016 - AD 01004026

Medium density polyethylene resin for use in the manufacture of
HDPE geomembrane sheeting.
21.12.14 to 19.01.16

46

- AD 01004027