



## CONTENTS

New website, new email address .....	2
TCO Applications .....	3
TCO Applications Refused .....	9
TCOs Made.....	10
Customs Review of TCO Revocation Notification .....	11
Intention to Revoke TCOs not used in over 2 years.....	12

The Department of Immigration and Border Protection publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the internet site at: <http://www.border.gov.au>

Please note that the Industry Assistance Section has changed address.  
We are now located at 5 Chan Street Belconnen ACT 2617.

Contact numbers are listed below:

General Email Inquiries: ..... [tarcon@border.gov.au](mailto:tarcon@border.gov.au)

General Inquiries: .....(02) 6198 7289

Facsimile: .....(02) 6198 7203

TAPIN help desk: ..... (02) 6275 6534

**New website, new email address**

A new website - [www.border.gov.au](http://www.border.gov.au) - began on 1 July 2015 to mark the integration of two government departments into the Department of Immigration and Border Protection.

The new website replaces the former DIBP and Customs websites. Internet searches for [immi.gov.au](http://immi.gov.au) and [customs.gov.au](http://customs.gov.au) will redirect to the new address.

Email addresses have changed to [firstname.lastname@border.gov.au](mailto:firstname.lastname@border.gov.au).

In addition, the email for Tariff Concession Order applications has changed to [tarcon@border.gov.au](mailto:tarcon@border.gov.au)

**Business continuity - Tariff Concession Orders**

In urgent situations where applicants for Tariff Concession Orders are unable to be lodged by email with the Department of Immigration and Border Protection, please be aware that applications and correspondence can be lodged by facsimile or post.

All contact numbers for Tariff Concession Orders are:

General Email Inquiries: ..... [tarcon@border.gov.au](mailto:tarcon@border.gov.au)  
General Inquiries: ..... (02) 6198 7289  
Facsimile: ..... (02) 6198 7203  
TAPIN help desk: ..... (02) 6275 6534

Postal address is Industry Assistance, Department of Immigration and Border Protection, PO Box 25, Belconnen, 2616.

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at  
<http://www.border.gov.au/Tariffclassificationofgoods/Documents/typableb4442001.pdf>

For guidance on the required description style, phone 02 6198 7289, fax 02 6198 7203 or email  
[tarcon@border.gov.au](mailto:tarcon@border.gov.au).

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3917.32.90 TUBING, shrink, lay flat, having ALL of the following: (a) width NOT less than 300 mm; (b) shrinkage rate NOT less than 60% at 85 degrees Celsius; (c) oxygen transmission rating NOT greater than 5 000 cc/sqm/24hr at 23 degrees Celsius Op. 09.06.15	50  - TC 1521051
Stated Use: Used for the packaging of protein products  Applicant: CRYOVAC AUSTRALIA PTY LTD	5%
3924.10.00 MEASURING JUGS, plastic, including BOTH of the following: (a) lid; (b) handle Op. 09.06.15	50  - TC 1521052
Stated Use: To dispense measured amounts of ingredients for making cakes, muffins, pancakes, waffles and crepes  Applicant: MCPHERSON'S CONSUMER PRODUCTS PTY LTD	5%
3924.90.00 BAGS, SANDWICH AND/OR SNACK, low density polyethylene (LDPE), resealable closure groove, having BOTH of the following: (a) width NOT greater than 180 mm; (b) length NOT greater than 170 mm Op. 09.06.15	50  - TC 1521053
Stated Use: For carrying sandwiches and/or snacks  Applicant: MCPHERSON'S CONSUMER PRODUCTS PTY LTD	5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
4805.24.10 PAPERBOARD, WHITE TOP LINER, uncoated, multiply, in rolls, having ALL of the following: (a) bleached pulp top ply; (b) grammage NOT greater than 150 g/m <sup>2</sup> ; (c) dirt count NOT greater than 50 ppm; (d) brightness NOT less than 70% measured in accordance with International Organization for Standardization ISO 2470-2:2008; (e) Bendtsen roughness NOT less than 1 000 mL/min measured in accordance with Australian/New Zealand Standard AS/NZS 1301.439s:2007 Op. 09.06.15	- TC 1521048	50
Stated Use: For manufacturing retail packaging such as cereal boxes		
Applicant: ORORA LIMITED		5%
4811.51.00 PAPERBOARD, bleached, coated on one side with polyethylene terephthalate (PET) Op. 04.06.15	- TC 1520570	50
Stated Use: For the manufacture of trays used in ovens, fridges and freezers		
Applicant: STORA ENSO AUSTRALIA PTY LTD		5%
7323.99.00 BAKING TRAYS, carbon steel with non-stick coating Op. 09.06.15	- TC 1521054	50
Stated Use: Domestic baking applications		
Applicant: MCPHERSON'S CONSUMER PRODUCTS PTY LTD		5%
8413.70.10 PUMP SYSTEM, SUBMERSIBLE, DOWNHOLE, electric, whether OR not assembled, including ALL of the following: (a) connectors; (b) sensor; (c) motor; (d) motor base; (e) couplings; (f) intake pressure protectors; (g) pumps; (h) discharge head; (i) ported intake chamber Op. 09.06.15	- TC 1521055	50
Stated Use: To pump fluids in oil and/or gas wells		
Applicant: SCHLUMBERGER AUSTRALIA PTY LTD		5%
8415.83.00 COOLING UNITS, CHILLED WATER, having BOTH of the following: (a) cooling capacity output NOT less than 20 kW and NOT greater than 150 kW; (b) input voltage NOT less than 100 volts and NOT greater than 460 volts Op. 09.06.15	- TC 1521056	50
Stated Use: Temperature and humidity maintenance of medium to large data centres		
Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LTD		5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8415.83.00 COOLING UNITS, having ALL of the following: (a) forward-curved OR backward-curved fan with directly coupled asynchronous motor; (b) power supply NOT less than 230 volts and NOT greater than 400 volts; (c) gross total cooling capacity NOT less than 6.4 kW and NOT greater than 107.6 kW; (d) airflow NOT less than 1 600 m3 per hour and NOT greater than 21 810 m3 per hour Op. 09.06.15  Stated Use: Temperature and humidity maintenance of medium to large data centres	- TC 1521057	50
Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LTD		5%
8421.39.00 ELEMENTS, COALESCING FILTER, oil mist, having BOTH of the following: (a) separation efficiency 95% for particles greater than 0.2 microns; (b) exhaust air oil content NOT greater than 5 mg/m3 Op. 05.06.15  Stated Use: Oil mist separation/filtration in brass forging plants	- TC 1520673	50
Applicant: RELIANCE WORLDWIDE CORPORATION (AUST.) PTY LTD		5%
8479.89.90 WASTE SEPARATORS, transportable, having ALL of the following: (a) radial fan with a power output NOT less than 30 kW; (b) separator capacity NOT greater than 180 m3/h; (c) feeding conveyor belt speed of 1.5 m/s Op. 05.06.15  Stated Use: Separation and processing of wastes including construction waste, glass, wood, compost etc.	- TC 1521044	50
Applicant: BENEDICT RECYCLING PTY LTD		5%
8479.89.90 RUNNING TOOLS, MARINE RISER, OFFSHORE OIL AND GAS RIG, hydraulic Op. 09.06.15  Stated Use: To add, remove and run riser joints in the riser string in offshore oil and gas rig operations	- TC 1521049	50
Applicant: NOBLE CONTRACTING II GMBH		5%
8479.89.90 TUBING HANGERS, OIL AND/OR GAS WELL, complying with American Petroleum Institute Specification 6A (API 6A), having an outer diameter NOT less than 11 cm and NOT greater than 51 cm Op. 09.06.15  Stated Use: For use in the drilling and production of oil or gas	- TC 1521063	50
Applicant: GE AUSTRALIA PTY LTD		5%





Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8536.50.99	SAFETY SWITCHES, interlock, key turret head, single OR multiple pole, AC/DC, having BOTH of the following: (a) supply voltage NOT less than 24 V, and NOT greater than 250 V; (b) slow break-before-make contact operation Op. 09.06.15	50  - TC 1521060
	Stated Use: Electrical power control	
	Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LTD	5%
8536.50.99	SAFETY LIMIT SWITCHES, multiple pole, having ANY of the following: (a) snap action contact; (b) insulation voltage NOT greater than 600 V; (c) end plunger OR roller plunger OR roller lever Op. 09.06.15	50  - TC 1521061
	Stated Use: Electrical power control	
	Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LTD	5%
8537.10.90	BYPASS PANELS, having BOTH of the following: (a) output voltage NOT less than 120 V and NOT greater than 400 V; (b) maximum total current draw per phase NOT less than 10 A and NOT greater than 235 A Op. 09.06.15	50  - TC 1521058
	Stated Use: Switches power to an alternative source to allow maintenance of an uninterruptible power supply (UPS)	
	Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LTD	5%



**CUSTOMS ACT 1901****NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED**

Applications for Tariff Concession Orders for the goods described in the following TABLE have been refused.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>8414.51.00 EXHAUST FANS, WALL AND/OR CEILING, having a motor output not greater than 125 W, with OR without either of the following:            (a) duct;            (b) exterior grille            Op. 28.01.15</p> <p>Reason for refusal:            Substitutable goods manufactured in Australia in the ordinary course of business by Fantech Pty Ltd, Dandenong South, Victoria</p>	<p>50</p> <p>- TC 1504368</p>
<p>8419.90.00 PARTS, ANAEROBIC DRY MECHANICAL BIOLOGICAL WASTE TREATMENT DRUM, being ANY of the following:            (a) non-stainless steel OR normalised OR normalised rolled steel, unassembled cylindrical drums having a length NOT less than 50 m with OR without ANY of the following:                (i) supporting frames;                (ii) machined path rings;                (iii) tangential plates;                (iv) electric rail AND brush mounting,            (b) inlet shield housings with hopper;            (c) outlet housings with OR without access gangway;            (d) perforated shell OR pierced trommel output;            (e) cylindrical drum components being ANY of the following:                (i) machined path rings;                (ii) tangential plates;                (iii) electric rail AND brush mounting            Op. 12.01.15</p> <p>Reason for refusal:            Substitutable goods manufactured in Australia in the ordinary course of business by Hofmann Engineering Pty Ltd, Bassendean, WA and RCR Mining Pty Ltd, Perth, WA</p>	<p>50</p> <p>- TC 1501699</p>
<p>8716.90.00 PARTS, CARAVAN, being windows, having transparent plastic windscreens, whether OR not incorporating an integrated roller blind AND/OR fly net            Op. 27.02.15</p> <p>Reason for refusal:            Substitutable goods produced in Australia in the ordinary course of business by Camec Pty Ltd, Dandenong South, Vic</p>	<p>50</p> <p>- TC 1508247</p>

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods.

Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3824.90.90 ADDITIVES, FOOD, having BOTH of the following: (a) potassium triphosphates AND diphosphates; (b) sodium triphosphates AND diphosphates Op. 13.04.15 Dec. date 06.07.15	50 - TC 1514329
4009.41.90 HOSE, SUCTION AND DISCHARGE, BEVERAGE AND FOOD PRODUCTS, multi-layered, having ALL of the following: (a) covers, being natural OR synthetic rubber compounds, with OR without plastic additives; (b) tubes, being natural OR synthetic rubber compounds with OR without plastic additives; (c) synthetic textile reinforcement with OR without embedded steel wire OR plastic helix reinforcement Op. 21.04.15 Dec. date 06.07.15	50 - TC 1515312
4819.50.00 SLEEVES, CUTLERY, having a paper weight NOT less than 100 gsm Op. 16.04.15 Dec. date 06.07.15	50 - TC 1514867
5603.14.00 POLYESTER STRAPPING, having ALL of the following: (a) width NOT less than 4 mm and NOT greater than 32mm; (b) hot melt glue bonded monofilaments; (c) weight NOT less than 150 gsm Op. 10.04.15 Dec. date 06.07.15	50 - TC 1514181
7222.20.00 TIES AND/OR RODS, WALL, helical, stainless steel Op. 08.04.15 Dec. date 06.07.15	50 - TC 1513887
8421.29.00 WASTEWATER DISINFECTION APPARATUS, with OR without treatment vessels, including ALL of the following: (a) low pressure ultra violet lamp having an internal pressure NOT greater than 1 kPa; (b) ultra violet monitoring system; (c) control cabinet with ballast cards; (d) flow rate capacity NOT less than 20 m3/hr Op. 07.04.15 Dec. date 06.07.15	50 - TC 1513713
8424.89.90 SPRAYERS, FINISHING LINE, robotic Op. 25.03.15 Dec. date 01.07.15	50 - TC 1512345
8431.39.00 PARTS, INJECTOR, OIL AND/OR GAS WELL, being articulated tubing guides, including ALL of the following: (a) steel rollers; (b) pins; (c) hinges Op. 15.04.15 Dec. date 06.07.15	50 - TC 1514700
8438.50.00 PRESSES, MEAT, hydraulic, having ALL of the following: (a) operator control panel; (b) die sets; (b) press chamber length NOT less than 780 mm; (c) maximum cycles NOT less than 10 per minute Op. 16.04.15 Dec. date 06.07.15	50 - TC 1514790

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8474.39.00 MIXERS, having ALL of the following: (a) rotating mixing pan; (b) stationary deflector AND scraper tool; (c) rotating mixing tool; (d) pan cover; (e) 2.4 kW 400 V rotor motor; (f) 0.88 kW 400 V mixing pan motor  For the purposes of this Order, tolerances allowable for specification (e) and (f) are +/- 5% Op. 10.04.15 Dec. date 06.07.15 - TC 1514182	50
8507.60.00 SETS, BATTERY RE-CHARGER, LITHIUM-ION, portable, consisting of ALL of the following: (a) battery re-charger capacity NOT greater than 12 000 mAh; (b) clamps, having a voltage capacity NOT less than 12 V; (c) USB port AND cable; (d) integrated LED flashlight; (e) air pump; (f) AC/DC chargers Op. 24.03.15 Dec. date 30.06.15 - TC 1511851	50
8529.10.90 ANTENNAS, DIRECTION FINDER Op. 17.04.15 Dec. date 06.07.15 - TC 1514865	50

**CUSTOMS ACT 1901 - NOTIFICATION OF REQUEST FOR REVIEW OF A TARIFF CONCESSION REVOCATION DECISION**

A request has been received for review by Customs of the decision made on a request for revocation of a Tariff Concession Order for goods described in the following TABLE.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect	Initial Decision
7606.12.00 SHEET, COMPOSITE, having BOTH of the following: (a) core of either aluminium tri-hydroxide or low density polyethylene; (b) inner and outer skin of aluminium sheet Op. 05.08.05 - TC 0510332	50 07.05.15	REVOKED

**TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS**

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 06 August 2015, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in-transit provisions shall apply.

Interested parties are invited to provide, by close of business, Wednesday, 05 August 2015, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email [tarcon@border.gov.au](mailto:tarcon@border.gov.au), fax 02 6198 7203 or phone 02 6275 6534.

## THE TABLE

Tariff Classification	Description	Concession Number
7208.53.00	STEEL SHEETS, grade Tu15D3, having ALL of the following: (a) thickness NOT greater than 3.25 mm; (b) width NOT less than 1 475 mm and NOT greater than 1 525 mm; (c) length NOT less than 5 750 mm and NOT greater than 5 850 mm	
	Op. 23.09.05	Dec. date 16.12.05 - TC 0512721
7210.49.00	STEEL, COIL, hot dip zinc coated, complying with Japanese Industrial Standard JIS G 3302:2007, having ALL of the following: (a) yield strength NOT less than 275 N/mm <sup>2</sup> and NOT greater than 380 N/mm <sup>2</sup> ; (b) tensile strength NOT less than 440 N/mm <sup>2</sup> ; (c) elongation NOT less than 29% and NOT greater than 41%; (d) coating mass NOT less than 45 g/m <sup>2</sup> and NOT greater than 65 g/m <sup>2</sup> ; (e) thickness NOT less than 1.14 mm and NOT greater than 1.26 mm; (f) width NOT less than 1 590 mm and NOT greater than 1 605 mm	
	Op. 21.10.09	Dec. date 08.01.10 - TC 0939596
7210.70.00	SHEETS AND/OR STRIPS, STEEL, NON-ORIENTATED ELECTRICAL, as described in ANY of the following international standards: (a) Japanese Industrial Standard C 2552; (b) American Society for Testing and Materials Standard A 677-05; (c) European Standard EN 10106	
	Op. 23.03.06	Dec. date 16.06.06 - TC 0605624

7210.70.00

STEEL, high polymer polyester coated, complying with Japan Industrial Standard G3312/SGCD1 (JIS G3312/SGCD1) AND European Union Directive 2002/95/EC on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS), having ALL of the following:

- (a) epoxy reverse coating adhering to polyurethane;
- (b) specular gloss level NOT less than 80 units at 60 degrees;
- (c) distinction of image NOT less than 60 units;
- (d) surface having ALL of the following:
  - (i) inclusions NOT greater than 0.2 mm over 1 square metre and having proximity NOT less than 400 mm;
  - (ii) dents NOT greater than 0.3 mm over 1 square metre and having proximity NOT less than 400 mm;
  - (iii) leveller bite NOT greater than 20 mm;
- (e) in ANY of the following sizes:
  - (i) width 607 mm and gauge 0.5 mm;
  - (ii) width 672 mm and gauge 0.5 mm;
  - (iii) width 729 mm and gauge 0.5 mm;
  - (iv) width 732 mm and gauge 0.5 mm;
  - (v) width 774 mm and gauge 0.5 mm;
  - (vi) width 824 mm and gauge 0.5 mm;
  - (vii) width 924 mm and gauge 0.5 mm

For the purposes of this order, tolerances allowable for specification (e) are:

- (a) width + 2 mm;
- (b) gauge + or - 0.02 mm

Op. 26.09.06

Dec. date 05.02.07

- TC 0615052