



**Commonwealth  
of Australia**

# Gazette

**No. TC 11/14, Wednesday, 6 April 2011**  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCO Applications Withdrawn.....	5
TCO Applications Refused.....	5
TCOs Made.....	6
Local Manufacturer Initiated - TCOs Revoked and Re-Issued .....	8
Intention to Revoke Tariff Concession Orders .....	9
Intention to Revoke TCOs not used in the last 2 years.....	10
AAT Review of TCO Applications Results.....	14
Cheese Quota Transfers.....	15

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>  
Please select “media, publications and forms”, then “tariff concessions gazette”.  
The gazettes are listed in date order and may be selected from the list of Adobe (PDF) files.

<b>General Inquiries:</b> .....(02) 6275 6404 <b>Facsimile:</b> .....(02) 6275 6376
--

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Submission forms are available from Custom Houses throughout Australia or on the Customs web site [www.customs.gov.au](http://www.customs.gov.au).

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email [tarcon@customs.gov.au](mailto:tarcon@customs.gov.au).

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Rate
6902.90.00 BRICKS AND/OR SHAPES, REFRACTORY, BLAST FURNACE, having ALL of the following: (a) carbon or graphite content NOT less than 95%; (b) bulk density NOT less than 1 500 kg/m <sup>3</sup> ; (c) apparent porosity NOT less than 9% and NOT greater than 30%; (d) cold crushing strength NOT less than 18 N/mm <sup>2</sup> and NOT greater than 60 N/mm <sup>2</sup> ; (e) modulus of rupture NOT less than 5 N/mm <sup>2</sup> and NOT greater than 15 N/mm <sup>2</sup> Op. 08.03.11	50           - TC 1108504
Stated Use: Relining of specific zones of a blast furnace  Applicant: ONESTEEL LIMITED	5%
7306.30.00 PIPES, MILD STEEL, with OR without couplings, having BOTH of the following: (a) internal ceramic tile lining; (b) outside diameter less than 406.4 mm Op. 28.02.11	50           - TC 1107493
Stated Use: For transporting mining ores and liquids  Applicant: CUMI (AUSTRALIA) PTY LTD	5%
7307.91.00 FLANGES, STEEL PIPE, including internal alumina ceramic tiles Op. 28.02.11	50           - TC 1107491
Stated Use: For transporting mining ores and liquids  Applicant: CUMI (AUSTRALIA) PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Rate
8416.90.00 NOZZLES, WASTE GAS BURNER, REGENERATIVE THERMAL OXIDIZER, stainless steel Op. 08.03.11  Stated Use: Component of the waste gas burner of a regenerative thermal oxidizer  Applicant: BLUESCOPE STEEL (AIS) PTY LTD	50  - TC 1108451
8428.90.00 TOILET ACCESS SEAT, height adjustable, electrically operated Op. 10.03.11  Stated Use: To help a disabled person to stand up independently to use toilet facility  Applicant: BOSTON BODY TECHNOLOGY PTY LTD	50  - TC 1108786
8481.80.90 GATE VALVES, MATERIAL CHARGING, BLAST FURNACE Op. 09.03.11  Stated Use: Material charging control in a blast furnace  Applicant: BLUESCOPE STEEL (AIS) PTY LTD	50  - TC 1108559
8481.90.90 PARTS, VALVE, DOUBLE ACTING PISTON DIAPHRAGM PUMP, being ANY of the following: (a) cones; (b) seats; (c) plates; (d) retaining rings; (e) O-rings; (f) seals; (g) bushings; (h) springs; (i) nuts Op. 03.03.11  Stated Use: Parts of a high pressure slurry pump used in the mining industry  Applicant: BHP BILLITON OLYMPIC DAM CORPORATION PTY LTD	50  - TC 1108056
8483.40.90 GEARBOXES, SLAB CASTING PLANT COOLING TOWER, right angle worm, base mounted Op. 08.03.11  Stated Use: Turning the motion of an electric motor 90 degrees to propel a fan in the cooling tower of a slab casting plant  Applicant: BLUESCOPE STEEL (AIS) PTY LTD	50  - TC 1108447
8515.90.00 PARTS, WELDER, being wearing jaws Op. 08.03.11  Stated Use: Components for a butt welder in a tandem mill for a pickle line  Applicant: BLUESCOPE STEEL (AIS) PTY LTD	50  - TC 1108472

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Rate
<p>8536.49.00 RELAYS, SPEED, DC, comprising ALL of the following:            (a) operating voltage NOT less than 230 V;            (b) screw down terminals;            (c) rated shaft speed NOT less than 500 rpm;            (d) current rating NOT less than 2 A;            (e) NOT less than 2 contacts            Op. 08.03.11</p> <p>Stated Use:            Identification of zero speed signal, motor shut down and            application of brake at function termination</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>50</p> <p>- TC 1108448</p> <p>5%</p>
<p>8536.50.99 SWITCHES, LIMIT, hunting tooth, rotating shaft            Op. 08.03.11</p> <p>Stated Use:            Control of the end limit operation of the legs on a slab            handling crane/slab lifting device</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>50</p> <p>- TC 1108450</p> <p>5%</p>
<p>8543.90.90 PARTS, ELECTROLYSIS MACHINE, being cathode head bars            Op. 07.03.11</p> <p>Stated Use:            For the transfer of current to cathode plate in zinc            electrolysis cell house</p> <p>Applicant: NYRSTAR PORT PIRIE PTY LTD</p>	<p>50</p> <p>- TC 1108392</p> <p>5%</p>
<p>8716.80.00 TROLLEYS, having BOTH of the following:            (a) towing connector;            (b) hydraulic winch operated lifter, having a weight lifting            capacity NOT greater than 250 kg            Op. 08.03.11</p> <p>Stated Use:            For the removal and installation of turret gun systems in            armed reconnaissance helicopters</p> <p>Applicant: AUSTRALIAN AEROSPACE LIMITED</p>	<p>50</p> <p>- TC 1108393</p> <p>5%</p>
<p>8907.90.00 VESSEL MOORING SYSTEM, FLOATING PRODUCTION STORAGE AND OFF-            LOADING (FPSO), comprising ALL of the following:            (a) submerged turret production buoy;            (b) mooring lines, NOT less than 700 meters combined length,            each comprising;                (i) lower chain segment;                (ii) upper chain segment;                (iii) lower wire segment;                (iv) upper wire segment,            (c) pile anchors NOT less than 130 t each;            (d) clump weight NOT less than 8 000 kg            Op. 01.03.11</p> <p>Stated Use:            For offshore oil &amp; gas industry</p> <p>Applicant: PTTEP AUSTRALASIA (ASHMORE CARTIER) PTY LTD</p>	<p>50</p> <p>- TC 1107686</p> <p>5%</p>



**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods.

Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect																		
3917.39.90 HOSE AND/OR TUBING, flexible, constructed from two layers of polyvinylchloride, inner layer embedded with steel spirals, with OR without polyester reinforced yarn Op. 12.01.11 Dec. date 04.04.11	50 - TC 1101469																		
6902.90.00 REFRACTORY BRICKS AND SHAPES, BLAST FURNACE BOSH ZONE OR TUYERE ZONE OR LOWER STACK ZONE OR HOT FACE LINING, having ALL of the following: (a) silicon carbide (SiC) content NOT less than 65%; (b) bulk density NOT less than 2 400 kg per cubic metre; (c) apparent porosity NOT greater than 22%; (d) cold crushing strength NOT less than 90 N/mm <sup>2</sup> ; (e) thermal conductivity NOT less than 13 W/mK at 20 degrees Celsius Op. 07.01.11 Dec. date 04.04.11	50 - TC 1100793																		
7304.19.00 LINE PIPE, carbon steel, conforming to American Society of Testing and Materials ASTM A106 Grade B, being ANY of the following, as listed in THE TABLE:  THE TABLE <table border="1"> <thead> <tr> <th>TYPE</th> <th>OD</th> <th>WT</th> </tr> </thead> <tbody> <tr> <td>(a) 200NB Schedule 160</td> <td>219.10 mm</td> <td>23.01 mm;</td> </tr> <tr> <td>(b) 250NB Schedule 80</td> <td>273.10 mm</td> <td>15.09 mm;</td> </tr> <tr> <td>(c) 200NB Schedule 40</td> <td>219.10 mm</td> <td>8.18 mm;</td> </tr> <tr> <td>(d) 80NB Schedule 80</td> <td>88.90 mm</td> <td>7.62 mm;</td> </tr> <tr> <td>(e) 20NB Schedule 160</td> <td>26.7 mm</td> <td>5.56 mm</td> </tr> </tbody> </table> For the purposes of this order, all measurements have a tolerance of + OR - 5% Op. 05.01.11 Dec. date 04.04.11	TYPE	OD	WT	(a) 200NB Schedule 160	219.10 mm	23.01 mm;	(b) 250NB Schedule 80	273.10 mm	15.09 mm;	(c) 200NB Schedule 40	219.10 mm	8.18 mm;	(d) 80NB Schedule 80	88.90 mm	7.62 mm;	(e) 20NB Schedule 160	26.7 mm	5.56 mm	50 - TC 1100573
TYPE	OD	WT																	
(a) 200NB Schedule 160	219.10 mm	23.01 mm;																	
(b) 250NB Schedule 80	273.10 mm	15.09 mm;																	
(c) 200NB Schedule 40	219.10 mm	8.18 mm;																	
(d) 80NB Schedule 80	88.90 mm	7.62 mm;																	
(e) 20NB Schedule 160	26.7 mm	5.56 mm																	
7412.20.00 FITTINGS, TUBE OR PIPE, copper-nickel alloy, press fit excluding quick connect, conforming to German Institute for Standardisation (DIN) standard 86019 and German Federal Office of Defence Technology and Procurement (BWB) Material Performance WL 2.1972, operating at hydrostatic pressures of 0 to 13 Bar, being ANY of the following: (a) couplings; (b) bends; (c) reducers; (d) T pieces; (e) adaptors; (f) flanges; (g) valves; (h) bulkhead and/or deck passings Op. 26.10.10 Dec. date 31.03.11	50 - TC 1047743																		

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8426.99.00	CRANES, mobile, collapsible, remote controlled, having ALL of the following: (a) support column permanently mounted on nine axle road trailers; (b) road trailer width NOT greater than 3.1 m; (c) multi-section boom articulated in NOT less than three axes; (d) NOT less than five hydraulic extension sections on main boom; (e) hydraulic horizontal outreach NOT exceeding 60 m without manual jib extension Op. 05.01.11	50        Dec. date 04.04.11 - TC 1100575
8428.90.00	GUIDED VEHICLES, LOAD CARRYING, programmable logic controlled, traction powered, inductive wire controlled, having ALL of the following: (a) traction bases; (b) roller tracks; (c) roller track supports; (d) battery chargers Op. 12.01.11	50       Dec. date 04.04.11 - TC 1101418
8479.89.90	VIBRATORS, FURNACE FEEDER Op. 10.01.11	50 Dec. date 04.04.11 - TC 1101019
8479.89.90	KITS, WEDGE, including ALL of the following: (a) wedge; (b) stay plates; (c) wedge clip; (d) lubricant; (e) installation instructions Op. 10.01.11	50       Dec. date 04.04.11 - TC 1101030
8479.89.90	COATING AND LAMINATING MACHINES, solventless, having BOTH of the following: (a) coating width NOT less than 1 600 mm; (b) lamination material thickness capacity NOT greater than 150 mm Op. 11.01.11	50       Dec. date 04.04.11 - TC 1101417
8544.42.29	CABLES, SUBMERGED ARC FURNACE, water cooled Op. 10.01.11	50 Dec. date 04.04.11 - TC 1101016

**CUSTOMS ACT 1901**

**NOTICE PURSUANT TO SECTION 269SE(1)&(2) - TARIFF CONCESSION ORDERS REVOKED AND NEW TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders for the goods described in the following TABLE have been revoked and new Tariff Concession Orders have been made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods. In-transit provisions apply

THE TABLE

---

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

---

TCO REVOKED

8502.31.90	GENERATORS AND DISTRIBUTORS, WIND POWERED, electric, having ALL the following: (a) AC/DC generators; (b) blades; (c) steel towers; (d) nacelles; (e) yaws; (f) hubs; (g) rotors; (h) sub-station switch gears; (i) cables; (j) foundation support rings; (k) controller and power modules; (l) lifts; (m) transformers Op. 02.10.07	50 31.03.11	Dec. date 14.12.07	- TC 0716568
------------	---	----------------	--------------------	--------------

Goods substitutable for part of the TCO produced in Australia in the ordinary course of business by RPG Australia Pty Ltd, Dandenong, Vic. TCO narrowed to exclude locally produced goods. Reissued as TC 1110767. In transit provisions apply.

TCO REISSUED

8502.31.90	GENERATORS AND DISTRIBUTORS, WIND POWERED, electric, having ALL the following: (a) AC/DC generators; (b) blades; (c) nacelles; (d) yaws; (e) hubs; (f) rotors; (g) sub-station switch gears; (h) cables; (i) foundation support rings; (j) controller and power modules; (k) lifts; (l) transformers Op. 10.03.11	50	Dec. date 01.04.11	- TC 1110767
------------	--	----	--------------------	--------------

TCO REVOKED

8502.31.90	GENERATORS, WIND POWERED, DOWNWIND, having a power output NOT less than 2kW, with or without ANY of the following: (a) towers; (b) cables; (c) controllers and/or rectifiers Op. 26.08.08	50 31.03.11	Dec. date 14.11.08	- TC 0828157
------------	---	----------------	--------------------	--------------

Goods substitutable for part of the TCO produced in Australia in the ordinary course of business by RPG Australia Pty Ltd, Dandenong, Vic. TCO narrowed to exclude locally produced goods. Reissued as TC 1110769. In transit provisions apply.



---

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

---

TCO REISSUED

8502.31.90	GENERATORS, WIND POWERED, DOWNWIND, having a power output NOT less than 2 kW, with OR without EITHER of the following: (a) cables; (b) controllers AND/OR rectifiers Op. 10.03.11	Dec. date 01.04.11	- TC 1110769	50
------------	--	--------------------	--------------	----

---

**CUSTOMS ACT 1901**

**NOTICE PURSUANT TO SECTION 269SD(1AA) - INTENTION TO REVOKE TARIFF CONCESSION ORDERS**

It is intended to revoke the Tariff Concession Order for the goods described in the following TABLE.

---

THE TABLE

---

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

---

8703.21.19	VEHICLES, ALL TERRAIN, dry weight NOT greater than 820 kg Op. 27.01.06	Dec. date 21.04.06	- TC 0603138	50
8703.21.20	VEHICLES, ALL TERRAIN, four wheel drive, having ALL of the following: (a) dual bucket seats; (b) single cylinder, liquid cooled, four stroke engine; (c) dual range automatic gearbox with reverse; (d) cylinder capacity NOT greater than 700 cc Op. 05.01.10	Dec. date 22.03.10	- TC 1000477	50

**COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS**

The Chief Executive Officer (CEO) is satisfied that CTCOs and TCOs listed in the table below are no longer required because, in the 2 years proceeding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 5 May 2011, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in-transit provisions shall apply.

Interested parties are invited to provide, by close of business, Wednesday, 4 May 2011, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email [tarcon@customs.gov.au](mailto:tarcon@customs.gov.au), fax 02 6275 6376 or phone 02 6275 6631.

## THE TABLE

Concession Number	Tariff Classification	Description
8531902	2909.49	HYDROXYETHOXYPROPYNES Op. 01.01.88 Dec. date 01.01.88
9313209	3814.00.00	SOLVENT, being a mixture of refined di-isobutyl esters of adipic acid, glutaric acid and succinic acid Op. 15.11.93 Dec. date 04.03.94
9608775	3824.90.90	GLASS PRIMER, having BOTH of the following: (a) more than 60% of isopropanol; (b) less than 10% of organosilane ester Op. 01.07.96 Dec. date 11.07.96
8341038	3919.90	SPLICING PIECES, leader tape to prerecorded magnetic tape Op. 08.11.83 Dec. date 08.11.83
0105336	3920.49.00	PLANAR FORMS, unplasticised polyvinyl chloride, in thickness range 170 - 750 microns, coated on one side with polytrifluorochlorethylene and copolymers Op. 01.01.02 Dec. date 03.01.02

Concession Number	Tariff Classification	Description
9901209	3920.69.00	<p>POLYESTER SCRIM, LAID, non woven, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) thermoplastic coating on both sides;</li> <li>(b) maximum weight (yarn plus coating) 12 g/sq m;</li> <li>(c) maximum width 3 110 mm;</li> <li>(d) minimum tensile strength 0.25 kg/yarn;</li> <li>(e) angle between warp and weft yarns 90 degrees +/- 5 degrees;</li> <li>(f) maximum 2 x 2 yarns/cm</li> </ul> <p>Op. 18.02.99 Dec. date 07.05.99</p>
0107342	4009.42.90	<p>ELIMINATORS, VIBRATION, being flexible rubber joints, pipe or tube form, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) either single or double sphere, fitted with floating flanges;</li> <li>(b) bore size range from 31 mm to 608 mm;</li> <li>(c) body of ethylene propylene diene monomer (E.P.D.M) rubber, reinforced with nylon tyre cord and hard steel wire;</li> <li>(d) flanges of mild steel, drilled;</li> <li>(e) operating pressure either 15 kg/cm2 (up to size 300 mm) or 8 kg/cm2 (over size 300 mm);</li> <li>(f) burst pressure either 60 kg/cm2 (up to size 300 mm) or 24 kg/cm2 (over size 300 mm);</li> <li>(g) vacuum rating 660 mm Hg;</li> <li>(h) operating temperature -10 degrees C to +115 degrees C</li> </ul> <p>Op. 01.01.02 Dec. date 08.01.02</p>
8439248	4823.90	<p>CARDS, control, textile knitting machine</p> <p>Op. 15.05.84 Dec. date 15.05.84</p>
0106712	5907.00.00	<p>FABRIC, cotton OR polyester base cloth, flock coated on one side, consisting of an embossed flock finish of rayon pile of 0.8 to 1.0 denier (both inclusive)</p> <p>Op. 02.08.01 Dec. date 28.12.01</p>
9809719	5911.90.90	<p>CLOTH, DECATISING WRAPPER</p> <p>Op. 02.11.98 Dec. date 15.01.99</p>
0400008	6902.10.00	<p>MAGNESIA ALUMINA SPINEL KILN REFRACTORY BRICKS, double sintered, shape standards VDZ and ISO sizing standards B322, B422, B622 and B822, comprising ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) magnesium oxide (MgO) NOT less than 80.0% (by weight);</li> <li>(b) calcium oxide (Ca) NOT greater than 1.4%;</li> <li>(c) ferrous oxide (Fe2O3) NOT greater than 8.2%;</li> <li>(d) silicon dioxide (SiO2) NOT greater than 1.3%;</li> <li>(e) zirconian oxide (ZrO2) NOT greater than 1.8%;</li> <li>(f) carbon (C) NOT greater than 0.5%;</li> <li>(g) aluminium trioxide (Al2O3) NOT less than 3% and NOT greater 14.5%;</li> <li>(h) bulk density NOT less than 2.8 g/cu cm;</li> <li>(i) cold crushing strength NOT less than 50 MPa</li> </ul> <p>Op. 31.12.03 Dec. date 31.03.04</p>
9504085	7219.21.00	<p>PLATES, SHEET AND FLATS, stainless steel, to specification DIN X42Cr13, AISI 420 or ASTM 420</p> <p>Op. 14.02.95 Dec. date 31.05.95</p>

Concession Number	Tariff Classification	Description												
9312785	7228.30.10	BARS, flat, alloy steel, NOT in a hardened and tempered condition, having ALL of the following: (a) width exceeding 140 mm but NOT exceeding 460 mm; (b) thickness exceeding 50 mm but NOT exceeding 200 mm; (c) length NOT exceeding 12 m Op. 05.11.93 Dec. date 12.05.94												
9504064	7228.30.10	BARS AND RODS, high alloy steel, to specification DIN 54NiCrMoV6 or 56 NiCrMoV7, annealed to maximum 249HB Op. 14.02.95 Dec. date 31.05.95												
9308767	7318.15.00	SCREWS, button head, socket, metric, flange to DIN specification 267, heat treated alloy steel grade 10.9 Op. 16.03.93 Dec. date 09.08.93												
0408964	8428.90.00	UNSCRAMBLERS, SAWN TIMBER Op. 31.08.04 Dec. date 15.11.04												
8808344	8441.10	SLITTER/REWINDERS, paper mill, having BOTH of the following: (a) working width of 3 000 mm or greater; (b) capability of operating at 1 500 m/min Op. 30.08.88 Dec. date 23.01.90												
9308951	8479.82.00	PULVERISERS, high speed, capable of pulverising semi-rigid, impact resistant and brittle materials as specified in the TABLE:  THE TABLE  <table border="1"> <thead> <tr> <th>MATERIAL</th> <th>FINENESS</th> <th>THROUGHPUT</th> </tr> </thead> <tbody> <tr> <td>(a) LDPE (MFI 70)</td> <td>94% &lt; 500 microns</td> <td>400 kg/h</td> </tr> <tr> <td>(b) rigid PVC pipe quality</td> <td>100% &lt; 600 microns with screen</td> <td>950 kg/h</td> </tr> <tr> <td>(c) rigid PVC pipe quality</td> <td>96% &lt; 800 microns</td> <td>1 300 kg/h</td> </tr> </tbody> </table> Op. 25.03.93 Dec. date 15.07.93	MATERIAL	FINENESS	THROUGHPUT	(a) LDPE (MFI 70)	94% < 500 microns	400 kg/h	(b) rigid PVC pipe quality	100% < 600 microns with screen	950 kg/h	(c) rigid PVC pipe quality	96% < 800 microns	1 300 kg/h
MATERIAL	FINENESS	THROUGHPUT												
(a) LDPE (MFI 70)	94% < 500 microns	400 kg/h												
(b) rigid PVC pipe quality	100% < 600 microns with screen	950 kg/h												
(c) rigid PVC pipe quality	96% < 800 microns	1 300 kg/h												
0403517	8479.89.90	RIM/TYRE MATCHING MACHINES, PLC controlled, comprising ALL of the following: (a) cameras; (b) chain lift; (c) fluorescent strip lamps Op. 05.04.04 Dec. date 25.06.04												
0405241	8479.89.90	SLITTER REWINDERS, comprising ALL of the following: (a) maximum unwind diameter NOT less than 1 200 mm; (b) maximum web width NOT less than 1 600 mm; (c) maximum rewind tension NOT less than 800 N at 300 mm diameter and NOT less than 320 N at 800 mm diameter; (d) pick up double driven unwind stand; (e) laser core positioner; (f) laser guided knife Op. 01.06.04 Dec. date 20.08.04												

Concession Number	Tariff Classification	Description
8533148	8481.80	<p>VALVES, INFLATABLE LIFE RAFT, being ANY of the following AND complying with ANY of the Specifications contained in THE TABLE:</p> <p>(a) topping up and deflation valves;  (b) transfer valves;  (c) gas inlet valves;  (d) gas outlet valves;  (e) relief valves;  (f) automatic pressure relief valves;  (g) transfer and boarding ramp valves</p> <p>THE TABLE</p> <p>(a) Commonwealth Marine Navigation Orders Part 25 Issue 1 Appendix 6;  (b) Australian Advisory Council Shipping Laws Code Section 10;  (c) Air Navigation Order Part 103;  (d) Department of Defence Specifications</p> <p>Op. 26.06.85 Dec. date 21.05.86</p>
9505222	8481.80.90	<p>VALVES, hydraulic control, having ALL of the following:</p> <p>(a) max flow rate from 130 litres per minute to 400 litres per minute (both inclusive);  (b) maximum operating pressure from 300 kg/sq cm to 320 kg/sq cm(both inclusive)</p> <p>Op. 20.04.95 Dec. date 29.05.95</p>
9810974	8535.40.90	<p>SURGE SUPPRESSORS, having ALL of the following:</p> <p>(a) 10 amp capacity;  (b) resettable circuit breaker;  (c) energy rating of NOT less than 400 joules;  (d) peak current of 11 kA</p> <p>Op. 21.12.98 Dec. date 16.03.99</p>
9603052	9010.60.00	<p>PROJECTION SCREENS, rear, with or without frames, being EITHER of the following:</p> <p>(a) constructed of 3 layers of laminate acrylic, being lenticulated lens, diffusion lens and with a rear fresnel lens, having ALL the following characteristics:</p> <p>(i) brightness gain + 3.3 to +2.5;  (ii) horizontal dispersion of +/- 40 degrees;  (iii) vertical dispersion of +/- 10 degrees</p> <p>(b) constructed of 2 layers of laminate acrylic, being a diffusion lens substrate with a laminated lenticulated lensing sheet, having ALL the following characteristics:</p> <p>(i) brightness gain +2.0 to +1.5;  (ii) horizontal dispersion +/- 45 degrees;  (iii) vertical dispersion +/- 10 degrees</p> <p>Op. 01.07.96 Dec. date 27.03.96</p>
0307783	9508.90.00	<p>FAIRGROUND AMUSEMENT RIDES, comprising ALL of the following:</p> <p>(a) cable driven gondola;  (b) seating six riders;  (c) electrically driven 11 kW motor</p> <p>Op. 27.06.03 Dec. date 19.09.03</p>

**NOTICE OF RESULTS OF REVIEW OF A DECISION MADE UNDER PROVISIONS OF ADMINISTRATIVE APPEALS TRIBUNAL ACT 1975**

The applications lodged with the Administrative Appeals Tribunal under section 29 of the Administrative Appeals Tribunal Act 1975 for a review of the decision of the Australian Customs Service in respect of the Tariff Concession Tariff Concession Orders for the goods described in the following TABLE have been resolved.

The operative date (Op.) and TC reference number follow the description of goods.

The decision of the Administrative Appeals Tribunal follows the description of goods.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3908.10.00 RESINS, LOW VISCOSITY UNFILLED POLYAMIDE 6,6, having BOTH of the following: (a) density 1 135 kg/m <sup>3</sup> ; (b) relative viscosity 2.72  Tolerances of +10% and - 10% are allowable for specifications (a) and b) Op. 08.02.08 - TC 0802327 AAT Decision: WITHDRAWN AAT Decision Date: 24 March 2011  Applicant BASF AUSTRALIA LTD	50
3908.10.00 RESINS, UNFILLED POLYAMIDE 6, having BOTH of the following: (a) density 1 130 kg/m <sup>3</sup> ; (b) relative viscosity 2.7  Tolerances of +10% and -10% are allowable for specifications (a) and (b) Op. 08.02.08 - TC 0802328 AAT Decision: WITHDRAWN AAT Decision Date: 24 March 2011  Applicant BASF AUSTRALIA LTD	50
3908.10.00 RESINS, UNFILLED POLYAMIDE 6, having ALL of the following: (a) extractables maximum 0.5% (mas/mas); (b) density 1 135 kg/m <sup>3</sup> ; (c) relative viscosity 3.30  Tolerances of +10% and -10% are allowable for specifications (b) and (c) Op. 08.02.08 - TC 0802329 AAT Decision: WITHDRAWN AAT Decision Date: 24 March 2011  Applicant BASF AUSTRALIA LTD	50

**AUSTRALIAN CUSTOMS AND BORDER PROTECTION SERVICE****TARIFF QUOTAS - QUOTA TRANSACTIONS PROCESSED IN THE PERIOD 29 Mar 2011 to 05 Apr 2011.**

## GENERAL INFORMATION

This Gazette contains details of quota transactions processed in the period 29 Mar 2011 to 05 Apr 2011 inclusive.

Part 1 contains a Table specifying quota category details.

Part 2, Section A, lists quota holders who received quota allocations via transfer transactions.

Part 2, Section B, lists all adjustments to previous allocations which have been caused by transfer transactions.

NB.- In Section B, transactions represent changes to individual tariff quotas and do not necessarily represent the entire holdings in that category for the quota holder.

- The "AS WAS" and "AS IS" columns indicate the quota levels for that particular tariff quota only at the time of that transaction.
- The amount of the transaction can be deduced by subtracting the "AS WAS" column from the "AS IS" column.

Inquiries concerning any information published within this Gazette should be directed to the Trade Services Branch, Australian Customs and Border Protection Service, Customs House, 5 Constitution Avenue, Canberra City, ACT, 2601.

**PART 1****NOTICE OF MAKING A DETERMINATION UNDER PART XVI OF THE CUSTOMS ACT 1901**

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section A of Part 2 was made in relation to Item 62 in Part III of Schedule 4 to the Customs Tariff Act 1995 and subject to any conditions set out hereunder, that Determination applies to goods that are:

- (1) specified in the Table hereunder;
- (2) classified under a subheading of Schedule 3 to the Customs Tariff Act 1995, specified in Item 62 in Part III of Schedule 4 to the Customs Tariff Act 1995;
- (3) entered for home consumption not earlier than the start date, and not later than the finish date, by the person specified in that Determination, as shown in Part 2; and
- (4) in total, not in excess of such quantity as is specified in that Determination, as shown in Part 2.

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section B of Part 2 amended a previous Determination by deleting the figures in the column headed "QUANTITY AS WAS" and inserting the figures in the column headed "QUANTITY AS IS".

**THE TABLE**

CATEGORY CODE	UNIT QUANTITY	QUOTA ITEM NUMBER	QUOTA DESCRIPTION
311	Kilograms	61A	Cheese & Curd

**PART 2****SECTION A - QUOTA ALLOCATIONS**

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG)	DETERMINATION NUMBER
-------------	--------------------------	--------------	---------------	-------------------------

**PART 2****SECTION B - AMENDED ALLOCATIONS**

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG) AS WAS	QUANTITY (KG) AS IS	DETERMINATION NUMBER
311	BON FOOD PTY LTD	3072	122,252.00	63,252.00	000461
311	A.Q.M.S. PTY LTD	3078	0.00	59,000.00	000461
311	A.Q.M.S. PTY LTD	3078	59,000.00	14,000.00	000462
311	JOHN KOTIS FAMILY SETTLEMENT TRADING AS ELCO FOOD	3168	757,753.00	802,753.00	000462
311	A.Q.M.S. PTY LTD	3078	14,000.00	0.00	000463
311	KEBIA IMPORTEX PTY LIMITED	2204	585,480.00	599,480.00	000463
311	DELTA SALES PTY LIMITED	3056	747,387.00	687,387.00	000464
311	KEBIA IMPORTEX PTY LIMITED	2204	599,480.00	659,480.00	000464