



**Commonwealth
of Australia**

Gazette

No. TC 12/07, Wednesday, 15 February 2012
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Applications Reworded.....	4
TCO Applications Refused.....	5
TCOs Made.....	6
Intention to Revoke TCOs not used in over 2 years.....	11

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>

Please select "tariff", then "tariff concessions gazette".

The gazettes are listed in date order and may be selected from the list of Adobe (PDF) files.

General Inquiries:	(02) 6275 6404
Facsimile:	(02) 6275 6376

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Submission forms are available from Custom Houses throughout Australia or on the Customs web site www.customs.gov.au.

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email tarcon@customs.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3926.90.90 HORNS, SOUND AMPLIFICATION, MOBILE PHONE, plastic Op. 30.01.12 Stated Use: For the amplification of mobile phone sounds Applicant: MCPHERSON'S CONSUMER PRODUCTS PTY LTD	- TC 1203228 50 5%
4201.00.00 COATS, DOG Op. 30.01.12 Stated Use: As a covering for dogs Applicant: MCPHERSON'S CONSUMER PRODUCTS PTY LTD	- TC 1203229 50 5%
4418.90.00 SHEETS, recycled, composite, being wood AND plastic Op. 13.01.12 Stated Use: For use in the building industry Applicant: FIVE STAR FINISHERS	- TC 1201553 50 5%
7616.99.00 CLAMPS, aluminium, adjustable, incorporating plastic screw knob Op. 19.01.12 Stated Use: For attaching sign holding frames to either vertical or horizontal fixtures Applicant: CLAMP A SIGN	- TC 1202339 50 5%

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION PARAGRAPH 269L(4B) (b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN
OBJECTION SUBMISSION**

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

8504.40.90 INVERTERS, PHOTOVOLTAIC, SOLAR, DC TO AC GRID CONNECTION, incorporating film capacitors, with OR without connecting cables fitted with connectors, having ALL of the following: (a) nominal DC input power NOT greater than 270 W; (b) DC input voltage NOT less than 20 V and NOT greater than 44 V; (c) maximum DC input current NOT greater than 12 A; (d) maximum AC output power NOT greater than 240 W; (e) nominal AC output voltage range NOT less than 200 V and NOT greater than 270 V; (f) nominal output frequency range NOT less than 45 Hz and NOT greater than 55 Hz; (g) inverter weight NOT greater than 2.0 kg; (h) depth NOT greater than 35 mm; (i) operating temperature range NOT less than minus 40 degrees Celsius and NOT greater than 85 degrees Celsius; (j) ingress protection rating NOT less than IP66 Op. 20.10.11	50
--	----

- TC 1135208

Stated Use:

To facilitate the transfer of electric current from solar power panels to the main electricity grid

Applicant: TINDO PTY LTD

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
3207.10.00	STAINS, ceramic glaze Op. 01.12.11	Dec. date 13.02.12	- TC 1140211 50
3824.90.90	SEMEN EXTENDERS, ANIMAL Op. 30.11.11	Dec. date 13.02.12	- TC 1139909 50
3920.10.00	FILM, polyethylene, air permeable, printed, having a width NOT less than 184 mm and NOT greater than 249 mm Op. 21.11.11	Dec. date 13.02.12	- TC 1138684 50
3920.62.00	FILM, plastic, multi-layered, including ALL of the following: (a) polyvinyl fluoride film layer; (b) polyethylene terephthalate film layer; (c) adhesive layers; (d) combined multi-layered film thickness NOT less than 0.30 mm and NOT greater than 0.36 mm Op. 06.12.11	Dec. date 13.02.12	- TC 1140539 50
3923.10.00	PACKAGING CONTAINERS, plastic AND steel, collapsible, with OR without disposable inner bags, including ALL of the following: (a) plastic pallet shaped container base; (b) plastic container top; (c) container side metal pole supports; (d) stackable interlocking base and top plastic shapes Op. 17.11.11	Dec. date 13.02.12	- TC 1138448 50
3923.10.00	CASES, PLASTIC, having BOTH of the following: (a) waterproof tested to IPX-8 specification; (b) internal dimensions of (i) length NOT exceeding 160 mm; (ii) width NOT exceeding 90 mm Op. 25.11.11	Dec. date 13.02.12	- TC 1139263 50
3923.90.00	TUBES, low-density polyethylene, having a scored tip Op. 02.12.11	Dec. date 13.02.12	- TC 1140224 50
3926.90.90	LINERS, BOTTLE CAP, ethylene vinyl acetate Op. 21.11.11	Dec. date 13.02.12	- TC 1138715 50
3926.90.90	FRAMES, SIGN HOLDER, plastic Op. 05.12.11	Dec. date 13.02.12	- TC 1140438 50
4202.92.90	BAGS, silicon coated, nylon woven, having ALL of the following: (a) weight NOT exceeding 100 g; (b) pack away pocket; (c) drawstring open AND/OR closure; (d) carry strap Op. 29.11.11	Dec. date 13.02.12	- TC 1139631 50

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
4202.92.90 BACKPACKS, having ALL of the following: (a) weight NOT greater than 0.25 kg; (b) pack away pocket; (c) open AND close zipper; (d) removable hydration sleeve AND/OR exit port Op. 01.12.11 Dec. date 13.02.12	50 - TC 1140102
4202.92.90 BACKPACKS, having ALL of the following: (a) weight NOT exceeding 200 g; (b) removable waist strap; (c) key ring clip; (d) pack away pocket Op. 01.12.11 Dec. date 13.02.12	50 - TC 1140105
6306.22.00 SHELTERS OR TENTS, BEACH, clamshell shaped, free standing, polyester, having ALL of the following: (a) sewn in floor; (b) mesh pockets; (c) carry case; (d) fibreglass poles; (e) width NOT greater than 2.7 m; (f) depth NOT greater than 1.4 m Op. 01.12.11 Dec. date 13.02.12	50 - TC 1140096
6307.90.99 SHEETS, consisting of NOT less than 50% cotton with remainder polyester, having ALL of the following: (a) length NOT greater than 265 mm; (b) width NOT greater than 220 mm; (c) carry bag Op. 25.11.11 Dec. date 13.02.12	50 - TC 1139265
7007.19.00 PANELS, GLASS, toughened, patterned, having ALL of the following: (a) thickness NOT less than 3.1 mm and NOT greater than 3.3 mm; (b) light transmittance NOT less than 91%; (c) energy transmittance NOT less than 91%; (d) iron content (Fe203) NOT greater than 0.015% Op. 25.11.11 Dec. date 13.02.12	50 - TC 1139399
8309.90.00 ALUMINIUM FOIL, having BOTH of the following: (a) embossed OR patterned, coated OR printed on one side, other side laminated with polyethylene co-extrusion; (b) thickness, including all coatings and backing layers, NOT less than 65 microns and NOT greater than 80 microns Op. 21.11.11 Dec. date 13.02.12	50 - TC 1138780
8414.80.19 PUMPS, rechargeable, 12 volt, cordless, multi-purpose Op. 29.11.11 Dec. date 13.02.12	50 - TC 1139628
8414.90.90 ASSEMBLIES, COMBUSTION AIR FAN, including ALL of the following: (a) impellers; (b) shafts; (c) couplings Op. 29.11.11 Dec. date 13.02.12	50 - TC 1139716
8418.69.00 DISPENSING MACHINES, CAN AND BOTTLE, refrigerated Op. 01.12.11 Dec. date 13.02.12	50 - TC 1140118
8419.89.90 OVENS, TINPLATE CURING, including ALL of the following: (a) gas burners; (b) metal wickets; (c) heat circulation boxes and fans; (d) cooling towers; (e) stacker Op. 22.11.11 Dec. date 13.02.12	50 - TC 1138952

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8421.29.00 FILTRATION MACHINES, including ALL of the following: (a) ceramic membrane cartridges; (b) pumps; (c) electric motors Op. 23.11.11	50 Dec. date 13.02.12 - TC 1139037
8428.90.00 LOG SORTING AND CUTTING LINE, including ALL of the following: (a) log unscrambling machine; (b) log end reducer; (c) log turner; (d) conveyor Op. 18.11.11	50 Dec. date 07.02.12 - TC 1138534
8428.90.00 PALLET PACKING MACHINES, robotic controlled, without input AND output conveyors Op. 18.11.11	50 Dec. date 10.02.12 - TC 1138670
8428.90.00 STORAGE AND RETRIEVAL SYSTEM, LAMINATING PAPER, programmable logic controlled, including ALL the following: (a) conveyors, with OR without de-palletiser; (b) storage and retrieval lift trolley; (c) transfer carriages Op. 21.11.11	50 Dec. date 13.02.12 - TC 1138723
8436.80.90 TUNNELS AND/OR ROOMS, MUSHROOM HORTICULTURE, having ALL of the following: (a) growing nets AND aluminium shelves having a length NOT less than 25 m; (b) picking trolleys AND racks; (c) air handlers; (d) climate regulators; (e) humidifiers; (f) coolers; (g) heaters; (h) growing lights; (i) compost AND casing fillers AND emptiers; (j) net cleaners; (k) moisturising sprayers; (l) controllers Op. 11.11.11	50 Dec. date 07.02.12 - TC 1137645
8438.10.90 DOUGH PRODUCTION LINE, incorporating a liquid fermentation system, programmable logic controlled, including ALL of the following: (a) maximum dough mixing capacity exceeding 2 000 kg/h; (b) dosing station; (c) double vertical arm mixers; (d) resting stations including bowls; (e) elevators; (f) bowl moving shuttle; (g) tanks incorporating agitators AND blenders; (h) dosing hopper; (i) scales Op. 14.11.11	50 Dec. date 10.02.12 - TC 1137764
8465.91.00 WOOD SAWING MACHINES, including ALL of the following: (a) NOT less than 2 height adjustable vertical saw arbours; (b) NOT less than 2 saw blades; (c) electric motor Op. 18.11.11	50 Dec. date 13.02.12 - TC 1138536
8465.99.00 LOG DEBARKING MACHINES Op. 18.11.11	50 Dec. date 07.02.12 - TC 1138537
8465.99.00 SAWMILL LOG DEBARKING LINE, having ALL of the following: (a) debarking rotors; (b) feed rolls; (c) in feed conveyor; (d) electric motors Op. 25.11.11	50 Dec. date 13.02.12 - TC 1139401

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
9405.40.00 LIGHTS, light emitting diode, non-ceramic with OR without ceramic bulb holder, being ANY of the following: (a) strip lights; (b) down lights; (c) spotlights; (d) flat lights; (e) stick lights Op. 14.11.11	50 Dec. date 07.02.12 - TC 1137810
9506.99.90 SETS, BAT AND BALL, neoprene Op. 25.11.11	50 Dec. date 13.02.12 - TC 1139262
9506.99.90 SETS, TEE BALL, put up in packs for retail sale, having ALL of the following: (a) tee ball bat; (b) tee balls; (c) adjustable pole AND tube; (d) base stand Op. 25.11.11	50 Dec. date 13.02.12 - TC 1139264
9507.90.00 KITS, FISHING, including ALL of the following: (a) collapsible fishing rod having an extendable length NOT greater than 1.5 m; (b) reel; (c) hooks; (d) sinker hooks; (e) sinkers; (f) floats; (g) lures Op. 29.11.11	50 Dec. date 13.02.12 - TC 1139639
9603.40.00 BRUSHES, PAINT Op. 25.11.11	50 Dec. date 13.02.12 - TC 1139323
9603.40.00 ROLLERS AND PADS, PAINT, being EITHER of the following: (a) paint rollers incorporating roller frame with roller covers AND/OR sleeves; (b) textile applicator pads with OR without centre handle Op. 25.11.11	50 Dec. date 13.02.12 - TC 1139324
9608.20.00 MARKER PENS Op. 28.11.11	50 Dec. date 13.02.12 - TC 1139626

COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Chief Executive Officer (CEO) is satisfied that CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 15 March 2012, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in-transit provisions shall apply.

Interested parties are invited to provide, by close of business, Wednesday, 14 March 2012, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email tarcon@customs.gov.au, fax 02 6275 6376 or phone 02 6122 5540.

THE TABLE

Description of Goods including the
Customs Tariff Classification

7207.20.00	STEEL BAR, round cornered square section, to military standard 10520D, ultrasonically tested in accordance with ASTM E-381, having the following dimensions: (a) sides 100 mm x 100 mm (+ or - 2.0 mm); (b) radius 15 mm maximum	Op. 13.06.97	Dec. date 22.08.97	- TC 9705183
7212.20.00	STEEL, flat rolled, tin plated, coil form, continuous annealed, electro-galvanised zinc coated tab stock, having ALL of the following: (a) thickness gauge NOT greater than 0.4; (b) width NOT greater than 90 mm; (c) coated internally and externally with food grade retortable varnish	Op. 04.06.91	Dec. date 18.09.91	- TC 0512719
7212.40.00	SHEETS AND/OR STRIPS, STEEL, NON-ORIENTATED ELECTRICAL, as described in ANY of the following international standards: (a) Japanese Industrial Standard C 2552; (b) American Society for Testing and Materials Standard A 677-05; (c) European Standard EN 10106	Op. 23.03.06	Dec. date 16.06.06	- TC 0605626
7212.50	HOOP AND STRIP, steel, electrolytically nickel plated, in EITHER of the following sizes: (a) thickness NOT less than 0.3 mm; (b) thickness less than 0.3 mm AND width NOT exceeding 305 mm	Op. 18.05.84	Dec. date 23.04.85	- TC 8435169

7216.50.00	SECTIONS, RIM ADAPTOR, DEMOUNTABLE STEEL TRUCK WHEEL RIM Op. 18.11.02	Dec. date 10.02.03	- TC 0210924
7217.10	WIRE, high carbon steel, in shapes (OTHER THAN rounds) with shaved edges, having BOTH of the following: (a) a chemical composition by weight of ALL of the following: (i) carbon - 0.65% to 1.05%; (ii) manganese - 0.20% to 0.80%; (iii) silicon - 0.15% to 0.35%; (iv) phosphorus - 0.03% maximum; (v) sulphur - 0.03% maximum; (b) in ANY of the following nominal dimensions: (i) 2.20 mm x 0.203 mm; (ii) 2.28 mm x 0.610 mm; (iii) 2.54 mm x 0.508 mm; (iv) 2.62 mm x 0.610 mm; (v) 3.05 mm x 0.610 mm; (vi) 3.43 mm x 0.610 mm; (vii) 3.81 mm x 0.610 mm; (viii) 4.19 mm x 0.610 mm; (ix) 6.14 mm x 0.457 mm Op. 01.07.96	Dec. date 19.06.96	- TC 9607613
7217.30	WIRE, steel, conforming to specification AISI 1070 m Op. 01.07.96	Dec. date 12.06.96	- TC 9607097
7217.90.00	WIRE BEAD, bronze plated steel, having BOTH of the following: (a) carbon content NOT less than 0.69%; (b) tensile strength NOT less than 1 750 N/mm ² Op. 24.05.04	Dec. date 24.05.04	- TC 0404954
7217.90.00	WIRE, brass-plated high carbon steel Op. 08.04.08	Dec. date 04.07.08	- TC 0802669
7219.34.00	COILS, stainless steel, cold rolled, AISI type 436, having BOTH the following: (a) width exceeding 600 mm; (b) thickness 0.5 mm or greater but NOT exceeding 1.0 mm Op. 24.03.93	Dec. date 12.07.93	- TC 9308956
7220.11.00	PLATES, SHEETS AND FLATS, stainless steel, to specification DIN X42Cr13, AISI 420 or ASTM 420 Op. 14.02.95	Dec. date 31.05.95	- TC 9504087
7222.19.00	BARS, stainless steel, hot rolled, NOT further worked than heat treated, pickled or mechanically descaled to specification AISI 310, NOT including flat bars Op. 01.07.96	Dec. date 01.07.96	- TC 9606696
7223.00	STAPLE WIRE, stainless steel Op. 05.07.84	Dec. date 13.11.84	- TC 8432455

7225.99.00	PLATES, SHEETS AND FLATS, high alloy steel, to specification DIN 40CrMnNiMo8 6 4, hardened and tempered within the range of 980 N - 1 080 N per square millimetre (both inclusive) Op. 01.07.96 Dec. date 21.06.96	- TC 9607842
7306.30.00	WELD TEST RINGS, complying with DNV-OS-F101 Op. 08.12.05 Dec. date 03.03.06	- TC 0516774
7306.30.00	TUBES, welded, nickel coated, complying with Japanese Industrial Standard G3445 STKM11A (JIS G3445 STKM11A) Op. 29.01.07 Dec. date 20.04.07	- TC 0701552
7306.30.00	TUBES, welded, having ALL of the following: (a) externally plated; (b) internally copper coated; (c) nominal OD 10.00 mm (+/- 0.1 mm); (d) nominal WT 0.70 mm (+/- 0.1 mm) Op. 04.10.95 Dec. date 05.01.96	- TC 9511080
7306.61.00	RECTANGULAR HOLLOW SECTIONS, welded carbon steel, in straight lengths, ends plain, without further rework, having overall dimensions of 101.6 mm x 101.6 mm and wall thickness greater than 9.5 mm Op. 01.01.07 Dec. date 09.11.06	- TC 0614224
7306.61.00	TUBES, cold drawn, carbon steel, hollow frame profile, having ANY of the following sectional dimensions: Length Width Wall Thickness (a) 90 mm 41 mm 2.0 mm; (b) 104 mm 43 mm 2.5 mm; (c) 104 mm 43 mm 3.0 mm Op. 01.01.07 Dec. date 08.05.07	- TC 0705890
7306.61.00	DUCTS, RECTANGULAR HOLLOW PROFILES, STEAM GENERATION PLANT Op. 07.10.08 Dec. date 12.01.09	- TC 0834441
7306.61.00	RECTANGULAR HOLLOW SECTIONS, welded carbon steel, in straight lengths, ends plain, without further rework, having overall dimensions of 101.6 mm x 101.6 mm and wall thickness greater than 9.5 mm Op. 01.01.07 Dec. date 09.11.06	- TC 0614224