



**Commonwealth  
of Australia**

# Gazette

**No. TC 13/14, Wednesday, 10 April 2013**

Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCO Applications Refused .....	9
TCOs Made .....	10
Local Manufacturer Initiated - TCOs Revoked .....	12
Intention to Revoke TCOs not used in over 2 years .....	13

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>

Please select "tariff", then "tariff concessions gazette".

The gazettes are listed in date order and may be selected from the list of Adobe (PDF) files.

<b>General Inquiries:</b> .....	<b>(02) 6275 6404</b>
<b>Facsimile:</b> .....	<b>(02) 6275 6376</b>

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Submission forms are available on the Customs web site [www.customs.gov.au](http://www.customs.gov.au).

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email [tarcon@customs.gov.au](mailto:tarcon@customs.gov.au).

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3917.32.90 SLEEVES, PAPER PRESS, polyester multifilament, polyurethane coated Op. 21.03.13  Stated Use: Used in paper mills to squeeze water out of paper sheets prior to drying  Applicant: NORSKE SKOG PAPER MILLS (AUSTRALIA) LIMITED	50  - TC 1310155     5%
3918.10.00 COVERINGS, FLOOR, vinyl, having ALL of the following: (a) thickness NOT less than 2 mm and NOT greater than 4 mm; (b) length NOT greater than 1 250 mm; (c) width NOT greater than 180 mm; (d) NOT less than 3 layers and NOT greater than 5 layers; (e) PVC backing Op. 13.03.13  Stated Use: To cover floors, by either gluing or floating above  Applicant: PROLINE FLOORS PTY LTD	50  - TC 1309200     5%
4811.90.90 DROP SHEETS, having BOTH of the following: (a) absorbent paper; (b) plastic layer Op. 18.03.13  Stated Use: Protection of floors and furniture whilst painting  Applicant: AUSTRALIAN BRUSHWARE CORPORATION PTY LTD	50  - TC 1309600    5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
7208.27.00	<p>STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHC OR SPHD OR SPHE, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) tensile strength NOT less than 270 MPa;</li> <li>(b) total elongation NOT less than 27%;</li> <li>(c) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 1.20 mm and width 610 mm;</li> <li>(ii) thickness 1.20 mm and width 820 mm;</li> <li>(iii) thickness 1.20 mm and width 838 mm;</li> <li>(iv) thickness 1.40 mm and width 690 mm;</li> <li>(v) thickness 1.40 mm and width 1 050 mm;</li> <li>(vi) thickness 1.40 mm and width 1 080 mm;</li> <li>(vii) thickness 1.40 mm and width 1 150 mm;</li> <li>(viii) thickness 1.40 mm and width 1 390 mm;</li> <li>(ix) thickness 1.60 mm and width 1 010 mm;</li> <li>(x) thickness 1.90 mm and width 1 110 mm;</li> <li>(xi) thickness 1.90 mm and width 1 340 mm;</li> <li>(xii) thickness 1.90 mm and width 1 360 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 14.03.13</p> <p>Stated Use: For use in PMV car body outer skins or components</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	50
		- TC 1309208
		5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
---	---

<p>7208.27.00 STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3113 (JIS G3113), grades SAPH400 OR SAPH440, having ALL of the following:</p> <p>(a) yield strength NOT less than 255 MPa;            (b) tensile strength NOT less than 400 MPa;            (c) total elongation NOT less than 29%;            (d) in ANY of the following sizes:</p> <p>(i) thickness 1.40 mm and width 605 mm;            (ii) thickness 1.40 mm and width 1 053 mm;            (iii) thickness 1.40 mm and width 1 175 mm;            (iv) thickness 1.55 mm and width 1 115 mm;            (v) thickness 1.55 mm and width 1 150 mm;            (vi) thickness 1.60 mm and width 610 mm;            (vii) thickness 1.60 mm and width 1 027 mm;            (viii) thickness 1.60 mm and width 1 090 mm;            (ix) thickness 1.60 mm and width 1 130 mm;            (x) thickness 1.60 mm and width 1 150 mm;            (xi) thickness 1.60 mm and width 1 270 mm;            (xii) thickness 1.60 mm and width 1 315 mm;            (xiii) thickness 1.60 mm and width 1 340 mm;            (xiv) thickness 1.60 mm and width 1 380 mm;            (xv) thickness 1.60 mm and width 1 430 mm;            (xvi) thickness 1.60 mm and width 1 470 mm;            (xvii) thickness 1.80 mm and width 600 mm;            (xviii) thickness 1.80 mm and width 1 475 mm;            (xix) thickness 1.95 mm and width 1 290 mm;            (xx) thickness 2.00 mm and width 1 310 mm;            (xxi) thickness 2.00 mm and width 1 440 mm;            (xxii) thickness 2.00 mm and width 1 480 mm;            (xxiii) thickness 2.00 mm and width 1 512 mm;            (xxiv) thickness 2.20 mm and width 1 330 mm</p>	50
--	----

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%  
 (b) width +/- 1%  
 Op. 14.03.13

- TC 1309209

Stated Use:

For use in PMV car body outer skins or components

Applicant: BLUESCOPE STEEL (AIS) PTY. LTD

5%

<p>7208.27.00 STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, having ALL of the following:</p> <p>(a) yield strength NOT less than 305 MPa;            (b) tensile strength NOT less than 490 MPa;            (c) total elongation NOT less than 21%;            (d) in ANY of the following sizes:</p> <p>(i) thickness 1.60 mm and width 1 150 mm;            (ii) thickness 1.60 mm and width 1 230 mm;            (iii) thickness 1.90 mm and width 780 mm</p>	50
--	----

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%  
 (b) width +/- 1%  
 Op. 14.03.13

- TC 1309212

Stated Use:

For use in PMV car body outer skins or components

Applicant: BLUESCOPE STEEL (AIS) PTY LTD

5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
<p>7210.30.00 STEEL, flat rolled, non-alloy, electrolytically plated or coated with zinc, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 140 MPa and NOT greater than 210 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa and NOT greater than 350 MPa;</li> <li>(c) total elongation NOT less than 38%;</li> <li>(d) total coating mass NOT less than 47 g/m<sup>2</sup> and NOT greater than 61 g/m<sup>2</sup> on each side;</li> <li>(e) thickness 0.70 mm and width 1 160 mm</li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 13.03.13</p>		50
<p>Stated Use: For use in PMV car body outer skins</p>	Applicant: BLUESCOPE STEEL (AIS) PTY LTD	5%
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 120 MPa and NOT greater than 180 MPa;</li> <li>(b) tensile strength NOT less than 260 MPa and NOT greater than 350 MPa;</li> <li>(c) total elongation NOT less than 37%;</li> <li>(d) total coating mass NOT less than 90 g/m<sup>2</sup>;</li> <li>(e) thickness 0.80 mm and width 1 640 mm</li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 13.03.13</p>		50
<p>Stated Use: For use in PMV car body outer skins</p>	Applicant: BLUESCOPE STEEL (AIS) PTY LTD	5%

- TC 1309163

- TC 1309160

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>7211.19.00 STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3113 (JIS G3113), grades SAPH400 OR SAPH440, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 255 MPa;</li> <li>(b) tensile strength NOT less than 400 MPa;</li> <li>(c) total elongation NOT less than 29%;</li> <li>(d) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 1.40 mm and width 585 mm;</li> <li>(ii) thickness 1.55 mm and width 250 mm;</li> <li>(iii) thickness 1.60 mm and width 360 mm;</li> <li>(iv) thickness 1.60 mm and width 510 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 14.03.13</p> <p>Stated Use: For use in PMV car body outer skins or components</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>50</p> <p>- TC 1309210</p> <p>5%</p>
<p>7211.19.00 STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 305 MPa;</li> <li>(b) tensile strength NOT less than 490 MPa;</li> <li>(c) total elongation NOT less than 21%;</li> <li>(d) thickness 1.90 mm and width 423 mm</li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 14.03.13</p> <p>Stated Use: For use in PMV car body outer skins or components</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>50</p> <p>- TC 1309213</p> <p>5%</p>
<p>7225.50.00 STEEL, flat rolled, alloy, cold rolled, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 340 MPa and NOT greater than 440 MPa;</li> <li>(b) tensile strength NOT less than 590 MPa;</li> <li>(c) total elongation NOT less than 22%;</li> <li>(d) thickness 1.20 mm and width 900 mm</li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 13.03.13</p> <p>Stated Use: For use in PMV car body outer skins</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>50</p> <p>- TC 1309153</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>7225.92.00 STEEL, flat rolled, alloy, hot dipped zinc coated, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 700 MPa and NOT greater than 900 MPa;</li> <li>(b) tensile strength NOT less than 980 MPa and NOT greater than 1 200 MPa;</li> <li>(c) total elongation NOT less than 10%;</li> <li>(d) total coating mass NOT less than 60 g/m2 and NOT greater than 90 g/m2 on each side;</li> <li>(e) thickness 0.90 mm and width 1 020 mm</li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 13.03.13</p>	<p>50</p> <p>- TC 1309154</p>
<p>Stated Use: For use in PMV car body outer skins</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>5%</p>
<p>7225.99.00 STEEL, flat rolled, alloy, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) hot dipped coating aluminium content NOT less than 85%;</li> <li>(b) hot dipped coating silicon content NOT less than 5% and NOT greater than 11%;</li> <li>(b) total coating mass NOT less than 60 g/m2 and NOT greater than 100 g/m2 on each side;</li> <li>(c) yield strength NOT less than 300 MPa;</li> <li>(d) tensile strength NOT less than 500 MPa;</li> <li>(e) total elongation NOT less than 17%;</li> <li>(f) in BOTH of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 1.00 mm and width 938 mm;</li> <li>(ii) thickness 1.40 mm and width 918 mm</li> </ul> </li> </ul> <p>Tolerances allowable for specification (f) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 13.03.13</p>	<p>50</p> <p>- TC 1309157</p>
<p>Stated Use: For use in PMV car body skins</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>5%</p>
<p>8419.89.90 FALLING FILM EVAPORATORS, having BOTH of the following:</p> <ul style="list-style-type: none"> <li>(a) mechanical vapour recompression turbines;</li> <li>(b) juice input working capacity exceeding 100 t/h</li> </ul> <p>Op. 21.03.13</p>	<p>50</p> <p>- TC 1310151</p>
<p>Stated Use: Evaporation of tomato juice for the production of tomato paste</p> <p>Applicant: KAGOME AUSTRALIA PTY LTD</p>	<p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8451.80.00 HEAT SETTING LINE, YARN, programmable logic controlled, having ALL of the following: (a) coiling heads; (b) conveyors; (c) pre-steamers; (d) cooling chambers; (e) tightening heads, having rollers; (f) turbo cooling module; (g) tunnel; (h) heat setting chambers; (i) dryer; (j) electronic control panel Op. 12.03.13</p> <p>Stated Use: Thermal processing of yarn for carpets</p> <p>Applicant: GODFREY HIRST AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1309011</p> <p>5%</p>
<p>8466.92.00 ACCESSORIES, BOARD AND MELAMINE LAMINATION PRESS MACHINE, being board width handling adjusters with belts Op. 15.03.13</p> <p>Stated Use: To allow board and melamine lamination press machines to operate with a large range of board widths</p> <p>Applicant: BORG MANUFACTURING PTY LTD</p>	<p>50</p> <p>- TC 1309520</p> <p>5%</p>
<p>8513.10.00 TORCHES, DIVING, handheld Op. 19.03.13</p> <p>Stated Use: To provide light for diving purposes</p> <p>Applicant: ZEN IMPORTS PTY LTD</p>	<p>50</p> <p>- TC 1309829</p> <p>5%</p>
<p>8513.10.00 TORCH SETS, including BOTH of the following: (a) headband held lamp; (b) handheld torch AND/OR handheld flashlight Op. 19.03.13</p> <p>Stated Use: To provide a portable source of light</p> <p>Applicant: ZEN IMPORTS PTY LTD</p>	<p>50</p> <p>- TC 1309830</p> <p>5%</p>



**CUSTOMS ACT 1901****NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED**

The application for the Tariff Concession Order for the goods described in the following TABLE has been refused.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
7308.90.00 MARINE BERTHING STRUCTURES, steel, being ANY of the following: (a) headstock beams having a length NOT less than 45.0 m with NOT less than 21.0 m separation between piles; (b) modular headstock beam paint cages having a length NOT less than 30.0 m; (c) self-jacking piling frames (dolphin frame travellers), having ALL of the following: (i) load-bearing capacity NOT less than 300.0 t; (ii) length NOT less than 52.0 m; (iii) width NOT less than 7.0 m; (iv) height NOT less than 6.0 m; (v) weight NOT less than 120.0 t, (d) bogie-mounted gantry crane platform, having ALL of the following: (i) load-bearing capacity NOT less than 300.0 t; (ii) length NOT less than 23.0 m; (iii) width NOT less than 15.0 m; (iv) height NOT less than 8.0 m; (v) weight NOT less than 160.0 t, (e) modular triangular-shaped tie-strut beams having a length NOT less than 21.0 m AND a weight NOT less than 30.0 t; (f) underslung walkways having a length NOT less than 30.0 m AND a weight NOT less than 28.0 t	50
Op. 09.10.12 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Cairns Steel Fabricators, Cairns, Qld; Pacific Coast Engineering, Bohle, Qld; and Townsville Engineering Industries Pty Ltd, Bohle, Qld	- TC 1238300

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods.

Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3926.90.90 SUPPORTS, PLANT CULTIVATION, being ANY of the following: (a) stem supports; (b) clips; (c) hooks Op. 16.01.13	50 Dec. date 03.04.13 - TC 1302138
4202.92.90 BAGS, woven polypropylene strip, plastic coated, having ALL of the following: (a) zippered closure; (b) rectangular base; (c) carry handles; (d) bag weight NOT greater than 300 g Op. 24.10.12	50 Dec. date 03.04.13 - TC 1240526
7304.39.00 PIPES, GYPSUM DEHYDRATION SYSTEM, iron OR non-alloy steel, having an external diameter greater than 380 mm Op. 23.11.12	50 Dec. date 03.04.13 - TC 1245157
7306.61.00 DUCTS, GYPSUM DEHYDRATION SYSTEM, iron OR steel, having an external diameter greater than 900 mm Op. 23.11.12	50 Dec. date 03.04.13 - TC 1245145
7307.99.00 COUPLINGS, CROSSOVER, OIL AND/OR GAS WELL EQUIPMENT, SUBSEA AND/OR SURFACE Op. 15.01.13	50 Dec. date 03.04.13 - TC 1301796
7307.99.00 CROSSOVER CONNECTORS, OIL AND/OR GAS WELL EQUIPMENT, SUBSEA AND/OR SURFACE Op. 25.01.13	50 Dec. date 08.04.13 - TC 1303345
7326.20.00 HOOKS, PLANT SUPPORT, with polypropylene string Op. 16.01.13	50 Dec. date 03.04.13 - TC 1302136
8424.89.90 VACUUM COATING SYSTEM, having ALL of the following: (a) vacuum mixer; (b) liquid dosing module; (c) coating capacity NOT greater than 2 000 L; (d) clean in place (CIP) operation; (e) hot air sterilisation Op. 15.01.13	50 Dec. date 03.04.13 - TC 1302043
8477.80.00 THERMOPLASTIC RECYCLING PLANT, POLYTRIMETHYLENE TEREPHTHALATE FIBRES, having ALL of the following: (a) moisture AND dust reduction system; (b) cutter compactor AND/OR extruders; (c) screen changers; (d) granulators; (e) heat exchangers; (f) metal detectors; (g) extruder cooling baths; (h) extruder dies Op. 14.01.13	50 Dec. date 08.04.13 - TC 1301769
8501.32.00 SOLAR DISH DRIVES, having 24 V DC motors Op. 10.01.13	50 Dec. date 03.04.13 - TC 1301342

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8527.91.00	RECEIVERS, MARINE, having ANY of the following: (a) AM/FM tuner; (b) digital media interface; (c) auxiliary input Op. 15.01.13	50    Dec. date 03.04.13 - TC 1301786
8544.20.00	CABLES, COAXIAL, DOWNHOLE, armoured, spool OR reel mounted, having ALL of the following: (a) perfluoroalkoxy (PFA) insulation; (b) breaking strength NOT less than 18 kN and NOT greater than 53 kN; (c) inner AND outer armour wire layers Op. 24.01.13	50    Dec. date 03.04.13 - TC 1303194
8607.19.00	PARTS, LOCOMOTIVE AXLE, being traction motor mounts OR supports Op. 16.01.13	50 Dec. date 03.04.13 - TC 1302047
8708.30.99	PARTS, ON ROAD TRUCKS HAVING A GROSS VEHICLE WEIGHT GREATER THAN 3.5 TONNES, being ANY of the following: (a) discs; (b) drums; (c) hubs; (d) rotors Op. 10.01.13	50 %   Dec. date 03.04.13 - TC 1301340

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1) - AUSTRALIAN INDUSTRY INITIATED - TARIFF CONCESSION  
ORDERS REVOKED**

The Tariff Concession Orders for the goods described in the following TABLE have been revoked.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3920.51.00 CAST ACRYLIC Op. 20.07.05 Dec. date 30.09.05 Substitutable goods produced in Australia in the ordinary course of business by Oakmoore Pty Ltd T/A EGR, Salisbury, Qld. In transit provisions apply	- TC 0509604 50 07.03.13
3920.51.00 ACRYLIC SHEETING, having ALL of the following: (a) cross linked OR semi-cross linked; (b) cast OR continuous cast; (c) thickness NOT less than 2.0 mm but NOT exceeding 6.0 mm Op. 17.10.00 Dec. date 09.02.01 Substitutable goods produced in Australia in the ordinary course of business by Oakmoore Pty Ltd T/A EGR, Salisbury, Qld. In transit provisions apply	- TC 0008755 50 07.03.13



---

8428.90	LOADERS, log, having a lifting capacity of 1.5 t or greater but NOT exceeding 3 t at 4 m radius from centre line of rotation, but NOT including EITHER of the following: (a) log loaders when mounted on vehicles, trailers or the like; (b) grappels when imported as initial spares or replacement parts	Op. 17.10.88	Dec. date 07.12.89	- TC 8809531
8429.52	PROPELLING BASES, excavator, having a slewing ring which allows the superstructure to revolve through 360 degrees, but NOT including ANY of the following: (a) guide pins, pivot pins, guide links or bushes when imported as initial spares or replacement parts; (b) bases when imported with ANY of the following: (i) cabs; (ii) booms, arms, or similar items; (iii) bucket actuating equipment being hydraulic cylinders, linkages or similar items; (iv) buckets, blades, dippers, grabs, shovels or similar attachments	Op. 01.01.88	Dec. date 17.12.90	- TC 9008435
8430.50.00	TUNNEL LOADING MACHINES, having ALL of the following: (a) maximum conveyor capacity NOT less than 500 m <sup>3</sup> /h; (b) maximum loading capacity NOT greater than 10 m <sup>3</sup> /min; (c) crawler mounted	Op. 30.06.09	Dec. date 18.09.09	- TC 0922295
8430.50.00	SCALING RIGS, MINING, having BOTH of the following: (a) hydraulic boom; (b) scaling hammer	Op. 09.03.10	Dec. date 28.05.10	- TC 1011683
8430.50.00	SCALERS, UNDERGROUND MINING AND TUNNELLING, self-propelled, with or without scaling picks, having ALL of the following: (a) 4 wheel drive diesel carriers; (b) telescopic scaling booms, having BOTH of the following: (i) vertical reach NOT greater than 11.5 metres; (ii) horizontal reach NOT greater than 15.5 metres, (c) hydraulic hammers and compressors	Op. 25.03.10	Dec. date 18.06.10	- TC 1014567