



**Commonwealth
of Australia**

Gazette

No. TC 13/24, Wednesday, 19 June 2013

Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

| | |
|---|----|
| TCO Applications | 2 |
| TCO Applications Reworded | 10 |
| TCO Applications Refused | 11 |
| TCOs Made | 12 |
| Local Manufacturer Initiated - TCO Revocation Requests | 16 |
| Local Manufacturer Initiated - TCOs Revoked | 17 |
| Local Manufacturer Initiated - TCOs Revoked and Re-Issued | 18 |
| Customs Initiated - TCOs Revoked - Inadequate Description | 19 |
| TCOs Revoked and Re-Issued - Classification Change | 20 |
| Customs Review of TCO Applications Notification | 23 |

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>
Please select "tariff", then "tariff concessions gazette".
The gazettes are listed in date order and may be selected from the list of Adobe (PDF) file

| |
|--|
| <p>General Inquiries:(02) 6275 6404 Facsimile:(02) 6275 6376</p> |
|--|

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at hyperlink
<http://www.customs.gov.au/webdata/resources/files/TYPABLEB4442001.pdf>.

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email
tarcon@customs.gov.au.

THE TABLE

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number General Duty Rate |
|---|---|
| 2836.20.00 DISODIUM CARBONATE Op. 16.05.13 Stated Use: Water softening: manufacture of glass, detergent, paper and paper pulp, textile bleaches and photographic chemicals Applicant: INTERCHEM AGENCIES LIMITED | - TC 1316114 50 |
| 3402.20.00 CLEANERS, TOILET BOWL, including BOTH of the following: (a) cleaning block, containing anionic surfactants AND perfume; (b) plastic hook Op. 21.05.13 Stated Use: For mounting on the inner rim of toilet bowls for cleaning and perfuming toilet bowls Applicant: RECKITT BENCKISER (AUSTRALIA) PTY LTD | - TC 1316657 5% |
| 3808.94.00 DISINFECTANTS, having BOTH of the following: (a) fluid content NOT less than 1.5 % benzalkonium chloride; (b) plastic container, having a volume capacity NOT greater than 2 L Op. 22.05.13 Stated Use: To disinfect hard surfaces Applicant: RECKITT BENCKISER (AUSTRALIA) PTY LTD | - TC 1316846 5% |

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number General Duty Rate |
|--|---|
| <p>3921.90.90 SHEETS, ACOUSTIC BARRIERS, cast, polymethyl methacrylate, metal reinforced, having ALL of the following:</p> <ul style="list-style-type: none"> (a) fire resistance in accordance with European Standard EN 1794-2 (EN 1794-2); (b) sound insulation in accordance with European Standard EN 1793-1 (EN 1793-1) AND EN 1793-2; (c) wind load resistance in accordance with European Standard EN 1794-1 (EN 1794-1); (d) stone impact resistance in accordance with European Standard EN 1794-1 (EN 1794-1); (e) falling debris resistance in accordance with European Standard EN 1794-2 (EN 1794-2); (f) thickness NOT less than 15 mm and NOT greater than 25 mm <p>Op. 13.05.13</p> <p>Stated Use: Sound wall barriers for roads and highways</p> <p>Applicant: AUS PLASTICS AUST PTY LTD</p> | <p>50</p> <p>- TC 1315877</p> <p>5%</p> |
| <p>6806.90.90 PANELS, REFRACTORY, vermiculite, magnesium aluminium iron silicate based, having ALL of the following:</p> <ul style="list-style-type: none"> (a) magnesium oxide (MgO) content NOT less than 8.8%; (b) silica (SiO₂) content NOT less than 46%; (c) service temperature NOT less than 1 100 degrees Celsius <p>Op. 06.05.13</p> <p>Stated Use: Sub-cathodic insulation in primary aluminium smelting</p> <p>Applicant: REFRACTORY AND CERAMIC PTY LTD</p> | <p>50</p> <p>- TC 1314688</p> <p>5%</p> |
| <p>7210.30.00 STEEL, flat rolled, non-alloy, electrolytically plated OR coated with zinc, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 110 MPa and NOT greater than 240 MPa; (b) tensile strength NOT less than 260 MPa; (c) elongation NOT less than 37%; (d) coating mass NOT less than 36 g/m² and NOT greater than 90 g/m² on each side; (e) in ANY of the following sizes: <ul style="list-style-type: none"> (i) thickness 0.70 mm and width 980 mm; (ii) thickness 0.70 mm and width 1 160 mm; (iii) thickness 0.70 mm and width 1 250 mm; (iv) thickness 0.70 mm and width 1 520 mm; (v) thickness 0.70 mm and width 1 640 mm; (vi) thickness 0.80 mm and width 960 mm; (vii) thickness 0.80 mm and width 1 160 mm; (viii) thickness 0.80 mm and width 1 370 mm; (ix) thickness 0.80 mm and width 1 600 mm; (x) thickness 0.90 mm and width 950 mm <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 22.05.13</p> <p>Stated Use: In PMV car body outer skins or components</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p> | <p>50</p> <p>- TC 1316842</p> <p>5%</p> |

Description of Goods including the
Customs Tariff ClassificationSchedule 4 Item Number
General Duty Rate

- 7210.49.00 STEEL, flat rolled, non-alloy, hot dipped zinc coated, in coils, having ALL of the following:
- (a) yield strength NOT less than 110 MPa and NOT greater than 280 MPa;
 - (b) tensile strength NOT less than 260 MPa;
 - (c) elongation NOT less than 37%;
 - (d) coating mass NOT less than 45 g/m² and NOT greater than 100 g/m² on each side;
 - (e) in ANY of the following sizes:
 - (i) thickness 0.60 mm and width 1 670 mm;
 - (ii) thickness 0.65 mm and width 960 mm;
 - (iii) thickness 0.65 mm and width 1 075 mm;
 - (iv) thickness 0.65 mm and width 1 160 mm;
 - (v) thickness 0.65 mm and width 1 240 mm;
 - (vi) thickness 0.65 mm and width 1 425 mm;
 - (vii) thickness 0.65 mm and width 1 430 mm;
 - (viii) thickness 0.65 mm and width 1 445 mm;
 - (ix) thickness 0.65 mm and width 1 630 mm;
 - (x) thickness 0.65 mm and width 1 730 mm;
 - (xi) thickness 0.70 mm and width 810 mm;
 - (xii) thickness 0.70 mm and width 840 mm;
 - (xiii) thickness 0.70 mm and width 850 mm;
 - (xiv) thickness 0.70 mm and width 890 mm;
 - (xv) thickness 0.70 mm and width 896 mm;
 - (xvi) thickness 0.70 mm and width 1 390 mm;
 - (xvii) thickness 0.70 mm and width 1 400 mm;
 - (xviii) thickness 0.70 mm and width 1 410 mm;
 - (xix) thickness 0.70 mm and width 1 440 mm;
 - (xx) thickness 0.70 mm and width 1 460 mm;
 - (xxi) thickness 0.70 mm and width 1 540 mm;
 - (xxii) thickness 0.70 mm and width 1 590 mm;
 - (xxiii) thickness 0.70 mm and width 1 650 mm;
 - (xxiv) thickness 0.70 mm and width 1 655 mm;
 - (xxv) thickness 0.75 mm and width 1 600 mm;
 - (xxvi) thickness 0.75 mm and width 1 695 mm;
 - (xxvii) thickness 0.75 mm and width 1 760 mm;
 - (xxviii) thickness 0.80 mm and width 680 mm;
 - (xxix) thickness 0.80 mm and width 1 185 mm;
 - (xxx) thickness 0.80 mm and width 1 300 mm;
 - (xxxi) thickness 0.80 mm and width 1 370 mm;
 - (xxxii) thickness 0.80 mm and width 1 325 mm;
 - (xxxiii) thickness 0.80 mm and width 1 545 mm;
 - (xxxiv) thickness 0.80 mm and width 1 600 mm;
 - (xxxv) thickness 0.80 mm and width 1 695 mm;
 - (xxxvi) thickness 0.80 mm and width 1 760 mm;
 - (xxxvii) thickness 0.80 mm and width 1 840 mm;
 - (xxxviii) thickness 0.90 mm and width 950 mm;
 - (xxxix) thickness 0.90 mm and width 1 530 mm;
 - (xl) thickness 0.90 mm and width 1 800 mm;
 - (xli) thickness 1.20 mm and width 1 730 mm;
 - (xlii) thickness 1 20 mm and width 1 770 mm

50

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
 - (b) width +/- 1%
- Op. 22.05.13

- TC 1316841

Stated Use:
In PMV car body outer skins or components

Applicant: BLUESCOPE STEEL (AIS) PTY LTD

5%

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number General Duty Rate |
|---|---|
|---|---|

| | |
|---|----|
| <p>7225.50.00 STEEL, flat rolled, alloy, cold rolled, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 340 MPa and NOT greater than 900 MPa; (b) tensile strength NOT less than 590 MPa; (c) total elongation NOT less than 8%; (d) in ANY of the following sizes: <ul style="list-style-type: none"> (i) thickness 1.20 mm and width 820 mm; (ii) thickness 1.20 mm and width 1 180 mm; (iii) thickness 1.20 mm and width 1 250 mm | 50 |
|---|----|

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
 - (b) width +/- 1%
- Op. 22.05.13

- TC 1316843

Stated Use:

In PMV car body outer skins or components

Applicant: BLUESCOPE STEEL (AIS) PTY LTD

5%

| | |
|--|----|
| <p>7225.92.00 STEEL, flat rolled, alloy, hot dipped zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 340 MPa and NOT greater than 700 MPa; (b) tensile strength NOT less than 590 MPa; (c) elongation NOT less than 10%; (d) coating mass NOT less than 60 g/m2 and NOT greater than 120 g/m2 on each side; (e) in ANY of the following sizes: <ul style="list-style-type: none"> (i) thickness 1.20 mm and width 615 mm; (ii) thickness 1.20 mm and width 623 mm; (iii) thickness 1.20 mm and width 1 115 mm; (iv) thickness 1.20 mm and width 1 240 mm; (v) thickness 1.20 mm and width 1 256 mm; (vi) thickness 1.40 mm and width 900 mm; (vii) thickness 1.80 mm and width 970 mm; (viii) thickness 2.00 mm and width 889 mm; (ix) thickness 2.00 mm and width 970 mm; (x) thickness 2.00 mm and width 992 mm | 50 |
|--|----|

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
 - (b) width +/- 1%
- Op. 22.05.13

- TC 1316844

Stated Use:

In PMV car body outer skins or components

Applicant: BLUESCOPE STEEL (AIS) PTY LTD

5%

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number General Duty Rate |
|--|---|
| 7225.99.00 STEEL, flat rolled, alloy, in coils, having ALL of the following: (a) hot dipped coating having BOTH of the following: (i) NOT less than 85% aluminium; (ii) NOT less than 5% silicon and NOT greater than 11% silicon; (b) coating mass NOT less than 60 g/m2 and NOT greater than 100 g/m2 on each side; (c) yield strength NOT less than 300 MPa; (d) tensile strength NOT less than 500 MPa; (e) elongation NOT less than 17%; (f) in ANY of the following sizes: (i) thickness 1.00 mm and width 938 mm; (ii) thickness 1.20 mm and width 1 202 mm; (iii) thickness 1.40 mm and width 918 mm; (iv) thickness 1.40 mm and width 995 mm; (v) thickness 2.00 mm and width 1 325 mm | 50 |
| For the purposes of this order, tolerances allowable for specification (f) are: | |
| (a) thickness +/- 10%; (b) width +/- 1% Op. 22.05.13 | - TC 1316845 |
| Stated Use: In PMV car body outer skins or components | |
| Applicant: BLUESCOPE STEEL (AIS) PTY LTD | 5% |
| 7326.90.90 CONNECTORS, SUBSEA CONTROL MODULE, being hub AND receiver Op. 23.05.13 | - TC 1316881 |
| Stated Use: Seal and interface between subsea connector module and trees | |
| Applicant: CAMERON AUSTRALASIA PTY LTD | 5% |
| 8307.10.00 TUBES, SOLAR WATER HEATING, corrugated, welded stainless steel, having BOTH of the following: (a) rubber insulation sheath; (b) two core sensor cable Op. 23.05.13 | 50 |
| Stated Use: Flow and return pipes from solar panel to storage tank in solar hot water systems | |
| Applicant: AUSTRALIAN HYDRONIC SUPPLIES PTY LTD | 5% |
| 8309.90.00 ENDS, CAN, tin plate OR tin free steel, lacquered, non ring pull, having diameters of 62 mm OR 96 mm | 50 |
| For the purposes of this order, diameters referenced have tolerances of + or - 1 mm Op. 17.05.13 | - TC 1316288 |
| Stated Use: Closures for cans | |
| Applicant: VISY INDUSTRIES AUSTRALIA PTY LTD | 5% |
| 8419.50.90 HEAT EXCHANGERS, SHELL AND TUBE, HOT OIL Op. 22.05.13 | - TC 1316779 |
| Stated Use: For heating gases used in heaters in liquid nitrogen gas plants | |
| Applicant: AUSTRALIA PACIFIC LNG PROCESSING PTY LTD | 5% |

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number General Duty Rate |
|--|---|
| 8474.10.00 FLOATATION CELLS, MINERAL SEPARATION, with OR without agitators Op. 20.05.13 Stated Use: For the separation of copper from mineral ore slurry Applicant: CUDECO LIMITED | 50 - TC 1316425 5% |
| 8479.89.90 PACKAGING SEPARATORS, including ALL of the following: (a) tubular separation chamber with adjustable paddles; (b) access doors; (c) separator screens; (d) liquid addition points; (e) electrical controls AND starter panel Op. 16.05.13 Stated Use: Separates packaging from wet and dry waste material Applicant: SITA AUSTRALIA PTY LTD | 50 - TC 1316320 5% |
| 8481.80.90 AERATING AND CHILLING WATER DISPENSING MACHINES, mains water connected, including ALL of the following: (a) stainless steel cabinet; (b) water chiller; (c) water dispensing taps; (d) water carbonator; (e) CO2 gas connector Op. 24.05.13 Stated Use: For dispensing aerated and chilled water Applicant: BRITA WATER FILTER SYSTEMS DISTRIBUTORS PTY LTD | 50 - TC 1317025 5% |
| 8716.90.00 PARTS, BRAKE, ON-ROAD TRUCK TRAILER HAVING A GROSS VEHICLE WEIGHT NOT LESS THAN 7.5 TONNE, being ANY of the following: (a) discs; (b) drums; (c) hubs; (d) rotors Op. 27.05.13 Stated Use: Brake parts for on-road truck trailers Applicant: MAXIPARTS PTY LTD | 50 - TC 1317195 5% |

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number General Duty Rate |
|--|---|
| <p>9305.91.00 PARTS, HOWITZER MILITARY ARTILLERY GUN, towable, being ANY of the following:</p> <ul style="list-style-type: none"> (a) access covers; (b) block; (c) body hubs; (d) control handles; (e) dial pointers; (f) guards; (g) left handwheel module; (h) load tray assembly; (i) manifolds; (j) manual control leavers; (k) ratchets; (l) side filler assembly; (m) sight post assembly; (n) sight post covers; (o) spades; (p) spade trial; (q) stabilizer <p>Op. 17.05.13</p> <p>Stated Use: Parts for Howitzer military towable field gun, barrel length 200 ins (508cms)</p> <p>Applicant: DEPARTMENT OF DEFENCE</p> | <p>50</p> <p>- TC 1316289</p> <p>5%</p> |
| <p>9406.00.00 STRUCTURES, EVENT, prefabricated, demountable, including ALL of the following:</p> <ul style="list-style-type: none"> (a) cyclonic wind integrity complying with Australian and New Zealand Standard 1170.2:2011 (AS/NZ 1170.2:2011) Appendix F, region C; (b) length NOT less than 40 metres; (c) width NOT less than 25 metres; (d) inflatable PVC coated polyester membrane; (e) solid walls <p>Op. 13.05.13</p> <p>Stated Use: Event venue designed to withstand hurricane force winds in cyclone impacted regions</p> <p>Applicant: TOP END SOUNDS PTY LTD</p> | <p>50</p> <p>- TC 1315871</p> <p>5%</p> |
| <p>9406.00.00 COLD ROOMS, PREFABRICATED, assembled OR unassembled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) polyurethane panels; (b) steel and copper pipes; (c) cooling system; (d) expansion valves; (e) humidifiers; (f) control system; (g) lighting; (h) air curtains <p>Op. 16.05.13</p> <p>Stated Use: Cold room storage for fruit and vegetables</p> <p>Applicant: AGRIFRESH PTY LTD</p> | <p>50</p> <p>- TC 1316167</p> <p>5%</p> |

| Description of Goods including the Customs Tariff Classification | | Schedule 4 Item Number Last Date of Effect |
|---|--|---|
| 8428.90.00 | STORAGE AND RETRIEVAL SYSTEM, programmable logic controlled, including ALL of the following: (a) floor rails; (b) busbars; (c) steel mast assembly; (d) tapered mast sections; (e) mast access ladder; (f) top carriage assembly; (g) bottom carriage assembly; (h) control cabinet; (i) box control interface; (j) integrated control system; (k) emergency cabin; (l) load handling module; (m) top guidance mechanism; (n) sensors; (o) cabling | 50 |
| Op. 25.03.13 | Dec. date 17.06.13 | - TC 1310465 |
| 8428.90.00 | STORAGE AND RETRIEVAL SYSTEM, programmable logic controlled, including ALL of the following: (a) floor rails; (b) busbars; (c) aluminium mast assembly; (d) mast risers and bracing; (e) mast access ladder; (f) top carriage assembly; (g) bottom carriage assembly; (h) box control interface; (i) integrated control system; (j) load handling module; (k) control cabinet; (l) top guidance mechanism; (m) sensors; (n) cabling | 50 |
| Op. 25.03.13 | Dec. date 17.06.13 | - TC 1310466 |
| 8428.90.00 | LOADERS, CABLE REELER, track mounted, having ALL of the following: (a) track mounted crane; (b) operators cabin; (c) cable reelers | 50 |
| Op. 26.03.13 | Dec. date 17.06.13 | - TC 1310636 |
| 8438.40.00 | BREWERY MACHINES, programmable logic controlled, having ALL of the following: (a) mashing AND/OR whirlpool tun; (b) lautering tun; (c) stainless steel tanks; (d) piping; (e) clean-in-place washing; (f) program AND control panels | 50 |
| Op. 25.03.13 | Dec. date 17.06.13 | - TC 1310371 |
| 8451.80.00 | CARPET STRAIGHTENING MACHINES, having ALL of the following: (a) weft straightener; (b) control AND display station; (c) manual control panel; (d) cooler | 50 |
| Op. 27.03.13 | Dec. date 17.06.13 | - TC 1310766 |
| 8479.89.90 | ENGINE EXHAUST GAS MODULES, POWER GENERATION SET, including ALL of the following: (a) charge air silencer; (b) expansion tank; (c) oil mist separator; (d) piping; (e) purge fan module | 50 |
| Op. 13.03.13 | Dec. date 12.06.13 | - TC 1309202 |

| Description of Goods including the Customs Tariff Classification | | Schedule 4 Item Number Last Date of Effect |
|---|--|---|
| 8479.89.90 | METAL STRIP WRAPPERS, STEEL COLD ROLLING MILL Op. 18.03.13 Dec. date 12.06.13 | - TC 1309606 50 |
| 8481.80.90 | ENGINE AUXILIARY MODULES, POWER GENERATION SET, including ALL of the following: (a) pre-heater; (b) valves; (c) gauges; (d) pumps; (e) control panel Op. 13.03.13 Dec. date 12.06.13 | - TC 1309201 50 |
| 8481.90.90 | PARTS, OIL AND/OR GAS WELL BLOWOUT PREVENTER, being ANY of the following: (a) blowout preventer bodies; (b) bonnets; (c) pistons; (d) cylinders; (e) flanges; (f) ram locking screws; (g) ram locking housing; (h) boosters; (i) bore rams; (j) open AND/OR close end caps; (k) ram locking pistons AND/OR sleeves AND/OR cylinders Op. 20.03.13 Dec. date 17.06.13 | - TC 1309982 50 |
| 8503.00.00 | PARTS, DC MOTOR AND/OR GENERATOR HAVING A POWER OUTPUT EXCEEDING 375 kW, being ANY of the following: (a) brush boxes; (b) main poles; (c) brush arm sets, consisting of ALL of the following: (i) brush holders; (ii) brushes; (iii) springs, (d) equalizer coils; (e) armature coils; (f) frames; (g) commutating poles; (h) commutating coils; (i) pole face connectors; (j) main field coils AND poles Op. 20.03.13 Dec. date 12.06.13 | - TC 1309873 50 |
| 8607.19.00 | ASSEMBLIES, PASSENGER TRAIN, consisting of BOTH of the following: (a) gearbox; (b) axle Op. 27.03.13 Dec. date 17.06.13 | - TC 1310847 50 |
| 8705.90.00 | MOBILE CONVEYORS, ON ROAD CHASSIS, having ALL of the following: (a) conveyors; (b) telescopic boom, having a horizontal reach NOT less than 60 metres; (c) NOT less than 10 driven wheels; (d) diesel engines; (e) chassis cabin Op. 15.03.13 Dec. date 12.06.13 | - TC 1309471 50 |
| 9403.70.00 | BABY WALKERS AND/OR EXERCISERS, having 3 OR more of the following: (a) foldable frame; (b) height adjustable seat; (c) activity tray; (d) safety harness; (e) light AND/OR or sound emitting; (f) castors AND/OR wheels Op. 26.03.13 Dec. date 12.06.13 | - TC 1310526 50 |

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number Last Date of Effect General Duty Rate |
|---|--|
| 9404.90.00 HEAD AND NECK SUPPORTS, CHILD'S SAFETY, being semi-circular shaped neck pillows with attached head rest Op. 26.03.13 Dec. date 17.06.13 | 50 - TC 1310530 |
| 9405.40.00 TOWER LIGHTS, solar AND/OR diesel, telescopic, stand alone, non-ceramic with OR without ceramic bulb holder Op. 21.03.13 Dec. date 12.06.13 | 50 - TC 1310058 |
| 9504.90.90 CHIPS, GAMING, CASINO Op. 02.04.13 Dec. date 17.06.13 | 50 - TC 1311161 |

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number Lodgement Request Date |
|--|--|
| 3808.93.00 HERBICIDE, having a base of propyzamide Op. 01.01.07 Dec. date 08.11.06 | 50 - TC 0614099 13.06.13 |
| 7210.49.00 COILS, non-alloy steel, hot rolled, zinc coated, complying with American Society for Testing and Materials Standard ASTM A 653/A 653M - 05a, having ALL of the following: (a) coil thickness NOT less than 1.48 mm and NOT greater than 6.0 mm; (b) coil width NOT less than 784 mm and NOT greater than 1 263 mm; (c) minimum yield strength NOT less than 360 Mpa; (d) minimum tensile strength NOT less than 460 Mpa; (e) coil inside diameter NOT less than 711 mm and NOT greater than 813 mm; (f) zinc coating mass NOT less than 0.080 kg/m ² per side; (g) each coil weighing NOT less than 14 metric tonnes; (h) chemical composition by weight of ALL of the following: (i) carbon content NOT greater than 0.20%; (ii) manganese content NOT less than 0.50% and NOT greater than 1.00%; (iii) phosphorus content NOT greater than 0.03%; (iv) sulphur content NOT greater than 0.03%; (v) chromium content less than 0.30%; (vi) molybdenum content less than 0.08%; (vii) aluminium content NOT greater than 0.10%; (viii) copper content NOT greater than 0.25%; (ix) nickel content NOT greater than 0.25%; (x) titanium content NOT greater than 0.04%; (xi) vanadium content less than 0.1%; (xii) silicon content NOT greater than 0.45%, Op. 13.11.12 Dec. date 30.05.13 | 50 11.06.13 - TC 1317796 |
| 8428.90.00 MASTS, telescopic, pneumatic, aluminium alloy, anodised Op. 17.01.12 Dec. date 02.04.12 | 50 - TC 1201930 12.06.13 |

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269SE(1)&(2) - TARIFF CONCESSION ORDERS REVOKED AND NARROWER TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders for the goods described in the following TABLE have been revoked and narrower Tariff Concession Orders have been made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods. In-transit provisions apply

THE TABLE

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number Last Date of Effect |
|---|---|
| TCO REVOKED | |
| 7308.90.00 PARTS, STRUCTURAL STEEL SECTIONS, WHARF, being ANY of the following: (a) topside modules; (b) dolphins; (c) fenders; (d) crane rails Op. 14.03.08 | 50 17.04.13 - TC 0840535 |
| Substitutable goods produced in Australia in the ordinary course of business by Vector Lifting Pty Ltd, Cockburn Central, WA. TC 0840535 revoked and reissued with narrowed wording as TC 1319799. In transit provisions apply. | |
| TCO REISSUED | |
| 7308.90.00 PARTS, STRUCTURAL STEEL SECTIONS, WHARF, being ANY of the following: (a) topside modules NOT less than 75 tonnes; (b) dolphins NOT less than 25 tonnes; (c) fenders; (d) crane rails Op. 18.04.13 | 50 - TC 1319799 |
| TCO REVOKED | |
| 7308.90.00 STRUCTURES, STEEL, MARINE BERTHING, being ANY of the following: (a) marine piles; (b) steel fenders; (c) dolphins; (d) topside modules Op. 12.05.08 | 50 17.04.13 - TC 1106027 |
| Substitutable goods produced in Australia in the ordinary course of business by Vector Lifting Pty Ltd, Cockburn Central, WA. TC 1106027 revoked and reissued with narrowed wording as TC 1319743. In transit provisions apply. | |
| TCO REISSUED | |
| 7308.90.00 STRUCTURES, STEEL, MARINE BERTHING, being ANY of the following: (a) marine piles NOT less than 750 mm diameter; (b) steel fenders; (c) dolphins NOT less than 25 tonnes; (d) topside modules NOT less than 75 tonnes Op. 18.04.13 | 50 - TC 1319743 |

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF CUSTOMS**

The Tariff Concession Order listed in THE TABLE below has been revoked.

THE TABLE

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number Last Date of Effect |
|--|---|
| 9503.00.20 DOLLS, RAG, with rag AND/OR plastic head Op. 01.01.07 Dec. date 27.11.06 | - TC 0614606 50 23.04.13 |
| TCO revoked with effect from 24 April 2013 because the TCO does not contain a full description of the TCO goods as required by s.269F(3) (a) of the Customs Act 1901. In transit provisions apply. | |

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(2)**TARIFF CONCESSION ORDER REVOKED AND NARROWER TARIFF CONCESSION ORDERS MADE IN ACCORDANCE WITH 269SD(2) OF THE CUSTOMS ACT.**

Tariff Concession Orders for the goods described in the following TABLE have been revoked and narrower Tariff Concession Orders made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

THE TABLE

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number Last Date of Effect |
|--|---|
| TCO REVOKED | |
| 8419.81.90 DISPENSING MACHINES, having ALL of the following: (a) one OR two OR three hoppers; (b) mixing chamber for each hopper; (c) tank OR water mains connection; (d) proportion adjustment control; (e) push button operation Op. 21.12.12 | 50 20.12.12 |
| Dec. date 29.05.13 | - TC 1248837 |
| Order Revoked - Change in Tariff Classification - See TC1317564 keyed to 8419.81.10 | |
| TCO REISSUED | |
| 8419.81.10 DISPENSING MACHINES, having ALL of the following: (a) one OR two OR three hoppers; (b) mixing chamber for each hopper; (c) tank OR water mains connection; (d) proportion adjustment control; (e) push button operation Op. 21.12.12 | 50 |
| Dec. date 13.06.13 | - TC 1317564 |
| TCO REVOKED | |
| 8419.81.90 DISPENSING MACHINES, having ALL of the following: (a) one OR two OR three hoppers; (b) mixing chamber for each hopper; (c) tank OR water mains connection; (d) proportion adjustment control; (e) touch screen operation Op. 18.02.13 | 50 17.02.13 |
| Dec. date 02.05.13 | - TC 1306217 |
| Order Revoked - Change in Tariff Classification - See TC1317566 keyed to 8419.81.10 | |
| TCO REISSUED | |
| 8419.81.10 DISPENSING MACHINES, having ALL of the following: (a) one OR two OR three hoppers; (b) mixing chamber for each hopper; (c) tank OR water mains connection; (d) proportion adjustment control; (e) touch screen operation Op. 18.02.13 | 50 |
| Dec. date 13.06.13 | - TC 1317566 |
| TCO REVOKED | |
| 8421.21.90 FILTER PRESSES, MEMBRANE CHAMBER, slurry, comprising ALL of the following: (a) vertically mounted filter cloth covered plates; (b) skid mounted; (c) membrane inflaters; (d) filter cloth washers; (e) single acting hydraulic ram Op. 22.12.05 | 50 02.06.13 |
| Dec. date 17.03.06 | - TC 0515638 |
| Order Revoked - Change in Tariff Classification - See TC1318588 keyed to 8421.29.00 | |

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number Last Date of Effect |
|--|---|
| TCO REISSUED | |
| 8421.29.00 FILTER PRESSES, MEMBRANE CHAMBER, slurry, comprising ALL of the following: (a) vertically mounted filter cloth covered plates; (b) skid mounted; (c) membrane inflators; (d) filter cloth washers; (e) single acting hydraulic ram Op. 03.06.13 | 50 Dec. date 13.06.13 - TC 1318588 |
| TCO REVOKED | |
| 8421.21.90 PRESSES, FILTER, MEMBRANE CHAMBER, slurry, comprising ALL of the following: (a) vertically mounted filter cloth covered plates; (b) sidebars; (c) membrane inflators; (d) double acting hydraulic ram Op. 20.12.07 | 50 02.06.13 Dec. date 07.03.08 - TC 0711154 |
| Order Revoked - Change in Tariff Classification - See TC1318589 keyed to 8421.29.00 | |
| TCO REISSUED | |
| 8421.29.00 PRESSES, FILTER, MEMBRANE CHAMBER, slurry, comprising ALL of the following: (a) vertically mounted filter cloth covered plates; (b) sidebars; (c) membrane inflators; (d) double acting hydraulic ram Op. 03.06.13 | 50 Dec. date 13.06.13 - TC 1318589 |
| TCO REVOKED | |
| 8421.21.90 DEWATERING PLANT, comprising ALL of the following: (a) vertical plate pressure filter; (b) membranes; (c) filter cloths; (d) hydraulic cylinder system; (e) slurry feeders Op. 07.08.08 | 50 27.05.13 Dec. date 24.10.08 - TC 0825494 |
| Order Revoked - Change in Tariff Classification - See TC1318587 keyed to 8421.29.00 | |
| TCO REISSUED | |
| 8421.29.00 DEWATERING PLANT, comprising ALL of the following: (a) vertical plate pressure filter; (b) membranes; (c) filter cloths; (d) hydraulic cylinder system; (e) slurry feeders Op. 28.05.13 | 50 Dec. date 13.06.13 - TC 1318587 |
| TCO REVOKED | |
| 8421.21.90 SEPARATORS, PRESS SCREW Op. 27.05.08 | 50 13.05.13 Dec. date 12.02.09 - TC 0904690 |
| Order Revoked - Change in Tariff Classification - See TC1317718 keyed to 8421.29.00 | |
| TCO REISSUED | |
| 8421.29.00 SEPARATORS, PRESS SCREW Op. 14.05.13 | 50 Dec. date 13.06.13 - TC 1317718 |

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number Last Date of Effect |
|---|---|
|---|---|

TCO REVOKED

| | | |
|--------------|--|----------------|
| 8421.21.90 | OIL-WATER SEPARATORS, COMPRESSED AIR CONDENSATE, having ALL of the following: (a) condensate inlet connections; (b) expansion chimney with activated carbon pre filter; (c) oil flotation chamber; (d) activated carbon filters; (e) water outlet; (f) waste water container | 50 02.06.13 |
| Op. 01.07.96 | Dec. date 19.06.96 | - TC 9607726 |

Order Revoked - Change in Tariff Classification - See TC1318591 keyed to 8421.29.00

TCO REISSUED

| | | |
|--------------|--|--------------|
| 8421.29.00 | OIL-WATER SEPARATORS, COMPRESSED AIR CONDENSATE, having ALL of the following: (a) condensate inlet connections; (b) expansion chimney with activated carbon pre filter; (c) oil flotation chamber; (d) activated carbon filters; (e) water outlet; (f) waste water container | 50 |
| Op. 03.06.13 | Dec. date 13.06.13 | - TC 1318591 |

TCO REVOKED

| | | |
|--------------|--|----------------|
| 8421.21.90 | OIL-WATER SEPARATORS, having ANY of the following: (a) grit trap inlet pipes; (b) grit trap outlet pipes; (c) outlet adaptor; (d) outlet mounting bracket; (e) coalescing outlet, including manual oil draw off filter cartridge; (f) filter panel | 50 02.06.13 |
| Op. 17.09.01 | Dec. date 07.12.01 | - TC 0108271 |

Order Revoked - Change in Tariff Classification - See TC1318590 keyed to 8421.29.00

TCO REISSUED

| | | |
|--------------|--|--------------|
| 8421.29.00 | OIL-WATER SEPARATORS, having ANY of the following: (a) grit trap inlet pipes; (b) grit trap outlet pipes; (c) outlet adaptor; (d) outlet mounting bracket; (e) coalescing outlet, including manual oil draw off filter cartridge; (f) filter panel | 50 |
| Op. 03.06.13 | Dec. date 13.06.13 | - TC 1318590 |

CUSTOMS ACT 1901 - NOTIFICATION OF REQUEST FOR REVIEW OF APPLICATION DECISIONS

A request has been received for review by Customs of the decision made on the application for the Tariff Concession Order for goods described in the following TABLE.

THE TABLE

| Description of Goods including the Customs Tariff Classification | Schedule 4 Item Number Date of Lodgement of Request | Initial Decision |
|---|--|---------------------|
| 8704.31.10 Vehicles, off road, all terrain, four wheel drive, having ALL of the following: (a) power/weight ratio greater than 5 (KW / 100 kgs); (b) dry weight greater than 600 kgs; (c) dual bucket seats; (d) twin cylinder, liquid cooled, four stroke < 1000 cc engine Op. 05.12.11 | 50 12.06.13 | REFUSE |

- TC 1140436