



**Commonwealth  
of Australia**

# Gazette

**No. TC 13/25, Wednesday, 26 June 2013**  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCOs Made.....	3
TCOs Revoked and Re-Issued .....	11
Local Manufacturer Initiated - TCOs Revoked and Re-Issued .....	12
Cheese Quota Transfers.....	13

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>  
Please select "tariff", then "tariff concessions gazette".  
The gazettes are listed in date order and may be selected from the list of Adobe (PDF) file

<b>General Inquiries: .....</b> (02) 6275 6404 <b>Facsimile: .....</b> (02) 6275 6376
--

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at hyperlink  
<http://www.customs.gov.au/webdata/resources/files/TYPABLEB4442001.pdf>.

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email  
[tarcon@customs.gov.au](mailto:tarcon@customs.gov.au).

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
5603.12.00 FABRIC, non-woven, extrusion bonded loop, thermo bonded, having ALL of the following: (a) polyamide loop; (b) polyamide and polyethylene laminate; (c) polyethylene film Op. 24.05.13	50     - TC 1316955
Stated Use: For the manufacture of hygiene products such as baby nappies  Applicant: ONTEX MANUFACTURING PTY LTD	5%
7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 235 MPa and NOT greater than 400 MPa; (b) tensile strength NOT less than 390 MPa; (c) elongation NOT less than 28%; (d) coating mass NOT less than 35 g/m2 and NOT greater than 65 g/m2 on each side; (e) thickness 2.00 mm and width 785 mm	50
For the purposes of this order, tolerances allowable for specification (e) are:  (a) thickness +/- 10% (b) width +/- 1% Op. 29.05.13	- TC 1317486
Stated Use: In PMV car body outer skins or components  Applicant: BLUESCOPE STEEL (AIS) PTY LTD	5%

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3924.90.00 BOTTLES, HOT WATER, polyvinylchloride, with stopper Op. 02.04.13 Dec. date 24.06.13	50 - TC 1311223
3924.90.00 SUPPORTS, BABY BATH, plastic, incorporating suction cups on underside Op. 02.04.13 Dec. date 24.06.13	50 - TC 1311224
4010.39.00 KITS, MOTOR VEHICLE TIMING BELT AND/OR MULTI V-BELT, consisting of one OR more rubber timing belts AND/OR multi V-belts AND including ANY of the following: (a) one OR two belt tensioners; (b) one OR two idler pulleys; (c) one OR two damper tensioners Op. 28.03.13 Dec. date 24.06.13	50 - TC 1310931
7208.25.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHD OR SPHE, having ALL of the following: (a) tensile strength NOT less than 270 MPa; (b) elongation NOT less than 32%; (c) thickness 5.00 mm and width 1 282 mm  For the purposes of this Order, tolerances allowable for specification (c) are:  (a) thickness +/- 10% (b) width +/- 1% Op. 04.04.13 Dec. date 24.06.13	50 - TC 1311528
7208.26.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHD OR SPHE, having ALL of the following: (a) tensile strength NOT less than 270 MPa; (b) elongation NOT less than 32%; (c) in ANY of the following sizes: (i) thickness 3.00 mm and width 760 mm; (ii) thickness 3.00 mm and width 1 119 mm; (iii) thickness 3.50 mm and width 1 145 mm; (iv) thickness 4.00 mm and width 875 mm; (v) thickness 4.00 mm and width 970 mm; (vi) thickness 4.00 mm and width 1 070 mm  For the purposes of this Order, tolerances allowable for specification (c) are:  (a) thickness +/- 10% (b) width +/- 1% Op. 04.04.13 Dec. date 24.06.13	50 - TC 1311527

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

7208.26.00 STEEL, flat-rolled, non alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3113 (JIS G3113), grade SAPH440, having ALL of the following: (a) yield strength NOT less than 305 MPa; (b) tensile strength NOT less than 440 MPa; (c) elongation NOT less than 29%; (d) in ANY of the following sizes: (i) thickness 3.40 mm and width 985 mm; (ii) thickness 3.50 mm and width 805 mm; (iii) thickness 4.00 mm and width 1 210 mm	50
---	----

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%  
 (b) width +/- 1%

Op. 04.04.13

Dec. date 24.06.13

- TC 1311719

7208.27.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHD OR SPHE, having ALL of the following: (a) tensile strength NOT less than 270 MPa; (b) elongation NOT less than 32%; (c) in ANY of the following sizes: (i) thickness 1.60 mm and width 620 mm; (ii) thickness 1.60 mm and width 658 mm; (iii) thickness 1.60 mm and width 710 mm; (iv) thickness 1.60 mm and width 929 mm; (v) thickness 1.60 mm and width 930 mm; (vi) thickness 1.60 mm and width 950 mm; (vii) thickness 1.60 mm and width 1 030 mm; (viii) thickness 1.60 mm and width 1 035 mm; (ix) thickness 1.60 mm and width 1 090 mm; (x) thickness 1.60 mm and width 1 110 mm; (xi) thickness 1.80 mm and width 1 000 mm; (xii) thickness 1.90 mm and width 730 mm; (xiii) thickness 1.90 mm and width 760 mm; (xiv) thickness 1.90 mm and width 825 mm; (xv) thickness 1.90 mm and width 905 mm; (xvi) thickness 1.90 mm and width 940 mm; (xvii) thickness 1.90 mm and width 955 mm; (xviii) thickness 1.90 mm and width 1 010 mm; (xix) thickness 1.90 mm and width 1 030 mm; (xx) thickness 1.90 mm and width 1 050 mm; (xxi) thickness 1.90 mm and width 1 060 mm; (xxii) thickness 1.90 mm and width 1 110 mm; (xxiii) thickness 1.90 mm and width 1 125 mm; (xxiv) thickness 1.90 mm and width 1 190 mm; (xxv) thickness 2.00 mm and width 607 mm; (xxvi) thickness 2.00 mm and width 1 024 mm; (xxvii) thickness 2.00 mm and width 1 140 mm; (xxviii) thickness 2.00 mm and width 1 210 mm; (xxix) thickness 2.20 mm and width 785 mm; (xxx) thickness 2.20 mm and width 970 mm; (xxxi) thickness 2.20 mm and width 1 155 mm; (xxxii) thickness 2.20 mm and width 1 175 mm; (xxxiii) thickness 2.50 mm and width 1 020 mm; (xxxiv) thickness 2.50 mm and width 1 160 mm	50
---	----

For the purposes of this Order, tolerances allowable for specification (c) are:

- (a) thickness +/- 10%  
 (b) width +/- 1%

Op. 04.04.13

Dec. date 24.06.13

- TC 1311524

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

<p>7208.27.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3113 (JIS G3113), grade SAPH440, having ALL of the following:</p> <p>(a) yield strength NOT less than 305 MPa;</p> <p>(b) tensile strength NOT less than 440 MPa;</p> <p>(c) elongation NOT less than 29%;</p> <p>(d) in ANY of the following sizes:</p> <p style="padding-left: 2em;">(i) thickness 1.60 mm and width 655 mm;</p> <p style="padding-left: 2em;">(ii) thickness 1.60 mm and width 740 mm;</p> <p style="padding-left: 2em;">(iii) thickness 1.60 mm and width 762 mm;</p> <p style="padding-left: 2em;">(iv) thickness 1.60 mm and width 780 mm;</p> <p style="padding-left: 2em;">(v) thickness 1.60 mm and width 800 mm;</p> <p style="padding-left: 2em;">(vi) thickness 1.60 mm and width 825 mm;</p> <p style="padding-left: 2em;">(vii) thickness 1.60 mm and width 860 mm;</p> <p style="padding-left: 2em;">(viii) thickness 1.60 mm and width 930 mm;</p> <p style="padding-left: 2em;">(ix) thickness 1.60 mm and width 1 009 mm;</p> <p style="padding-left: 2em;">(x) thickness 1.60 mm and width 1 058 mm;</p> <p style="padding-left: 2em;">(xi) thickness 1.70 mm and width 950 mm;</p> <p style="padding-left: 2em;">(xii) thickness 1.70 mm and width 959 mm;</p> <p style="padding-left: 2em;">(xiii) thickness 1.95 mm and width 950 mm;</p> <p style="padding-left: 2em;">(xiv) thickness 1.95 mm and width 1 185 mm;</p> <p style="padding-left: 2em;">(xv) thickness 2.00 mm and width 760 mm;</p> <p style="padding-left: 2em;">(xvi) thickness 2.00 mm and width 766 mm;</p> <p style="padding-left: 2em;">(xvii) thickness 2.00 mm and width 860 mm;</p> <p style="padding-left: 2em;">(xviii) thickness 2.00 mm and width 955 mm;</p> <p style="padding-left: 2em;">(xix) thickness 2.00 mm and width 1 090 mm;</p> <p style="padding-left: 2em;">(xx) thickness 2.50 mm and width 1 135 mm</p>	50
--	----

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.04.13

Dec. date 24.06.13

- TC 1311717

<p>7209.16.00 STEEL, flat rolled, non-alloy, cold rolled, not coated, in coils, having ALL of the following:</p> <p>(a) yield strength NOT greater than 250 MPa;</p> <p>(b) tensile strength NOT less than 250 MPa;</p> <p>(c) elongation NOT less than 35%;</p> <p>(d) in ANY of the following sizes:</p> <p style="padding-left: 2em;">(i) thickness 1.15 mm and width 715 mm;</p> <p style="padding-left: 2em;">(ii) thickness 1.15 mm and width 740 mm;</p> <p style="padding-left: 2em;">(iii) thickness 1.15 mm and width 780 mm;</p> <p style="padding-left: 2em;">(iv) thickness 1.15 mm and width 890 mm;</p> <p style="padding-left: 2em;">(v) thickness 1.15 mm and width 1 089mm;</p> <p style="padding-left: 2em;">(vi) thickness 1.15 mm and width 1 110 mm;</p> <p style="padding-left: 2em;">(vii) thickness 1.15 mm and width 1 190 mm;</p> <p style="padding-left: 2em;">(viii) thickness 1.20 mm and width 870 mm;</p> <p style="padding-left: 2em;">(ix) thickness 1.20 mm and width 1 175 mm;</p> <p style="padding-left: 2em;">(x) thickness 1.20 mm and width 1 230 mm;</p> <p style="padding-left: 2em;">(xi) thickness 1.35 mm and width 1 020 mm;</p> <p style="padding-left: 2em;">(xii) thickness 1.35 mm and width 1 185 mm;</p> <p style="padding-left: 2em;">(xiii) thickness 1.35 mm and width 1 525 mm;</p> <p style="padding-left: 2em;">(xiv) thickness 1.40 mm and width 770 mm;</p> <p style="padding-left: 2em;">(xv) thickness 1.40 mm and width 870 mm;</p> <p style="padding-left: 2em;">(xvi) thickness 1.40 mm and width 955 mm;</p> <p style="padding-left: 2em;">(xvii) thickness 1.55 mm and width 800 mm;</p> <p style="padding-left: 2em;">(xviii) thickness 1.55 mm and width 801 mm;</p> <p style="padding-left: 2em;">(xix) thickness 1.55 mm and width 1 380 mm;</p> <p style="padding-left: 2em;">(xx) thickness 1.60 mm and width 790 mm;</p> <p style="padding-left: 2em;">(xxi) thickness 1.60 mm and width 1 060 mm;</p> <p style="padding-left: 2em;">(xxii) thickness 1.80 mm and width 910 mm;</p> <p style="padding-left: 2em;">(xxiii) thickness 1.80 mm and width 1 080 mm;</p> <p style="padding-left: 2em;">(xxiv) thickness 1.80 mm and width 1 090 mm;</p> <p style="padding-left: 2em;">(xxv) thickness 1.80 mm and width 1 135 mm;</p> <p style="padding-left: 2em;">(xxvi) thickness 1.95 mm and width 770 mm;</p> <p style="padding-left: 2em;">(xxvii) thickness 1.95 mm and width 1 200 mm</p>	50
---	----

(Continued on next page)

Description of Goods including the  
Customs Tariff ClassificationSchedule 4 Item Number  
Last Date of Effect

(Continued from previous page)

For the purposes of this Order, tolerances allowable for  
specification (d) are:

(a) thickness +/- 10%

(b) width +/- 1%

Op. 09.04.13

Dec. date 24.06.13

- TC 1312160

7209.17.00

STEEL, flat rolled, non-alloy, cold rolled, not coated,  
in coils, having ALL of the following:

50

(a) yield strength NOT greater than 250 MPa;

(b) tensile strength NOT less than 250 MPa;

(c) elongation NOT less than 35%;

(d) in ANY of the following sizes:

- (i) thickness 0.67 mm and width 1 050 mm;
- (ii) thickness 0.67 mm and width 1 065 mm;
- (iii) thickness 0.67 mm and width 1 080 mm;
- (iv) thickness 0.70 mm and width 915 mm;
- (v) thickness 0.70 mm and width 1 020 mm;
- (vi) thickness 0.70 mm and width 1 050 mm;
- (vii) thickness 0.70 mm and width 1 230 mm;
- (viii) thickness 0.70 mm and width 1 275 mm;
- (ix) thickness 0.70 mm and width 1 285 mm;
- (x) thickness 0.70 mm and width 1 400 mm;
- (xi) thickness 0.72 mm and width 840 mm;
- (xii) thickness 0.72 mm and width 1 030 mm;
- (xiii) thickness 0.72 mm and width 1 500 mm;
- (xiv) thickness 0.75 mm and width 1 150 mm;
- (xv) thickness 0.75 mm and width 1 220 mm;
- (xvi) thickness 0.75 mm and width 1 370 mm;
- (xvii) thickness 0.75 mm and width 1 410 mm;
- (xviii) thickness 0.75 mm and width 1 420 mm;
- (xix) thickness 0.75 mm and width 1 425 mm;
- (xx) thickness 0.75 mm and width 1 435 mm;
- (xxi) thickness 0.75 mm and width 1 450 mm;
- (xxii) thickness 0.75 mm and width 1 455 mm;
- (xxiii) thickness 0.75 mm and width 1 490 mm;
- (xxiv) thickness 0.76 mm and width 660 mm;
- (xxv) thickness 0.76 mm and width 675 mm;
- (xxvi) thickness 0.76 mm and width 1 080 mm;
- (xxvii) thickness 0.76 mm and width 1 120 mm;
- (xxviii) thickness 0.76 mm and width 1 420 mm;
- (xxix) thickness 0.80 mm and width 600 mm;
- (xxx) thickness 0.80 mm and width 620 mm;
- (xxxi) thickness 0.80 mm and width 660 mm;
- (xxxii) thickness 0.80 mm and width 785 mm;
- (xxxiii) thickness 0.80 mm and width 850 mm;
- (xxxiv) thickness 0.80 mm and width 900 mm;
- (xxxv) thickness 0.80 mm and width 1 010 mm;
- (xxxvi) thickness 0.80 mm and width 1 140 mm;
- (xxxvii) thickness 0.80 mm and width 1 220 mm;
- (xxxviii) thickness 0.80 mm and width 1 270 mm;
- (xxxix) thickness 0.80 mm and width 1 570 mm;
- (xl) thickness 0.80 mm and width 1 584 mm;
- (xli) thickness 0.85 mm and width 995 mm;
- (xlii) thickness 0.85 mm and width 1 140 mm;
- (xliii) thickness 0.85 mm and width 1 300 mm;
- (xliv) thickness 0.85 mm and width 1 484 mm;
- (xlv) thickness 0.90 mm and width 1 060 mm;
- (xlvi) thickness 0.95 mm and width 820 mm;
- (xlvii) thickness 0.95 mm and width 930 mm;
- (xlviii) thickness 0.95 mm and width 990 mm;
- (xlix) thickness 0.95 mm and width 1 100 mm;
- (l) thickness 0.95 mm and width 1 105 mm;
- (li) thickness 0.95 mm and width 1 130 mm;
- (lii) thickness 0.95 mm and width 1 170 mm;
- (liii) thickness 0.95 mm and width 1 290 mm;
- (liv) thickness 0.95 mm and width 1 302 mm;

(Continued on next page)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

(Continued from previous page)

- (lv) thickness 0.95 mm and width 1 770 mm;
- (lvi) thickness 1.00 mm and width 765 mm

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 09.04.13 Dec. date 24.06.13 - TC 1312159

7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following: 50

- (a) yield strength NOT greater than 250 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) elongation NOT less than 36%;
- (d) coating mass on each side NOT less than 30 g/m<sup>2</sup> and NOT greater than 70 g/m<sup>2</sup>;
- (e) in ANY of the following sizes:
  - (i) thickness 0.75 mm and width 890 mm;
  - (ii) thickness 0.75 mm and width 970 mm;
  - (iii) thickness 0.75 mm and width 1 450 mm;
  - (iv) thickness 0.76 mm and width 1 220 mm;
  - (v) thickness 0.95 mm and width 820 mm;
  - (vi) thickness 1.15 mm and width 740 mm;
  - (vii) thickness 1.20 mm and width 955 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 09.04.13 Dec. date 24.06.13 - TC 1312163

7211.14.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHD OR SPHE, having ALL of the following: 50

- (a) tensile strength NOT less than 270 MPa;
- (b) elongation NOT less than 32%;
- (c) thickness 5.00 mm and width 212 mm

For the purposes of this Order, tolerances allowable for specification (c) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.04.13 Dec. date 24.06.13 - TC 1311530

7211.19.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHD OR SPHE, having ALL of the following: 50

- (a) tensile strength NOT less than 270 MPa;
- (b) elongation NOT less than 32%;
- (c) in ANY of the following sizes:
  - (i) thickness 1.60 mm and width 300 mm;
  - (ii) thickness 1.60 mm and width 455 mm;
  - (iii) thickness 1.90 mm and width 432 mm;
  - (iv) thickness 2.00 mm and width 530 mm;
  - (v) thickness 2.20 mm and width 233 mm;
  - (vi) thickness 3.00 mm and width 370 mm

For the purposes of this Order, tolerances allowable for specification (c) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.04.13 Dec. date 24.06.13 - TC 1311529

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

<p>7211.19.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3113 (JIS G3113), grade SAPH440, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 305 MPa;</li> <li>(b) tensile strength NOT less than 440 MPa;</li> <li>(c) elongation NOT less than 29%;</li> <li>(d) in ANY of the following sizes:               <ul style="list-style-type: none"> <li>(i) thickness 1.60 mm and width 252 mm;</li> <li>(ii) thickness 1.60 mm and width 262 mm;</li> <li>(iii) thickness 1.60 mm and width 357 mm;</li> <li>(iv) thickness 1.80 mm and width 565 mm;</li> <li>(v) thickness 2.20 mm and width 220 mm;</li> <li>(vi) thickness 2.50 mm and width 410 mm;</li> <li>(vii) thickness 3.20 mm and width 176 mm;</li> <li>(viii) thickness 4.00 mm and width 288 mm;</li> <li>(ix) thickness 4.00 mm and width 300 mm</li> </ul> </li> </ul>	50
---	----

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.04.13

Dec. date 24.06.13

- TC 1311721

<p>7211.23.00 STEEL, flat rolled, non-alloy, cold rolled, not coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT greater than 250 MPa;</li> <li>(b) tensile strength NOT less than 250 MPa;</li> <li>(c) elongation NOT less than 35%;</li> <li>(d) in ANY of the following sizes:               <ul style="list-style-type: none"> <li>(i) thickness 0.70 mm and width 490 mm;</li> <li>(ii) thickness 0.75 mm and width 310 mm;</li> <li>(iii) thickness 0.80 mm and width 485 mm;</li> <li>(iv) thickness 1.00 mm and width 410 mm;</li> <li>(v) thickness 1.15 mm and width 360 mm;</li> <li>(vi) thickness 1.15 mm and width 405 mm;</li> <li>(vii) thickness 1.15 mm and width 466 mm;</li> <li>(viii) thickness 1.55 mm and width 570 mm;</li> <li>(ix) thickness 1.60 mm and width 310 mm</li> </ul> </li> </ul>	50
--	----

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 09.04.13

Dec. date 24.06.13

- TC 1312161

<p>7225.50.00 STEEL, flat rolled, alloy, cold rolled, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT greater than 570 MPa;</li> <li>(b) tensile strength NOT less than 690 MPa;</li> <li>(c) elongation NOT less than 20%;</li> <li>(d) in ANY of the following sizes:               <ul style="list-style-type: none"> <li>(i) thickness 1.15 mm and width 600 mm;</li> <li>(ii) thickness 1.15 mm and width 720 mm;</li> <li>(iii) thickness 1.20 mm and width 1 080 mm;</li> <li>(iv) thickness 1.45 mm and width 1 340 mm;</li> <li>(v) thickness 1.55 mm and width 678 mm;</li> <li>(vi) thickness 1.60 mm and width 1 012 mm</li> </ul> </li> </ul>	50
---	----

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 03.04.13

Dec. date 24.06.13

- TC 1311482



Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
7226.92.00 STEEL, flat rolled, alloy, cold rolled, in coils, having ALL of the following: (a) yield strength NOT greater than 570 MPa; (b) tensile strength NOT less than 690 MPa; (c) elongation NOT less than 20%; (d) thickness 1.60 mm and width 167 mm		50
For the purposes of this Order, tolerances allowable for specification (d) are:		
(a) thickness +/- 10% (b) width +/- 1% Op. 03.04.13	Dec. date 24.06.13	- TC 1311481
7308.90.00 STRUCTURES, STEEL, GAS FUELLED POWER PLANT, being EITHER of the following: (a) exhaust gas stack; (b) radiator platform Op. 13.03.13	Dec. date 18.06.13	50 - TC 1309205
7318.16.00 NUTS, PIVOT, ROOF RACK, cast carbon steel Op. 07.03.13	Dec. date 25.06.13	50 - TC 1308442
7326.90.90 PLATES, PROTECTIVE COVER, stainless steel, with OR without stainless steel couplers Op. 28.03.13	Dec. date 24.06.13	50 - TC 1311077
8202.31.00 BLADES, CIRCULAR SAW, high speed steel, having ALL of the following: (a) blade diameter NOT less than 40 mm; (b) blade thickness NOT less than 1 mm; (c) blade centre hole diameter NOT less than 20 mm Op. 20.03.13	Dec. date 24.06.13	50 - TC 1309981
8474.31.00 CONCRETE MIXING MACHINES, having a maximum mix volume capacity of NOT less than 1 500 L Op. 28.03.13	Dec. date 24.06.13	50 - TC 1310930
8477.80.00 THERMOPLASTIC RECYCLING PLANT, POLYTRIMETHYLENE TEREPHTHALATE FIBRES, POLYETHYLENE TEREPHTHALATE FIBRES AND NYLON 6 FIBRES, having ALL of the following: (a) moisture AND dust reduction system; (b) cutter compactor AND/OR extruders; (c) screen changers; (d) granulators; (e) heat exchangers; (f) metal detectors; (g) extruder cooling baths; (h) extruder dies Op. 03.04.13	Dec. date 24.06.13	50 - TC 1311480
8479.89.90 STABILISERS, BOTTOM HOLE ASSEMBLY, OIL AND/OR GAS WELL, mandrel, whether OR not assembled Op. 08.04.13	Dec. date 24.06.13	50 - TC 1312089
8516.79.00 COOKERS, BENCH TOP, convection, electric, having BOTH of the following: (a) removable tempered glass bowl; (b) bowl capacity NOT less than 10 litres Op. 08.04.13	Dec. date 24.06.13	50 - TC 1311977
8537.20.90 SWITCHGEAR, INDOOR, enclosed cabinet, incorporating vacuum circuit breakers having a rated voltage NOT less than 1 000 V, having ALL of the following: (a) voltage NOT less than 11 kV; (b) short circuit current rating NOT less than 63 kA/sec; (c) busbar current NOT less than 4 000 A; (d) circuit breaker, conforming to Institute of Electrical and Electronics Engineers Standard C37.013 (IEEE C37.013); (e) motorised racking; (f) motorised earth switch Op. 14.03.13	Dec. date 18.06.13	50 - TC 1309331

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8544.49.20	CABLES, DOWNHOLE, armoured, spool OR reel mounted, having ALL of the following: (a) NOT less than 7 conductors; (b) fillers; (c) inner AND outer armour wire layers; (d) breaking strength NOT less than 53kN and NOT greater than 95kN	50
Op. 10.04.13	Dec. date 24.06.13	- TC 1312279
8602.90.00	LOCOMOTIVES, SHUNTING, diesel, having ALL of the following: (a) mass NOT less than 76 t and NOT greater than 100 t; (b) centred drivers cab; (c) hydraulic transmission; (d) power rating NOT less than 1 000 kw and NOT greater than 1 200 kw; (e) jacking pads; (f) fuel tank volume capacity NOT less than 3 000 L	50
Op. 27.03.13	Dec. date 24.06.13	- TC 1310724
9503.00.99	TRAINS, TOY, having plastic wheels AND magnet connectors, depicting ANY of the following: (a) movie characters; (b) television characters; (c) cartoon characters; (d) book characters	50
Op. 04.04.13	Dec. date 24.06.13	- TC 1311716

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(2)****TARIFF CONCESSION ORDER REVOKED AND NEW TARIFF CONCESSION ORDER MADE IN ACCORDANCE WITH 269SD(2) OF THE CUSTOMS ACT.**

Tariff Concession Orders for the goods described in the following TABLE have been revoked and new Tariff Concession Orders made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
TCO REVOKED	
8479.82.00 POLYVINYL CHLORIDE(PVC) DRY BLEND MIXING PLANT, programmable logic controlled, including ALL of the following: (a) heating mixer; (b) cooling mixer; (c) air and dust filters; (d) diverter valves; (e) transfer vessels; (f) rotary valves; (g) weighers; (h) loaders and unloaders Op. 27.10.10	50 N/A
Dec. date 24.01.11	- TC 1047994
Order revoked - change in Tariff Classification. See TC 1319341 keyed to 8419.89.90	
TCO REISSUED	
8419.89.90 POLYVINYL CHLORIDE(PVC) DRY BLEND MIXING PLANT, programmable logic controlled, including ALL of the following: (a) heating mixer; (b) cooling mixer; (c) air and dust filters; (d) diverter valves; (e) transfer vessels; (f) rotary valves; (g) weighers; (h) loaders and unloaders Op. 27.10.10	50
Dec. date 19.06.13	- TC 1319341

## CUSTOMS ACT 1901

## NOTICE PURSUANT TO SECTION 269SE(1)&amp;(2) - TARIFF CONCESSION ORDERS REVOKED AND NEW TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders for the goods described in the following TABLE have been revoked and new Tariff Concession Orders have been made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods. In-transit provisions apply

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
--	---

## TCO REVOKED

50  
29.04.13

7308.90.00 PARTS, STRUCTURAL STEEL, COAL PLANT OR IRON ORE PLANT, being ANY of the following:

- (a) rolled, hollow or welded sections;
- (b) beams;
- (c) grating,
- (d) stairways and/or treads;
- (e) plates;
- (f) handrails (with or without kick plates);
- (g) stanchions;
- (h) purlins and girts;
- (i) packing and shims;
- (j) guards;
- (k) platforms;
- (l) walkways;
- (m) ladders;
- (n) legs;
- (o) trusses or trestles;
- (p) stringer and ground modules;
- (q) frames;
- (r) wear liners;
- (s) gantries

Op. 12.05.08

- TC 0807603

Substitutable goods produced in Australia in the ordinary course of business for items (k) platforms (l) walkways (m) ladders and (o) trusses or trestles by Vector Lifting, Cockburn Central, Western Australia. TC 0807603 revoked and reissued with narrowed wording as 1319269. In transit provisions apply.

## TCO REISSUED

7308.90.00 PARTS, STRUCTURAL STEEL, COAL PLANT OR IRON ORE PLANT, being ANY of the following:

- (a) rolled, hollow or welded sections;
- (b) beams;
- (c) grating,
- (d) stairways and/or treads;
- (e) plates;
- (f) handrails (with or without kick plates);
- (g) stanchions;
- (h) purlins and girts;
- (i) packing and shims;
- (j) guards;
- (k) legs;
- (l) stringer and ground modules;
- (m) frames;
- (n) wear liners;
- (o) gantries

Op. 30.04.13

Dec. date 11.06.13

- TC 1319269

**AUSTRALIAN CUSTOMS AND BORDER PROTECTION SERVICE****TARIFF QUOTAS - QUOTA TRANSACTIONS PROCESSED IN THE PERIOD 18 Jun 2013 to 25 Jun 2013.**

## GENERAL INFORMATION

This Gazette contains details of quota transactions processed in the period 18 Jun 2013 to 25 Jun 2013 inclusive.

Part 1 contains a Table specifying quota category details.

Part 2, Section A, lists quota holders who received quota allocations via transfer transactions.

Part 2, Section B, lists all adjustments to previous allocations which have been caused by transfer transactions.

NB.- In Section B, transactions represent changes to individual tariff quotas and do not necessarily represent the entire holdings in that category for the quota holder.

- The "AS WAS" and "AS IS" columns indicate the quota levels for that particular tariff quota only at the time of that transaction.
- The amount of the transaction can be deduced by subtracting the "AS WAS" column from the "AS IS" column.

Inquiries concerning any information published within this Gazette should be directed to the Trade Branch, Australian Customs and Border Protection Service, Customs House, 5 Constitution Avenue, Canberra City, ACT, 2601.

**PART 1****NOTICE OF MAKING A DETERMINATION UNDER PART XVI OF THE CUSTOMS ACT 1901**

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section A of Part 2 was made in relation to Item 62 in Part III of Schedule 4 to the Customs Tariff Act 1995 and subject to any conditions set out hereunder, that Determination applies to goods that are:

- (1) specified in the Table hereunder;
- (2) classified under a subheading of Schedule 3 to the Customs Tariff Act 1995, specified in Item 62 in Part III of Schedule 4 to the Customs Tariff Act 1995;
- (3) entered for home consumption not earlier than the start date, and not later than the finish date, by the person specified in that Determination, as shown in Part 2; and
- (4) in total, not in excess of such quantity as is specified in that Determination, as shown in Part 2.

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section B of Part 2 amended a previous Determination by deleting the figures in the column headed QUANTITY AS WAS" and inserting the figures in the column headed "QUANTITY AS IS".

**THE TABLE**

CATEGORY CODE	UNIT QUANTITY	QUOTA ITEM NUMBER	QUOTA DESCRIPTION
311	Kilograms	61A	Cheese & Curd

**PART 2****SECTION A - QUOTA ALLOCATIONS**

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG)	DETERMINATION NUMBER
-------------	--------------------------	--------------	---------------	-------------------------

**PART 2****SECTION B - AMENDED ALLOCATIONS**

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG) AS WAS	QUANTITY (KG) AS IS	DETERMINATION NUMBER
311	FESTIVAL CITY WINES & SPIRITS PTY. LTD.	5014	10,241.00	8,748.00	000616
311	F. MAYER (IMPORTS) PTY LTD	1460	1,355,384.00	1,356,877.00	000616
311	THE TRUSTEE FOR THE CAZZOLATO FAMILY TRUST	4006	588.00	0.00	000617
311	F. MAYER (IMPORTS) PTY LTD	1460	1,356,877.00	1,357,465.00	000617