



**Commonwealth  
of Australia**

# Gazette

**No. TC 13/32, Wednesday, 14 August 2013**  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

|   |    |
|---|----|
| TCO Applications .....  | 2  |
| TCO Applications Reworded.....                                  | 6  |
| TCO Applications Refused.....                                   | 7  |
| TCOs Made.....  | 8  |
| Local Manufacturer Initiated - TCOs Revoked and Re-Issued ..... | 12 |
| TCOs Revoked - Unused for over 2 years .....                    | 13 |
| TCOs Revoked - Classification Change.....                       | 14 |
| TCOs Revoked and Re-Issued - Classification Change.....         | 15 |
| Intention to Revoke TCOs not used in over 2 years.....          | 16 |

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>

Please select "tariff", then "tariff concessions gazette".

The gazettes are listed in date order and may be selected from the list of Adobe (PDF) file

|  |
|--|
| <b>General Inquiries: .....</b> (02) 6275 6404 |
| <b>Facsimile: .....</b> (02) 6275 6376         |

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at hyperlink  
<http://www.customs.gov.au/webdata/resources/files/TYPABLEB4442001.pdf>.

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email  
[tarcon@customs.gov.au](mailto:tarcon@customs.gov.au).

## THE TABLE

| Description of Goods including the<br>Customs Tariff Classification  | Schedule 4 Item Number<br>General Duty Rate      |
|--|--|
| 3808.91.90 INSECTICIDES, MOSQUITO, consisting of NOT less than 15<br>impregnated mats<br>Op. 22.07.13<br><br>Stated Use:<br>To kill or repel mosquitos<br><br>Applicant: RECKITT BENCKISER (AUSTRALIA) PTY LTD   | 50<br><br>- TC 1324672<br><br><br><br><br><br>5% |
| 3920.99.00 SHEETS, plastic, multi-layer, having BOTH of the following:<br>(a) imitation leather embossed thermoplastic polyurethane top<br>layer;<br>(b) thickness NOT less than 2 mm and NOT greater than 6 mm<br>Op. 19.07.13<br><br>Stated Use:<br>For interior vehicle parts such as dashboards and side panel<br>cladding<br><br>Applicant: PLASTIC MATERIALS AND PROCESSES (AUSTRALIA) PTY LTD | 50<br><br>- TC 1324499<br><br><br><br><br><br>5% |
| 7306.30.00 TUBES AND/OR PIPES, non-alloy carbon steel, hot dipped coated,<br>metric press fit, having BOTH of the following:<br>(a) Z 275 internally AND externally coated;<br>(b) coating thickness NOT greater than 20 micron<br>Op. 08.07.13<br><br>Stated Use:<br>To suit press-fit applications<br><br>Applicant: BLUCHER (AUSTRALIA) PTY LTD   | 50<br><br>- TC 1323025<br><br><br><br><br><br>5% |
| 7306.30.00 TUBES AND/OR PIPES, non-alloy carbon steel, galvanically zinc<br>plated, blue passivated, metric press fit, having BOTH of the<br>following:<br>(a) FeZn8 externally coated;<br>(b) coating thickness NOT greater than 8 micron<br>Op. 11.07.13<br><br>Stated Use:<br>To suit metric press-fit applications<br><br>Applicant: BLUCHER (AUSTRALIA) PTY LTD                                 | 50<br><br>- TC 1323620<br><br><br><br><br><br>5% |



| Description of Goods including the<br>Customs Tariff Classification  |              | Schedule 4 Item Number<br>General Duty Rate |
|--|--------------|---|
| 8479.89.90 CONNECTOR ASSEMBLIES, OIL AND/OR GAS WELL DOWNHOLE JUNCTION, whether OR not assembled, having ALL of the following:<br>(a) bore receptacle pipe with elastomeric seal;<br>(b) intervention nipple metal sleeve;<br>(c) collet;<br>(d) connector, having rails;<br>(e) tail pipe<br>Op. 18.07.13 | - TC 1324337 | 50  |
| Stated Use:<br>To connect components of downhole oil and gas well pipelines that transport sand, water, oil and gas to the wellheads   |              |   |
| Applicant: SCHLUMBERGER AUSTRALIA PTY LTD  |              | 5%  |
| 8481.80.90 VALVES, DUAL FLOW ANNULAR, OIL AND/OR GAS WELL, hydraulic, downhole, whether OR not assembled, having a working pressure rating of NOT less than 390 bar at a temperature between 115 degrees Celsius and 130 degrees Celsius<br>Op. 24.07.13   | - TC 1325026 | 50  |
| Stated Use:<br>To control dual flows in oil and/or gas well pipeline operations  |              |   |
| Applicant: SCHLUMBERGER AUSTRALIA PTY LTD  |              | 5%  |
| 8481.90.90 PARTS, BLOW OUT PREVENTER BONNET, OIL AND/OR GAS WELL, being EITHER of the following:<br>(a) wear rings;<br>(b) bonnet gasket inserts<br>Op. 24.07.13   | - TC 1325024 | 50  |
| Stated Use:<br>Products assist to provide high pressure safety seal on the blow out preventer in offshore oil and gas production   |              |   |
| Applicant: SEDCO FOREX INTERNATIONAL INC   |              | 5%  |
| 8504.23.00 TRANSFORMERS, ELECTRICAL, liquid dielectric, having ALL of the following:<br>(a) power capacity NOT less than 390 MVA;<br>(b) system highest voltage (SHV) NOT less than 500 kV;<br>(c) low voltage NOT less than 23 kV;<br>(d) dielectric mineral oil<br>Op. 24.07.13                          | - TC 1325025 | 50  |
| Stated Use:<br>To supply high voltage electricity to power grids   |              |   |
| Applicant: ALSTOM GRID AUSTRALIA LTD   |              | 5%  |
| 9405.40.00 LIGHTS, LED, non ceramic with OR without ceramic bulb-holder, having a universal serial bus (USB) cable<br>Op. 23.07.13   | - TC 1324989 | 50  |
| Stated Use:<br>Portable lighting   |              |   |
| Applicant: ZEN IMPORTS PTY LTD   |              | 5%  |

| Description of Goods including the<br>Customs Tariff Classification   | Schedule 4 Item Number<br>General Duty Rate |
|---|---|
| <p>9406.00.00 PREFABRICATED CABINS, OIL AND GAS EXPLORATION AND PRODUCTION,<br/>having ALL of the following:<br/>(a) fire AND gas detection system;<br/>(b) air conditioning system;<br/>(c) window AND escape hatches;<br/>(d) pneumatic fire dampers;<br/>(e) work benches;<br/>(f) cupboards<br/>Op. 22.07.13</p> <p>Stated Use:<br/>For oil and gas exploration and production accommodation,<br/>offices and laboratories requirement</p> <p>Applicant: BAKER HUGHES AUSTRALIA PTY LTD</p> | <p>50</p> <p>- TC 1324561</p> <p>5%</p>     |
| <p>9503.00.20 DOLLS, RAG<br/>Op. 23.07.13</p> <p>Stated Use:<br/>Toys for children</p> <p>Applicant: KRATLAR PTY LTD</p>  | <p>50</p> <p>- TC 1324788</p> <p>5%</p>     |

**CUSTOMS ACT 1901****NOTICE PURSUANT TO SECTION PARAGRAPH 269L(4B) (b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN  
OBJECTION SUBMISSION**

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

## THE TABLE

| Description of Goods including the<br>Customs Tariff Classification | Schedule 4 Item Number |
|---|------------------------|
|---|------------------------|

|            |  |  |
|------------|--|--|
| 7412.20.00 | FITTINGS, GARDEN HOSE, brass, being ANY or a combination of two<br>OR more of the following categories:<br>(a) hose connectors;<br>(b) tap adaptors;<br>(c) tee sections;<br>(d) hose couplings;<br>(e) hose joiners;<br>(f) flexible hose protectors;<br>(g) sprinkler adaptors<br>Op. 07.05.13 | 50<br><br><br><br><br><br><br><br><br>- TC 1314861 |
|------------|--|--|

Stated Use:  
For connection of garden hoses between taps and other garden  
appliances

Applicant: HOLMAN INDUSTRIES

**CUSTOMS ACT 1901****NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED**

Applications for Tariff Concession Orders for the goods described in the following TABLE have been refused.

## THE TABLE

| Description of Goods including the<br>Customs Tariff Classification   | Schedule 4 Item Number |
|---|------------------------|
| 3907.60.00 RESINS, POLY(ETHYLENE TEREPHTHALATE), homopolymer OR copolymer,<br>in primary form<br>Op. 28.03.13<br>Reason for refusal:<br>Substitutable goods produced in Australia in the ordinary course<br>of business by LyondellBasell Australia Pty Ltd, South Yarra,<br>Vic and Qenos Pty Ltd, Altona, Vic   | 50<br><br>- TC 1310860 |
| 6005.32.00 FABRIC, SHADE NETTING, polypropylene, knitted, having ALL of the<br>following:<br>(a) multifilament yarn;<br>(b) stentered;<br>(c) width NOT greater than 3 m;<br>(d) ultra violet radiation block out NOT less than 82%<br>Op. 12.03.13<br>Reason for refusal:<br>Substitutable goods produced in Australia in the ordinary course<br>of business by Pro-Knit Industries Pty Ltd, Capalaba, Qld | 50<br><br>- TC 1309022 |

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

| Description of Goods including the Customs Tariff Classification   | Schedule 4 Item Number<br>Last Date of Effect |
|--|---|
| 2836.20.00 DISODIUM CARBONATE<br>Op. 16.05.13  | Dec. date 09.08.13 - TC 1316114 50            |
| 6806.90.90 PANELS, REFRACTORY, vermiculite, magnesium aluminium iron silicate based, having ALL of the following:<br>(a) magnesium oxide (MgO) content NOT less than 8.8%;<br>(b) silica (SiO <sub>2</sub> ) content NOT less than 46%;<br>(c) service temperature NOT less than 1 100 degrees Celsius<br>Op. 06.05.13   | Dec. date 12.08.13 - TC 1314688 50            |
| 7210.30.00 STEEL, flat rolled, non-alloy, electrolytically plated OR coated with zinc, in coils, having ALL of the following:<br>(a) yield strength NOT less than 110 MPa and NOT greater than 240 MPa;<br>(b) tensile strength NOT less than 260 MPa;<br>(c) elongation NOT less than 37%;<br>(d) coating mass NOT less than 36 g/m <sup>2</sup> and NOT greater than 90 g/m <sup>2</sup> on each side;<br>(e) in ANY of the following sizes:<br>(i) thickness 0.70 mm and width 980 mm;<br>(ii) thickness 0.70 mm and width 1 160 mm;<br>(iii) thickness 0.70 mm and width 1 250 mm;<br>(iv) thickness 0.70 mm and width 1 520 mm;<br>(v) thickness 0.70 mm and width 1 640 mm;<br>(vi) thickness 0.80 mm and width 960 mm;<br>(vii) thickness 0.80 mm and width 1 160 mm;<br>(viii) thickness 0.80 mm and width 1 370 mm;<br>(ix) thickness 0.80 mm and width 1 600 mm;<br>(x) thickness 0.90 mm and width 950 mm | 50  |
| For the purposes of this Order, tolerances allowable for specification (e) are:<br><br>(a) thickness +/- 10%<br>(b) width +/- 1%<br>Op. 22.05.13   | Dec. date 12.08.13 - TC 1316842               |
| 7210.49.00 STEEL, flat rolled, non-alloy, hot dipped zinc coated, in coils, having ALL of the following:<br>(a) yield strength NOT less than 110 MPa and NOT greater than 280 MPa;<br>(b) tensile strength NOT less than 260 MPa;<br>(c) elongation NOT less than 37%;<br>(d) coating mass NOT less than 45 g/m <sup>2</sup> and NOT greater than 100 g/m <sup>2</sup> on each side;<br>(e) in ANY of the following sizes:<br>(i) thickness 0.60 mm and width 1 670 mm;<br>(ii) thickness 0.65 mm and width 960 mm;<br>(iii) thickness 0.65 mm and width 1 075 mm;<br>(iv) thickness 0.65 mm and width 1 160 mm;<br>(v) thickness 0.65 mm and width 1 240 mm;<br>(vi) thickness 0.65 mm and width 1 425 mm;<br>(vii) thickness 0.65 mm and width 1 430 mm;<br>(viii) thickness 0.65 mm and width 1 445 mm;   | 50  |

(Continued on next page)



Description of Goods including the  
Customs Tariff ClassificationSchedule 4 Item Number  
Last Date of Effect

(Continued from previous page)

- (ix) thickness 0.65 mm and width 1 630 mm;
- (x) thickness 0.65 mm and width 1 730 mm;
- (xi) thickness 0.70 mm and width 810 mm;
- (xii) thickness 0.70 mm and width 840 mm;
- (xiii) thickness 0.70 mm and width 850 mm;
- (xiv) thickness 0.70 mm and width 890 mm;
- (xv) thickness 0.70 mm and width 896 mm;
- (xvi) thickness 0.70 mm and width 1 390 mm;
- (xvii) thickness 0.70 mm and width 1 400 mm;
- (xviii) thickness 0.70 mm and width 1 410 mm;
- (xix) thickness 0.70 mm and width 1 440 mm;
- (xx) thickness 0.70 mm and width 1 460 mm;
- (xxi) thickness 0.70 mm and width 1 540 mm;
- (xxii) thickness 0.70 mm and width 1 590 mm;
- (xxiii) thickness 0.70 mm and width 1 650 mm;
- (xxiv) thickness 0.70 mm and width 1 655 mm;
- (xxv) thickness 0.75 mm and width 1 600 mm;
- (xxvi) thickness 0.75 mm and width 1 695 mm;
- (xxvii) thickness 0.75 mm and width 1 760 mm;
- (xxviii) thickness 0.80 mm and width 680 mm;
- (xxix) thickness 0.80 mm and width 1 185 mm;
- (xxx) thickness 0.80 mm and width 1 300 mm;
- (xxxi) thickness 0.80 mm and width 1 370 mm;
- (xxxii) thickness 0.80 mm and width 1 325 mm;
- (xxxiii) thickness 0.80 mm and width 1 545 mm;
- (xxxiv) thickness 0.80 mm and width 1 600 mm;
- (xxxv) thickness 0.80 mm and width 1 695 mm;
- (xxxvi) thickness 0.80 mm and width 1 760 mm;
- (xxxvii) thickness 0.80 mm and width 1 840 mm;
- (xxxviii) thickness 0.90 mm and width 950 mm;
- (xxxix) thickness 0.90 mm and width 1 530 mm;
- (xl) thickness 0.90 mm and width 1 800 mm;
- (xli) thickness 1.20 mm and width 1 730 mm;
- (xlii) thickness 1.20 mm and width 1 770 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 22.05.13

Dec. date 12.08.13

- TC 1316841

7225.50.00

STEEL, flat rolled, alloy, cold rolled, in coils, having ALL  
of the following:

50

- (a) yield strength NOT less than 340 MPa and NOT greater than 900 MPa;
- (b) tensile strength NOT less than 590 MPa;
- (c) total elongation NOT less than 8%;
- (d) in ANY of the following sizes:
  - (i) thickness 1.20 mm and width 820 mm;
  - (ii) thickness 1.20 mm and width 1 180 mm;
  - (iii) thickness 1.20 mm and width 1 250 mm

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 22.05.13

Dec. date 12.08.13

- TC 1316843

| Description of Goods including the<br>Customs Tariff Classification | Schedule 4 Item Number<br>Last Date of Effect |
|---|---|
|---|---|

|  |    |
|--|----|
| <p>7225.92.00 STEEL, flat rolled, alloy, hot dipped zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 340 MPa and NOT greater than 700 MPa;</li> <li>(b) tensile strength NOT less than 590 MPa;</li> <li>(c) elongation NOT less than 10%;</li> <li>(d) coating mass NOT less than 60 g/m<sup>2</sup> and NOT greater than 120 g/m<sup>2</sup> on each side;</li> <li>(e) in ANY of the following sizes:               <ul style="list-style-type: none"> <li>(i) thickness 1.20 mm and width 615 mm;</li> <li>(ii) thickness 1.20 mm and width 623 mm;</li> <li>(iii) thickness 1.20 mm and width 1 115 mm;</li> <li>(iv) thickness 1.20 mm and width 1 240 mm;</li> <li>(v) thickness 1.20 mm and width 1 256 mm;</li> <li>(vi) thickness 1.40 mm and width 900 mm;</li> <li>(vii) thickness 1.80 mm and width 970 mm;</li> <li>(viii) thickness 2.00 mm and width 889 mm;</li> <li>(ix) thickness 2.00 mm and width 970 mm;</li> <li>(x) thickness 2.00 mm and width 992 mm</li> </ul> </li> </ul> | 50 |
|--|----|

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 22.05.13 Dec. date 12.08.13 - TC 1316844

|  |    |
|--|----|
| <p>7225.99.00 STEEL, flat rolled, alloy, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) hot dipped coating having BOTH of the following:               <ul style="list-style-type: none"> <li>(i) NOT less than 85% aluminium;</li> <li>(ii) NOT less than 5% silicon and NOT greater than 11% silicon;</li> </ul> </li> <li>(b) coating mass NOT less than 60 g/m<sup>2</sup> and NOT greater than 100 g/m<sup>2</sup> on each side;</li> <li>(c) yield strength NOT less than 300 MPa;</li> <li>(d) tensile strength NOT less than 500 MPa;</li> <li>(e) elongation NOT less than 17%;</li> <li>(f) in ANY of the following sizes:               <ul style="list-style-type: none"> <li>(i) thickness 1.00 mm and width 938 mm;</li> <li>(ii) thickness 1.20 mm and width 1 202 mm;</li> <li>(iii) thickness 1.40 mm and width 918 mm;</li> <li>(iv) thickness 1.40 mm and width 995 mm;</li> <li>(v) thickness 2.00 mm and width 1 325 mm</li> </ul> </li> </ul> | 50 |
|--|----|

For the purposes of this order, tolerances allowable for specification (f) are:

- (a) thickness +/- 10%;
- (b) width +/- 1%

Op. 22.05.13 Dec. date 12.08.13 - TC 1316845

|   |    |
|---|----|
| <p>7326.90.90 CONNECTORS, SUBSEA CONTROL MODULE, being hub AND receiver</p> | 50 |
|---|----|

Op. 23.05.13 Dec. date 12.08.13 - TC 1316881

|   |    |
|---|----|
| <p>8307.10.00 TUBES, SOLAR WATER HEATING, corrugated, welded stainless steel, having BOTH of the following:</p> | 50 |
|---|----|

(a) rubber insulation sheath;  
(b) two core sensor cable  
Op. 23.05.13 Dec. date 12.08.13 - TC 1316847

|  |    |
|--|----|
| <p>8309.90.00 ENDS, CAN, tin plate OR tin free steel, lacquered, non ring pull, having diameters of 62 mm OR 96 mm</p> | 50 |
|--|----|

For the purposes of this order, diameters referenced have tolerances of + or - 1 mm  
Op. 17.05.13 Dec. date 12.08.13 - TC 1316288

|  |    |
|--|----|
| <p>8419.50.90 HEAT EXCHANGERS, SHELL AND TUBE, HOT OIL</p> | 50 |
|--|----|

Op. 22.05.13 Dec. date 12.08.13 - TC 1316779

| Description of Goods including the<br>Customs Tariff Classification |  | Schedule 4 Item Number<br>Last Date of Effect |
|---|--|---|
| 8419.50.90  | SAMPLING SYSTEM, LIQUEFIED NATURAL GAS (LNG), programmable logic controlled, having BOTH of the following:<br>(a) sample probe;<br>(b) sample vaporiser<br>Op. 23.05.13  | 50<br><br>Dec. date 12.08.13 - TC 1316874     |
| 8425.39.00  | WINCHES, hydraulic, having ALL of the following:<br>(a) 3 phase electric motor NOT less than 400 V;<br>(b) motor control panel;<br>(c) maximum pulling capacity NOT less than 105 kN;<br>(d) power rating NOT less than 30 kW;<br>(e) maximum speed NOT less than 38 m/min;<br>(f) rope winding module;<br>(g) pull control lever;<br>(h) programmable dynamometer<br>Op. 30.05.13 | 50<br><br>Dec. date 12.08.13 - TC 1317660     |
| 8428.90.00  | SORTING TRANSFER VEHICLE SYSTEM, STORAGE AND RETRIEVAL, programmable logic controlled, whether OR not assembled, with OR without conveyors, including ALL of the following:<br>(a) shuttle;<br>(b) power box;<br>(c) power supply trolley;<br>(d) protrusion detector;<br>(e) load presence detector;<br>(f) position detector;<br>(g) travel rails<br>Op. 16.05.13                | 50<br><br>Dec. date 12.08.13 - TC 1316283     |
| 8431.39.00  | PARTS, ARMoured FACE CONVEYOR, being ANY of the following:<br>(a) line pans;<br>(b) flight bars;<br>(c) line pan troughs<br>Op. 23.05.13   | 50<br><br>Dec. date 12.08.13 - TC 1316912     |
| 8474.10.00  | FLOATATION CELLS, MINERAL SEPARATION, with OR without agitators<br>Op. 20.05.13  | 50<br>Dec. date 09.08.13 - TC 1316425         |
| 8479.89.90  | PACKAGING SEPARATORS, including ALL of the following:<br>(a) tubular separation chamber with adjustable paddles;<br>(b) access doors;<br>(c) separator screens;<br>(d) liquid addition points;<br>(e) electrical controls AND starter panel<br>Op. 16.05.13  | 50<br><br>Dec. date 12.08.13 - TC 1316320     |
| 8716.90.00  | PARTS, BRAKE, ON-ROAD TRUCK TRAILER HAVING A GROSS VEHICLE WEIGHT NOT LESS THAN 7.5 TONNE, being ANY of the following:<br>(a) discs;<br>(b) drums;<br>(c) hubs;<br>(d) rotors<br>Op. 27.05.13  | 50<br><br>Dec. date 12.08.13 - TC 1317195     |

|              |  |              |
|--------------|--|--------------|
| 9305.91.00   | PARTS, HOWITZER MILITARY ARTILLERY GUN, towable, being ANY of the following:<br>(a) access covers;<br>(b) block;<br>(c) body hubs;<br>(d) control handles;<br>(e) dial pointers;<br>(f) guards;<br>(g) left handwheel module;<br>(h) load tray assembly;<br>(i) manifolds;<br>(j) manual control leavers;<br>(k) ratchets;<br>(l) side filler assembly;<br>(m) sight post assembly;<br>(n) sight post covers;<br>(o) spades;<br>(p) spade trial;<br>(q) stabilizer | 50           |
| Op. 17.05.13 | Dec. date 12.08.13   | - TC 1316289 |

**CUSTOMS ACT 1901**

**NOTICE PURSUANT TO SECTION 269SE(1)&(2) - TARIFF CONCESSION ORDERS REVOKED AND NEW TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders for the goods described in the following TABLE have been revoked and new Tariff Concession Orders have been made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods. In-transit provisions apply

THE TABLE

| Description of Goods including the<br>Customs Tariff Classification  | Schedule 4 Item Number<br>Last Date of Effect |
|--|---|
| <b>TCO REVOKED</b>   |   |
| 3808.93.00<br>HERBICIDE, having a base of propyzamide<br>Op. 01.01.07<br>Dec. date 08.11.06  | 50<br>12.06.13<br>- TC 0614099                |
| Substitutable goods produced in Australia in the ordinary course of business by Imtrade Australia Pty Ltd. TC 0614099 revoked and reissued with narrower wording as TC 1326038 |   |
| <b>TCO REISSUED</b>  |   |
| 3808.93.00<br>HERBICIDES, water dispersible granule, having NOT less than 87.5% and NOT more than 92.5% propyzamide<br>Op. 01.01.07<br>Dec. date 08.08.13                      | 50<br>- TC 1326038                            |



**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1)&(2)****CUSTOMS INITIATED - TARIFF CONCESSION ORDERS REVOKED**

The Tariff Concession Order for the goods described in the following TABLE has been revoked.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

## THE TABLE

---

| Description of Goods including the<br>Customs Tariff Classification                                     | Schedule 4 Item Number<br>Last Date of Effect |
|---|---|
| 3919.10.00 TAPES, LABELLING, ADHESIVE, with OR without carbon ribbon<br>Op. 27.02.03 Dec. date 23.05.03 | 50<br>- TC 0302124 31.07.13                   |
| Order revoked - Tariff Class 8443.99.00 - Free  |   |

---

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(2)****TARIFF CONCESSION ORDER REVOKED AND NARROWER TARIFF CONCESSION ORDERS MADE IN ACCORDANCE WITH 269SD(2) OF THE CUSTOMS ACT.**

Tariff Concession Orders for the goods described in the following TABLE have been revoked and narrower Tariff Concession Orders made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

## THE TABLE

| Description of Goods including the<br>Customs Tariff Classification | Schedule 4 Item Number<br>Last Date of Effect |
|---|---|
|---|---|

## TCO REVOKED

|  |  |                |
|--|--|----------------|
| 7308.40.00   | COMPONENTS, SCAFFOLDING, being ANY of the following:<br>(a) braces;<br>(b) guard rails;<br>(c) corner infills;<br>(d) chainwire rolls;<br>(e) hopups;<br>(f) adjustable bases;<br>(g) ledgers;<br>(h) ladder beams;<br>(i) steel pallets;<br>(j) standards;<br>(k) steel stairs;<br>(l) transoms;<br>(m) tie bars;<br>(n) transom ladder accesses;<br>(o) toe board clips;<br>(p) wall ties;<br>(q) wall tie tubes;<br>(r) transom trusses | 50<br>31.07.13 |
| Op. 29.05.13   | Dec. date 26.07.13   | - TC 1324862   |
| Order Revoked - See TC1325866 - steel pallets removed - classified to 7326.90.90 |  |                |

## TCO REISSUED

|              |  |              |
|--------------|--|--------------|
| 7308.40.00   | COMPONENTS, SCAFFOLDING, being ANY of the following:<br>(a) braces;<br>(b) guard rails;<br>(c) corner infills;<br>(d) chainwire rolls;<br>(e) hopups;<br>(f) adjustable bases;<br>(g) ledgers;<br>(h) ladder beams;<br>(i) standards;<br>(j) steel stairs;<br>(k) transoms;<br>(l) tie bars;<br>(m) transom ladder accesses;<br>(n) toe board clips;<br>(o) wall ties;<br>(p) wall tie tubes;<br>(q) transom trusses | 50           |
| Op. 02.08.13 | Dec. date 08.08.13   | - TC 1325866 |

**COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS**

The Chief Executive Officer (CEO) is satisfied that CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 12 September 2013, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in-transit provisions shall apply. If revoked, the expected date of effect is 12 September 2013.

Interested parties are invited to provide, by close of business, Wednesday, 11 September 2013, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email [tarcon@customs.gov.au](mailto:tarcon@customs.gov.au), fax 02 6275 6376 or phone 02 6122 5540.

## THE TABLE

| Tariff Classification | Description   | Concession Number                  |
|-----------------------|---|------------------------------------|
| 8483.10.99            | SHAFTS, COTTON PICKER HEAD<br>Op. 12.10.95  | Dec. date 19.01.96<br>- TC 9511212 |
| 8483.40.90            | ASSEMBLIES, PINION GEARBOX, MILL STAND, FINISHING MILL,<br>consisting of ALL of the following:<br>(a) pinion gearboxes;<br>(b) hubs;<br>(c) couplings<br>Op. 09.10.08   | Dec. date 14.01.09<br>- TC 0834725 |
| 8483.40.90            | REDUCTION GEARBOXES, PLANETARY, SINTER STRAND DRIVE, having ALL<br>of the following:<br>(a) input power from motor NOT less than 40 kW;<br>(b) output torque NOT less than 600 000 Nm;<br>(c) gear ratio NOT less than 1900:1;<br>(d) weight NOT less than 8 500 kg<br>Op. 12.03.09 | Dec. date 29.05.09<br>- TC 0908457 |
| 8483.40.90            | GEARBOXES, WASTE PAPER PULPING MACHINE<br>Op. 17.04.09  | Dec. date 10.07.09<br>- TC 0912737 |
| 8483.40.90            | GEARBOXES, PAPER PULP DISCHARGE SCRAPER MACHINE<br>Op. 21.09.09   | Dec. date 04.12.09<br>- TC 0935341 |
| 8483.40.90            | GEARBOXES, COILER, HOT STRIP MILL, WORM DOUBLE REDUCTION<br>Op. 09.03.10  | Dec. date 28.05.10<br>- TC 1011781 |
| 8483.60.90            | PARTS, WIND-TURBINE POWERED GENERATOR, being shrink rings<br>Op. 08.09.05   | Dec. date 09.01.06<br>- TC 0512080 |
| 8483.60.90            | CLUTCHES, LAMINAL FRICTION, ROLL GRINDER<br>Op. 04.02.08  | Dec. date 11.04.08<br>- TC 0802002 |
| 8905.90.10            | TOWED FLEXIBLE BARGE DISCHARGE SYSTEM, comprising ALL of the<br>following:<br>(a) barge;<br>(b) control panels;<br>(c) piping;<br>(d) sea anchor<br>Op. 02.12.08  | Dec. date 27.02.09<br>- TC 0842377 |