



**Commonwealth
of Australia**

Gazette

No. TC 13/40, Wednesday, 9 October 2013

Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made	7
Local Manufacturer Initiated - TCO Revocation Requests	9
Intention To Revoke Tariff Concession Orders	10

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>
Please select “tariff”, then “tariff concessions gazette”.
The gazettes are listed in date order and may be selected from the list of Adobe (PDF) file

General Inquiries:	(02) 6275 6404
Facsimile:	(02) 6275 6376

Cat. No.

ISSN 0813-8389

©Commonwealth of Australia, 2013

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at hyperlink
<http://www.customs.gov.au/webdata/resources/files/TYPABLEB4442001.pdf>

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email
tarcon@customs.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
4016.99.00 PLUGS, CEMENTING, OIL AND GAS WELL Op. 11.09.13 Stated Use: For casing and cementing of an oil or gas well to isolate cement wellbore fluids and minimise contamination for improved cement quality Applicant: BAKER HUGHES AUSTRALIA PTY LTD	50 - TC 1331198 5%
7209.17.00 STEEL, flat rolled, iron OR non-alloy steel, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3135 (JIS G3135), grades SPFC440 OR SPFC590, having ALL of the following: (a) yield strength NOT less than 265 MPa and NOT greater than 560 MPa; (b) tensile strength NOT less than 440 MPa; (c) total elongation NOT less than 18%; (d) in EITHER of the following sizes: (i) thickness 1.00 mm and width 1 108 mm; (ii) thickness 1.00 mm and width 1 135 mm For the purposes of this Order, tolerances allowable for specification (d) are: (a) thickness +/- 10% (b) width +/- 1% Op. 05.09.13	50 - TC 1330121 5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>7209.18.00 STEEL, flat rolled, non-alloy, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3141 (JIS G3141), grades SPCC, SPCD OR SPCE, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 115 MPa and NOT greater than 265 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 36% and NOT greater than 57%; (d) thickness 0.45 mm and width 710 mm <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 06.09.13</p>	<p>50</p> <p>- TC 1330277</p>
<p>Stated Use: In PMV car body outer skins</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>5%</p>
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 155 MPa and NOT greater than 295 MPa; (b) tensile strength NOT less than 340 MPa; (c) total elongation NOT less than 34%; (d) total coating mass NOT less than 35 g/m2 and NOT greater than 65 g/m2 on each side; (e) thickness 0.75 mm and width 810 mm <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 04.09.13</p>	<p>50</p> <p>- TC 1329958</p>
<p>Stated Use: In PMV car body outer skins</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>5%</p>
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 115 MPa and NOT greater than 305 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 37% and NOT greater than 57%; (d) total coating mass NOT less than 35 g/m2 and NOT greater than 65 g/m2 on each side; (e) thickness 1.00 mm and width 997 mm <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 06.09.13</p>	<p>50</p> <p>- TC 1330276</p>
<p>Stated Use: In PMV car body outer skins</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
---	---

7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following: (a) yield strength NOT greater than 250 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 36%; (d) coating mass on each side NOT less than 30 g/m ² and NOT greater than 70 g/m ² ; (e) thickness 1.15 mm and width 1 105 mm	50
---	----

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
 - (b) width +/- 1%
- Op. 06.09.13

- TC 1330458

Stated Use:
 Manufacture of PMV skin panel or components

Applicant: BLUESCOPE STEEL (AIS) PTY LTD 5%

7226.99.00 STEEL, flat rolled, alloy, having ALL of the following: (a) hot dipped coating of NOT less than 85% aluminium; (b) hot dipped coating silicon content NOT less than 5% and NOT greater than 11%; (c) total coating mass NOT less than 50 g/m ² and NOT greater than 110 g/m ² on each side; (d) yield strength NOT less than 300 MPa; (e) tensile strength NOT less than 500 MPa; (f) total elongation NOT less than 12%; (g) in BOTH of the following sizes: (i) thickness 1.00 mm and width 232 mm; (ii) thickness 1.40 mm and width 454 mm	50
---	----

For the purposes of this Order, tolerances allowable for specification (g) are:

- (a) thickness +/- 10%
 - (b) width +/- 1%
- Op. 05.09.13

- TC 1330258

Stated Use:
 In PMV car body outer skins

Applicant: BLUESCOPE STEEL (AIS) PTY LTD

5%

7317.00.90 FASTENERS, INSULATION, incorporating a nail Op. 11.09.13	50
--	----

- TC 1331199

Stated Use:
 For fastening of wall insulation

Applicant: HILTI (AUST.) PTY LTD 5%

7326.90.90 FASTENING DISCS, GRATING, stainless steel Op. 11.09.13	50
--	----

- TC 1331224

Stated Use:
 To fasten grating on steel and metals

Applicant: HILTI (AUST.) PTY LTD 5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
8419.89.90 STERILISERS, LIQUID FOOD, having ALL of the following: (a) sterilisation temperature NOT greater than 155 degrees Celsius; (b) homogenisers; (c) heat exchangers Op. 18.09.13	50 - TC 1331887
Stated Use: To homogenise liquid products and sterilize at ultra high temperature	
Applicant: PARMALAT FOOD PRODUCTS PTY LTD	5%
8421.39.00 PRILL TOWER SCRUBBERS, AMMONIUM NITRATE, counter-current, including ALL of the following: (a) two stage scrubber vessels; (b) polypropylene packing; (c) polypropylene mesh pads; (d) packing supports; (e) spray headers; (f) internal gas AND/OR liquid distributors Op. 10.09.13	50 - TC 1330950
Stated Use: Removing ammonium nitrate particulate from gas exiting the prill tower and cool it before it is returned to prill tower	
Applicant: ORICA AUSTRALIA PTY LTD	5%
8421.39.00 DRYER SCRUBBERS, AMMONIUM NITRATE, counter-current, including ALL of the following: (a) two stage scrubber vessels; (b) stainless steel packing; (c) packing supports; (d) stainless steel mesh pads; (e) irrigation spray nozzles and headers; (f) stainless steel sieve trays; (g) internal gas AND/OR liquid distributors Op. 10.09.13	50 - TC 1330951
Stated Use: Removing ammonium nitrate particulate from ammonia gas from the gases exiting the ammonium nitrate dryers and evaporator	
Applicant: ORICA AUSTRALIA PTY LTD	5%
8422.30.90 PACKING MACHINES, LIQUID FOODSTUFF, multi-lane, programmable logic controlled, including ALL of the following: (a) film dividing cutter; (b) multi-lane printer; (c) sealers; (d) touch screen control panel; (e) multi-lane piston pump; (f) hopper Op. 11.09.13	50 - TC 1331203
Stated Use: For filling and sealing of liquid foodstuffs such as sauces and salad dressings in plastic sachets, then printing date codes, bar codes and ingredients on the sealed products	
Applicant: WISEMATE FOODS PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8428.90.00 TABLES, CONVEYOR BELT REPAIR, including ALL of the following: (a) tracking rollers; (b) pneumatic control valves; (c) steel plate table Op. 11.09.13</p> <p>Stated Use: To support heavy conveyor belts to facilitate repairs</p> <p>Applicant: VEYANCE BELTING PTY LTD</p>	<p>50</p> <p>- TC 1331197</p> <p>5%</p>
<p>8467.29.00 SETS, OSCILLATING HAND TOOL, DC power rating NOT less than 12 V and NOT greater than 20 V, including NOT less than ANY five combinations of the following: (a) sanding pads AND/OR sheets AND/OR fingers; (b) blades; (c) batteries; (d) charger; (e) cutters; (f) rasps; (g) hex key; (h) carry bag AND/OR box; (i) adaptors Op. 10.09.13</p> <p>Stated Use: Multi-function portable hand tool, applications include cutting, sawing, scraping, sanding and polishing</p> <p>Applicant: POSITEC AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1330955</p> <p>5%</p>
<p>8479.89.90 SETS, GAS DRIVEN HAND HELD FASTENING TOOL, consisting of ALL of the following: (a) fastening tool; (b) plastic toolbox; (c) attachable support leg; (d) nail punches; (e) tool support; (f) ear plugs; (g) safety glasses; (h) cleaning cloth; (i) instruction manual Op. 11.09.13</p> <p>Stated Use: Gas driven fastening in the dry wall trade and other building trades</p> <p>Applicant: HILTI (AUST.) PTY LTD</p>	<p>50</p> <p>- TC 1331201</p> <p>5%</p>
<p>8479.89.90 CANISTERS, LUBRICATION, incorporating a piston AND driveshaft Op. 17.09.13</p> <p>Stated Use: Container for a single point lubricator used in a broad range of bearing and chain application</p> <p>Applicant: HTL PERMA AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1331728</p> <p>5%</p>
<p>8544.19.00 STRIP OR WIRE, TRANSFORMER WINDING, aluminium, enamel coated Op. 05.09.13</p> <p>Stated Use: For the winding of transformer cores</p> <p>Applicant: WILSON TRANSFORMER COMPANY PTY LTD</p>	<p>50</p> <p>- TC 1330261</p> <p>5%</p>

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods.

Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3006.70.00 GELS, MEDICAL AND/OR PERSONAL STERILE LUBRICANT Op. 15.07.13 Dec. date 02.10.13	- TC 1323912 50
3913.90.00 DEXTRAN, in EITHER of the following forms: (a) liquid; (b) granules AND/OR powders Op. 15.07.13 Dec. date 02.10.13	- TC 1324027 50
3920.10.00 DROP SHEETS, polyethylene Op. 18.07.13 Dec. date 02.10.13	- TC 1324298 50
3924.90.00 BOTTLES, DRINKING, polyethylene terephthalate glycol (PETG), including ALL of the following: (a) bite valve; (b) folding spout; (c) removable straw Op. 23.07.13 Dec. date 02.10.13	- TC 1324790 50
3926.90.90 CANS, FILM, polypropylene, having ALL of the following: (a) ventilation slots; (b) raised ribs on container floor; (c) raised cover Op. 19.07.13 Dec. date 02.10.13	- TC 1324491 50
4811.90.90 PAPER, THERMAL IMAGING, having ALL of the following: (a) weight NOT less than 48 gsm; (b) width NOT less than 400 millimetres; (c) length NOT less than 7 000 metres Op. 12.07.13 Dec. date 02.10.13	- TC 1323717 50
6307.10.90 PADS, CLEANING, FLOOR, textile, having a velour backing Op. 17.07.13 Dec. date 02.10.13	- TC 1324207 50
6805.20.00 SHEETS, SANDPAPER Op. 17.07.13 Dec. date 02.10.13	- TC 1324169 50
7306.40.00 TUBES AND/OR PIPES, stainless steel, longitudinal welded, rolled seam, having ALL of the following: (a) outside diameter NOT less than 10 mm and NOT greater than 219 mm; (b) wall thickness NOT less than 1 mm and NOT greater than 2.6 mm; (c) conforming to American Iron and Steel Institute specifications 304 OR 316L (AISI 304 OR AISI 316L) Op. 08.07.13 Dec. date 02.10.13	- TC 1323026 50

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8419.39.90	DRYERS, PHARMACEUTICAL, vacuum, stainless steel, including ALL of the following: (a) dryer capacity NOT greater than 1 500 L; (b) heated agitator; (c) valves; (d) dust filter; (e) operating pressure NOT less than minus 1 barg and NOT greater than 10 barg; (f) nozzles; (g) spray balls; (h) heating AND cooling jackets AND/OR half-pipe coils; (i) removable base Op. 15.07.13	50 Dec. date 02.10.13 - TC 1323972
8427.20.00	ARTICULATED WHEEL LOADERS, 4 wheel drive, having ALL of the following: (a) maximum lifting capacity NOT less than 200 kg; (b) maximum travel speed NOT less than 10 km/h; (c) retractable fixed OR removable fork assembly; (d) roll over protection structure; (e) seat belts Op. 09.07.13	50 Dec. date 02.10.13 - TC 1323431
8430.69.10	SCRAPERS, TRACTOR AND/OR ARTICULATED DUMP TRUCK, open bowl, with a maximum heaped capacity NOT less than 18.5 cubic meters, having ALL the following: (a) convertible gooseneck; (b) hanging slider hydraulic ejector; (c) train function with multi-scrapers linkages and towage; (d) extended body width cutters; (e) self-lubricating bearings; (f) non-retractable floor Op. 11.07.13	50 Dec. date 02.10.13 - TC 1323554
8479.89.90	COMPOST AERATION SYSTEM, programmable logic controlled, including ALL of the following: (a) woven polyester AND polytetrafluoroethylene laminate covers; (b) temperature AND oxygen probes; (c) water traps; (d) blowers; (e) aeration channels Op. 17.07.13	50 Dec. date 02.10.13 - TC 1324205
9406.00.00	STRUCTURES, EVENT, prefabricated, demountable, including ALL of the following: (a) cyclonic wind integrity complying with Australian and New Zealand Standard 1170.2:2011 (AS/NZ 1170.2:2011) Appendix F, region C; (b) length NOT less than 40 metres; (c) width NOT less than 25 metres; (d) inflatable PVC coated polyester membrane; (e) solid walls Op. 13.05.13	50 Dec. date 03.10.13 - TC 1315871

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

An application has been lodged for revocation of the Tariff Concession Order set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
7308.90.00 ROAD BARRIERS, steel, portable, conforming to Australian and New Zealand Standard 3845:1999 (AS/NZS 3845:1999), meeting BOTH of the following test requirements: (a) National Cooperative Highway Research Program 350 TL3 AND TL4 (NCHRP350 TL3 AND TL4); (b) Manual for Assessing Safety Hardware TL3 (MASH TL3) Op. 03.04.13 Dec. date 01.08.13	50 27.09.13
	- TC 1311314

CUSTOMS ACT 1901 - INTENTION TO REVOKE TARIFF CONCESSION ORDERS

It is intended to revoke Tariff Concession Orders for the goods described in the following table.

I, Ben Hickey, a delegate of the Chief Executive Officer (CEO), declare my intention, subject to s.269SD(1AB) of the Customs Act, to make orders revoking the TCOs in the table below with effect from 9 October 2013. On 9 October 2013, I formed the belief in respect of the TCOs, that if the TCOs were not in force on that day, and an application for the TCOs was made on that day, the CEO would not have made the TCOs. That is because the TCOs were made in contravention of s.269SD(1AA) and s.269C in that there are local producers who make goods that are substitutable for the imported goods.

Interested parties are invited to provide, by close of business on 7 November 2013, written reasons why these TCOs should not be revoked.

Contact: email tarcon@customs.gov.au or telephone 02 6245 5492

7308.10.00	PARTS, WALKING BRIDGE, being ANY of the following: (a) cross beams; (b) crane beams; (c) deck beams; (d) tie beam bracing; (e) side beam bracing; (f) diagonal bracing; (g) pile sleeves, including cross bracing; (h) pile top hats	50
	Op. 08.11.11	- TC 1137365
7308.90.00	PARTS, ALUMINA PLANT, STRUCTURAL, being ANY of the following: (a) rolled, hollow or welded sections; (b) columns; (c) girders; (d) trusses; (e) stairways; (f) ladders (with or without cages); (g) plates; (h) grating; (i) handrails (with or without kick plates); (j) gates; (k) treads; (l) crane rails; (m) frames	50
	Op. 14.02.08	- TC 0802394
7308.90.00	PARTS, BOILER, structural steel, being ANY of the following: (a) anchor frames and/or plates; (b) platforms or stairways; (c) grating; (d) handrails; (e) expansion joints; (f) boiler mainframe	50
	Op. 16.02.05	- TC 0501941
7308.90.00	PARTS, GLASSHOUSE STRUCTURE, being ANY of the following: (a) posts; (b) plates; (c) profiles; (d) strips; (e) beams; (f) trusses; (g) supports; (h) brackets; (i) angles; (j) braces	50
	Op. 28.06.10	- TC 1028503
7308.90.00	PARTS, LIFT INSTALLATIONS, being ANY of the following: (a) beams; (b) columns; (c) supports	50
	Op. 27.03.09	- TC 0910415