



**Commonwealth
of Australia**

Gazette

No. TC 13/49, Wednesday, 11 December 2013

Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Applications Reworded	5
TCO Applications Refused	6
TCOs Made	7
Local Manufacturer Initiated - TCO Revocation Requests	9
TCOs Revoked - Unused for over 2 years	10
Intention to Revoke TCOs not used in over 2 years	12

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>
Please select “tariff”, then “tariff concessions gazette”.
The gazettes are listed in date order and may be selected from the list of Adobe (PDF) file

Holiday Publishing Arrangements

The final Gazette of 2013 will be published on 18 December 2013
The first Gazette of 2014 will be published on 8 January 2014

General Inquiries:	(02) 6275 6404
Facsimile:	(02) 6275 6376

Cat. No.

ISSN 0813-8389

©Commonwealth of Australia, 2013

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at hyperlink
<http://www.customs.gov.au/webdata/resources/files/TYPABLEB4442001.pdf>

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email
tarcon@customs.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3918.10.00 COVERINGS, FLOOR, plank OR tile, having ALL of the following: (a) thickness NOT greater than 4.5 mm; (b) length NOT greater than 1 500 mm; (c) width NOT greater than 500 mm; (d) NOT less than 3 layers; (e) PVC backing, with OR without EITHER of the following: (a) polyurethane surface coating; (b) fibreglass core Op. 13.11.13	50 - TC 1338554
Stated Use: For heavy traffic timber look commercial and residential flooring Applicant: KARNDEAN INTERNATIONAL PTY LTD	5%
7309.00.00 TANKS, WASTE WATER, glass lined steel, having BOTH of the following: (a) diameter NOT less than 4 200 mm; (b) height NOT less than 5 600 mm Op. 06.11.13	50 - TC 1337391
Stated Use: Containment of industrial effluent and sludge Applicant: CUB PTY LTD	5%
7312.10.00 CABLES, being stressed relieved nine strand steel helically wound around corrugated steel hollow pipe, having an outside diameter NOT less than 10 mm and NOT greater than 16 mm Op. 06.11.13	50 - TC 1337368
Stated Use: Cement grout bonded cable rock reinforcement, for rock mass surrounding an excavated underground roadway or mine Applicant: SUMITOMO AUSTRALIA PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8433.60.00 BEAN AND PEA DECLUSTERING MACHINES, motor driven, being EITHER of the following: (a) decluster vibrator shakers; (b) decluster drum Op. 15.11.13</p> <p>Stated Use: To decluster beans and peas from stalks</p> <p>Applicant: SIMPLOT AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1338763</p> <p>5%</p>
<p>8483.40.90 PARTS, HYDRAULIC EXCAVATOR AND/OR EARTHMOVING VEHICLE, being ANY of the following: (a) wheel motor AND final drive assemblies; (b) final drive AND brake assemblies; (c) final drives; (d) planetary final drives; (e) planetary gears Op. 22.11.13</p> <p>Stated Use: Parts or components used for the repair or maintenance of hydraulic excavator and/or earthmoving equipment</p> <p>Applicant: CATERPILLAR S.A.R.L.</p>	<p>50</p> <p>- TC 1339003</p> <p>5%</p>
<p>8483.90.00 PARTS, FINAL DRIVE, HYDRAULIC EXCAVATOR AND/OR EARTHMOVING VEHICLE, being ANY of the following: (a) filler caps; (b) hub caps; (c) spindles; (d) metal tube assemblies; (e) sleeves; (f) retainers OR retaining rings; (g) planetary final drives; (h) wheels OR wheel AND stud assemblies; (i) housings; (j) adaptor AND stud assemblies; (k) guides; (l) shims; (m) plug AND seal assemblies; (o) plates OR thrust plates; (p) covers; (q) rings; (r) hubs; (s) gear rings; (t) final drive shafts; (u) planetary carriers Op. 22.11.13</p> <p>Stated Use: Parts or components for the repair of final drives for excavators and/or earthmoving vehicles</p> <p>Applicant: CATERPILLAR S.A.R.L.</p>	<p>50</p> <p>- TC 1339002</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8531.10.99 KITS, UNATTENDED GROUND SENSOR, local area intrusion classification, detection AND alarm, having BOTH of the following: (a) seismic ground sensors; (b) master seismic ground sensor nodes, including NOT less than ANY three of the following categories: (a) video surveillance AND data streaming modules; (b) cameras; (c) antennas; (d) USB flash drive; (e) carry cases; (f) insertion tools; (g) connecting cables Op. 15.11.13</p> <p>Stated Use: Convert remote force protection, detection and classification system used to detect people, vehicle and aircraft movement, also the detection of tunnelling and digging</p> <p>Applicant: EYLEX PTY LTD</p>	<p>50</p> <p>- TC 1338934</p> <p>5%</p>

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION PARAGRAPH 269L(4B) (b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION SUBMISSION

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>8427.20.00 UNDERBRIDGE INSPECTION TRUCKS, crawler mounted, having BOTH of the following: (a) maximum operating weight NOT greater than 3 000 kg; (b) maximum operating width NOT greater than 1.6 m Op. 23.08.13</p> <p>Stated Use: To enable access to underside of bridges for inspection and work purposes</p> <p>Applicant: HI-REACH RENTALS (AUSTRALIA) PTY LTD</p>	<p>50</p> <p>- TC 1328771</p>

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED**

Applications for Tariff Concession Orders for the goods described in the following TABLE have been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
7306.30.00 TUBES AND/OR PIPES, non-alloy carbon steel, hot dipped coated, metric press fit, having BOTH of the following: (a) Z 275 internally AND externally coated; (b) coating thickness NOT greater than 20 micron Op. 08.07.13 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by OneSteel Australian Tube Mills, St. Leonards, NSW	50 - TC 1323025
7306.30.00 TUBES AND/OR PIPES, non-alloy carbon steel, galvanically zinc plated, blue passivated, metric press fit, having BOTH of the following: (a) FeZn8 externally coated; (b) coating thickness NOT greater than 8 micron Op. 11.07.13 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by OneSteel Australian Tube Mills, St. Leonards, NSW and Orrcon Operations Pty Ltd, Salisbury, Qld	50 - TC 1323620

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods.

Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3924.90.00 BINS, DISPOSABLE NAPPY WRAPPING, with removable cassette, with OR without replacement cassettes Op. 18.09.13 Dec. date 09.12.13	50 - TC 1331894
3926.30.90 CABINET LEGS, adjustable, including BOTH of the following: (a) leg tubes; (b) leg blocks Op. 10.09.13 Dec. date 09.12.13	50 - TC 1330953
6307.90.99 PADS, PET, absorbent, re-useable, having BOTH of the following: (a) quilted polyester top layer; (b) polyurethane bottom layer Op. 23.09.13 Dec. date 09.12.13	50 - TC 1332251
7210.49.00 COILS, non-alloy steel, hot rolled, zinc coated, complying with American Society for Testing and Materials Standard A653/A653M-11 (ASTM A653/A653M-11), having ALL of the following: (a) thickness NOT less than 2.75 mm and NOT greater than 6.0 mm; (b) width NOT less than 784 mm and NOT greater than 1 263 mm; (c) minimum yield strength NOT less than 330 Mpa; (d) minimum tensile strength NOT less than 430 Mpa; (e) inside diameter NOT less than 711 mm and NOT greater than 813 mm; (f) zinc coating mass NOT less than 0.080 kg/m ² per side; (g) weight NOT less than 14 metric tonnes; (h) chemical composition by weight of ALL of the following: (i) carbon content NOT greater than 0.20%; (ii) manganese content NOT less than 0.30% and NOT greater than 0.90%; (iii) phosphorus content NOT greater than 0.03%; (iv) sulphur content NOT greater than 0.03%; (v) chromium content less than 0.30%; (vi) molybdenum content less than 0.08%; (vii) aluminium content NOT greater than 0.10%; (viii) copper content NOT greater than 0.25%; (ix) nickel content NOT greater than 0.25%; (x) titanium content NOT greater than 0.04%; (xi) vanadium content less than 0.10%; (xii) silicon content NOT greater than 0.45% Op. 20.08.13 Dec. date 09.12.13	50 - TC 1328432
7225.99.00 PLATES, ATMOSPHERIC PRESSURE LIQUID NATURAL GAS STORAGE TANK, nickel alloy steel, complying with American Society Testing and Materials standard A553/A553M - 10 (ASTM A553/A553M - 10), having ALL of the following: (a) bevelled edges NOT less than 30 degrees and NOT greater than 45 degrees; (b) plate thickness NOT less than 9.53 mm and NOT greater than 16.6 mm; (c) roll radius NOT less than 30 m and NOT greater than 31 m Op. 17.09.13 Dec. date 09.12.13	50 - TC 1331764
7604.29.00 ALUMINIUM PROFILES, extruded, conforming to Australian Aluminium Specification 7005 T593 (AAS 7005 T593), having ALL of the following: (a) minimum cross sectional dimension NOT less than 6 mm	50

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
9404.90.00 PILLOWS, TRAVEL, NECK SUPPORT, horse shoe shaped, convertible into computer tablet holder OR backpack Op. 12.09.13 Dec. date 09.12.13	50 - TC 1331296

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

An application has been lodged for revocation of the Tariff Concession Order set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
3923.90.00 TUBES, PLASTIC, MULTILAYER Op. 12.05.06 Dec. date 28.07.06	50 - TC 0608284 27.11.13

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF CUSTOMS**

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 13/44 dated 6 November 2013.

Contact: Phone 02 6275 6404, fax 02 6275 6376 or email tarcon@customs.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
4008.11 SHEET, MICRO-POROUS SYNTHETIC RUBBER, with a pore diameter of 80 microns or less and having an ink absorption capacity up to 78% of its own weight Op. 22.08.88 Dec. date 08.06.90 - TC 8808430 Revoked: 2 years non-use. In transit provisions apply.	50 04.12.13
8413.70.90 WATER PUMPING PLANT, including ALL of the following: (a) piping and/or pipe fittings; (b) pumps; (c) valves; (d) variable speed drives; (e) motors; (f) transformers; (g) surge vessels; (h) compressors; (i) cabling; (j) electrical instrumentation modules and/or controllers Op. 17.09.09 Dec. date 15.01.10 - TC 0934807 Revoked: 2 years non-use. In transit provisions apply.	50 04.12.13
8430.41.00 DRILLING MACHINES, FOUNDATION, AUGER, crawler mounted, having BOTH of the following: (a) maximum drilling depth between 18.2 m and 36.6 m; (b) minimum drill hole diameter of 600 mm to a maximum of 3 600 mm Op. 20.01.00 Dec. date 31.03.00 - TC 0000996 Revoked: 2 years non-use. In transit provisions apply.	50 04.12.13
8504.40.90 POWER SUPPLIES, mainstation, modular, having ALL the following: (a) being fully isolated from all radio frequency circuitry; (b) maximum continuous input voltage 350 V peak to peak; (c) output voltage 23.5 V DC to 24.5 V DC; (d) three levels of surge protection, transient, sheath and overvoltage; (e) 90% efficiency, 5 A DC maximum output Op. 01.07.96 Dec. date 06.09.96 - TC 9610413 Revoked: 2 years non-use. In transit provisions apply.	50 04.12.13
8504.50.90 REACTORS, ACTIVE FRONT END, comprising three single phase reactors Op. 14.12.07 Dec. date 07.03.08 - TC 0721690 Revoked: 2 years non-use. In transit provisions apply.	50 04.12.13
8504.50.90 COILS, RECTIFIER, being spiral wound paper covered copper cable having a rectangular cross section Op. 04.11.08 Dec. date 23.01.09 - TC 0838257 Revoked: 2 years non-use. In transit provisions apply.	50 04.12.13

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8504.50.90 INDUCTION COILS, EDGE HEATER, STEEL STRIP ROLLING MILL Op. 19.12.08 Dec. date 13.03.09	50 04.12.13 - TC 0844575
Revoked: 2 years non-use. In transit provisions apply.	
8505.19.00 IDENTITY CARD HOLDERS, incorporating a magnet on each side of the plastic holder Op. 02.06.95 Dec. date 22.09.95	50 04.12.13 - TC 9505960
Revoked: 2 years non-use. In transit provisions apply.	
8507.30.00 ACCUMULATORS, nickel cadmium, having specific in built terminal connectors, moulded to fit portable electronic message pads also known as notepads Op. 30.07.93 Dec. date 05.11.93	50 04.12.13 - TC 9307224
Revoked: 2 years non-use. In transit provisions apply.	
8507.30.00 ACCUMULATORS, nickel cadmium having ALL of the following: (a) 24 V nominal; (b) 20 cells; (c) moulded case; (d) non rectangular Op. 01.03.94 Dec. date 10.06.94	50 04.12.13 - TC 9402490
Revoked: 2 years non-use. In transit provisions apply.	
8507.30.00 ACCUMULATORS, nickel cadmium, having ALL of the following: (a) 29 V nominal (comprised of 24 separate cells each 1.2 V nominal in series); (b) permanently sealed moulded case with two external terminals; (c) nominal dimensions (excluding terminals) 100 mm x 70 mm x 100 mm Op. 17.08.94 Dec. date 25.11.94	50 04.12.13 - TC 9406874
Revoked: 2 years non-use. In transit provisions apply.	
8507.80.00 GENERATORS, NEUROSTIMULATION Op. 25.08.06 Dec. date 17.11.06	50 04.12.13 - TC 0616001
Revoked: 2 years non-use. In transit provisions apply.	
8507.90.90 LIDS, 2 VOLT ACCUMULATOR, comprising BOTH of the following: (a) a single centred vent plug aperture; (b) vent plug aperture inside diameter NOT less than 34 mm Op. 10.11.05 Dec. date 30.01.06	50 04.12.13 - TC 0515716
Revoked: 2 years non-use. In transit provisions apply.	
8513.10.00 TORCHES, explosion protected to AS 1829-1981 and AS 1826-1983 Op. 27.01.95 Dec. date 05.05.95	50 04.12.13 - TC 9501198
Revoked: 2 years non-use. In transit provisions apply.	
8513.10.00 TORCH, solar powered, having ALL of the following: (a) bicycle mounting; (b) flashing light emitting diodes; (c) warning light Op. 16.12.98 Dec. date 05.03.99	50 04.12.13 - TC 9810935
Revoked: 2 years non-use. In transit provisions apply.	
9402.90 PARTS FOR OPERATING TABLES, being EITHER of the following: (a) antistatic horseshoe shaped head rest cushion; (b) antistatic shoulder rest cushion Op. 12.09.85 Dec. date 19.12.85	50 04.12.13 - TC 8534463
Revoked: 2 years non-use. In transit provisions apply.	

COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Chief Executive Officer (CEO) is satisfied that CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 09 January 2014, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in-transit provisions shall apply. If revoked, the expected date of effect is 09 January 2014.

Interested parties are invited to provide, by close of business, Wednesday, 08 January 2014, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email tarcon@customs.gov.au, fax 02 6275 6376 or phone 02 6122 5540.

THE TABLE

Tariff Classification	Description	Concession Number
7228.70.00	I BEAMS, hot rolled, having EITHER of the following: (a) depth NOT less than 356 mm (14 in) and a flange width NOT less than 368 mm (14.5 in); (b) depth NOT less than 762 mm (30 in) and a flange width NOT less than 267 mm (10.5 in)	
	Op. 04.10.05	Dec. date 23.12.05 - TC 0513492
8307.10.00	FLEXIBLE TUBING, wound from "A" and "D" wire	
	Op. 19.02.01	Dec. date 18.05.01 - TC 0101670
8414.59.90	FANS, COOLING TOWER, comprising ALL of the following: (a) cowlings; (b) cowling bells; (c) fan blades; (d) hubs; (e) drive assemblies, comprising ALL of the following: (i) motors; (ii) gearboxes; (iii) brake couplings; (iv) shafts; (v) bearings, (f) support platforms and/or frames; (g) fan guards	
	Op. 19.07.07	Dec. date 02.10.07 - TC 0711673
8528.72.00	TELEVISION RECEIVERS, colour, having one red, one green and one blue cathode ray tube which project a picture onto the rear of a television screen having a diagonal measurement exceeding 100 cm; capable of receiving two OR more of the following input signals: (a) RGB; (b) S-Video; (c) AV	
	Op. 01.01.07	Dec. date 22.11.06 - TC 0614455

8529.10.30	COUNTERPOISES, ANTENNA, AIR NAVIGATION BEACON, having a diameter NOT less than 20 metres	Op. 23.02.06	Dec. date 05.05.06	- TC 0604258
8529.90.90	COILS, DEGAUSSING, PICTURE TUBE	Op. 28.07.98	Dec. date 09.10.98	- TC 9806705
8531.90.90	PARTS, SEISMIC DETECTOR, being EITHER of the following: (a) mounting plates; (b) swivel plates	Op. 01.07.97	Dec. date 01.07.97	- TC 9703849
8535.40.10	DECOUPLERS, SOLID-STATE	Op. 15.02.06	Dec. date 17.05.06	- TC 0603874
8535.90.00	POWER TRANSMISSION LINE, comprising ALL of the following: (a) insulators; (b) optical fibres; (c) conductors; (d) stringing sheaves; (e) steel supports; (f) fittings; (g) aluminium rings; (h) spacers; (i) dampers; (j) terminators; (k) power wires; (l) footings	Op. 06.12.07	Dec. date 10.05.08	- TC 0720912
8536.49.00	RELAYS, SPEED, DC, comprising ALL of the following: (a) operating voltage NOT less than 230 V; (b) screw down terminals; (c) rated shaft speed NOT less than 500 rpm; (d) current rating NOT less than 2 A; (e) NOT less than 2 contacts	Op. 08.03.11	Dec. date 30.05.11	- TC 1108448
8536.50.99	SWITCHES, LOAD BREAK, CHANGEVER, with a rated operational voltage of 750 V AC or greater, but NOT exceeding 1 000 V AC, having ALL the following: (a) 2 load break switches mounted back to back; (b) motorized changeover operation able to be initiated by electrical pulse; (c) manual operation selection by a key switch; (d) spring compression make and break assembly directly coupled to a one piece contact carrier; (e) modular construction; (f) operational current rating of 125 A or greater, but NOT exceeding 3 150 A; (g) 3, 4, 6 or 8 pole configuration	Op. 26.07.93	Dec. date 29.10.93	- TC 9307169
8536.50.99	SWITCHES, LOAD BREAK, CHANGEVER, with a rated operational voltage of 750 V AC or greater, but NOT exceeding 1 000 V AC, having ALL of the following: (a) 2 load break switches mounted back to back; (b) spring compression make and break assembly directly coupled to a one piece contact carrier; (c) modular construction; (d) operational current rating of 125 A or greater, but NOT exceeding 3 150 A; (e) 3, 4, 6 or 8 pole configuration; (f) front operation	Op. 26.07.93	Dec. date 29.10.93	- TC 9307171

8536.69.90	ADAPTORS, COMPUTER, having ALL of the following: (a) SCSI (small computer system interface) secondary circuit type; (b) 30 V RMS (root mean square) OR 42.4 V DC (direct current rating); (c) 68 pin receptacle unshielded to 50 pin female low density unshielded capability; (d) ground wires rated at 10 picoFarads		
	Op. 30.12.97	Dec. date 27.03.98	- TC 9711315
8537.10.90	CABINETS, ELECTRICAL CONTROL, STACKER CRANE, having a voltage rating NOT greater than 1 000 V		
	Op. 06.10.09	Dec. date 30.12.09	- TC 0937559
8537.10	Controllers, for programming video cassette recorders or time base correctors to control operating functions, but NOT having a remote control function.		
	Op. 06.05.94	Dec. date 06.05.94	- TC 9014838
8537.20.90	GENERATOR LINE ACCESSORY COMPARTMENT, GAS TURBINE GENERATOR, including All of the following: (a) bus ducts; (b) bus duct supports; (c) basements		
	Op. 19.08.08	Dec. date 07.11.08	- TC 0826986
8537.20.90	CONTAINERISED ELECTRICAL CONTROL SYSTEM, CRUSHER PLANT, programmable logic controlled, comprising BOTH of the following: (a) switchgear exceeding 50 V but NOT greater than 3 300 v; (b) motor control centres		
	Op. 09.06.09	Dec. date 28.08.09	- TC 0919468
8539.29.00	GLOBES, PILOT, 3 mm size, being ANY of the following: (a) 12 V, 50 mA; (b) 1.5 V, 50 mA; (c) 3.0 V, 50 mA		
	Op. 29.01.99	Dec. date 16.04.99	- TC 9900690
9406.00.00	AUXILIARY MODULE ENCLOSURES, POWER STATION, acoustic attenuation and thermal insulation, being gas module enclosures		
	Op. 09.02.09	Dec. date 01.05.09	- TC 0904257