



**Commonwealth
of Australia**

Gazette

No. TC 14/02, Wednesday, 15 January 2014

Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Applications Refused	8
TCOs Made	9
Local Manufacturer Initiated - TCOs Revoked	11
TCOs Revoked - Unused for over 2 years	12
Intention to Revoke TCOs not used in over 2 years	15
Customs Review of TCO Revocations Results.....	18

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>

Please select "tariff", then "tariff concessions gazette".

The gazettes are listed in date order and may be selected from the list of Adobe (PDF) file

General Inquiries:	(02) 6275 6404
Facsimile:	(02) 6275 6376

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at hyperlink
<http://www.customs.gov.au/webdata/resources/files/TYPABLEB4442001.pdf>

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email
tarcon@customs.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
3920.10.00	FILM, polyethylene terephthalate, metallised, amorphous, having a width NOT less than 600 mm Op. 17.12.13	50 - TC 1341632
	Stated Use: Packaging applications	
	Applicant: THE HANNA GROUP PTY LTD	5%
3920.51.00	SHEETS, cast acrylic, having a thickness less than 15 mm, OR greater than 20 mm Op. 16.12.13	50 - TC 1341310
	Stated Use: For vacuum forming, illuminated displays and signs, point of sale display units, general acrylic fabrication	
	Applicant: PLASTRAL PTY LTD	5%
3926.90.90	GEONET, high density polyethylene, having ALL of the following: (a) tensile strength NOT less than 7.0 kN/m and NOT greater than 12.0 kN/m in machine direction (longitudinal) in accordance with International Standard 10319 (ISO 10319); (b) tensile strength NOT less than 2.5 kN/m and NOT greater than 4.0 kN/m in cross machine direction (transversal) in accordance with International Standard 10319 (ISO 10319); (c) weight NOT less than 650 g/m ² and NOT greater than 1 300 g/m ² in accordance with International Standard 9864 (ISO 9864); (d) density NOT less than 0.94 g/cm ³ in accordance with American Society for Testing and Materials Standard D1505 (ASTM D1505); (e) roll width NOT less than 190 cm AND NOT greater than 400 cm Op. 21.11.13	50 - TC 1338993
	Stated Use: Environmental Drainage	
	Applicant: GEOFABRICS AUSTRALASIA PTY LTD	5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
4421.90.00 STICKS, Asian white birch, being EITHER of the following: (a) ice cream sticks; (b) coffee stirrers Op. 13.12.13	- TC 1341153	50
Stated Use: For use as paddle pop sticks and as coffee stirrers		
Applicant: INTERNATIONAL PRODUCTS GROUP		5%
6806.90.90 INSULATION, vermiculite, blocks OR boards, having ALL of the following: (a) maximum service temperature NOT less than 1 100 degrees Celsius; (b) bulk density NOT less than 375 kg/m3 and NOT greater than 1 200 kg/m3; (c) modulus of rupture of at least 0.3 MPa; (d) silicon dioxide content NOT less than 46%; (e) magnesium oxide content NOT greater than 22%; (f) aluminium oxide content NOT greater than 23%; (g) titanium dioxide content NOT greater than 1.6%; (h) calcium oxide content NOT greater than 3.5%; (i) potassium oxide content NOT greater than 11% Op. 13.12.13	- TC 1341309	50
Stated Use: As insulation in an aluminium potcell		
Applicant: RIO TINTO SERVICES LIMITED		
Importer: RIO TINTO ALUMINIUM (BELL BAY) LIMITED		5%
7210.49.00 STEEL, galvanised, hot rolled, commercial grade (SGHC), regular spangle, environment treated, dry (REX), pressed sheets OR coils, complying with Japanese Industrial Standard G3302 SGHC-REX Z27 (JIS G3302 SGHC- REX Z27), AND compliant with Restriction of Hazardous Substances Directive 2002/95/EC (ROHS 2002/95/EC), in respect of ALL of the following: (a) cadmium and cadmium compounds NOT greater than 50 ppm; (b) lead and lead compounds NOT greater than 100 ppm; (c) hexavalent chromium compounds NOT detected; (d) mercury and mercury compounds NOT contained; (e) polybrominated biphenyls NOT contained Op. 13.12.13	- TC 1341151	50
Stated Use: Manufacture of automotive components		
Applicant: WRIGHT STEEL (SALES) PTY. LTD.		
Importer: CITIC AUSTRALIA COMMODITY TRADING PTY LTD		5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 160 MPa and NOT greater than 325 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 35% and NOT greater than 50%; (d) coating mass NOT less than 45 g/m² and NOT greater than 65 g/m² each side; (e) thickness 1.20 mm and width 793 mm <p>For the purposes of this order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 17.12.13</p>	<p>50</p> <p>- TC 1341633</p>
<p>Stated Use: For the manufacture of passenger motor vehicle skin panels or components</p>	
<p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>5%</p>
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 235 MPa and NOT greater than 400 MPa; (b) tensile strength NOT less than 390 MPa; (c) total elongation NOT less than 28%; (d) total coating mass NOT less than 35 g/m² and NOT greater than 65 g/m² each side; (e) thickness 2.30 mm and width 940 mm <p>For the purposes of this order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 17.12.13</p>	<p>50</p> <p>- TC 1341634</p>
<p>Stated Use: For the manufacture of passenger motor vehicle skin panels or components</p>	
<p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>5%</p>
<p>7610.10.00 FRAMES, LOUVRE WINDOW, aluminium, having NOT less than two of the following categories:</p> <ul style="list-style-type: none"> (a) thermal breaks; (b) laser cut stainless steel AND/OR aluminium mechanisms; (c) manual and/or 24 V DC electric operation <p>Op. 20.12.13</p>	<p>50</p> <p>- TC 1342009</p>
<p>Stated Use: The subject goods are used to frame/support glass up to a width of 40 mm</p>	
<p>Applicant: WINCO SYSTEMS PTY LTD</p>	<p>5%</p>
<p>8209.00.00 INSERTS, METAL WORKING MACHINE TOOL</p> <p>Op. 16.12.13</p>	<p>50</p> <p>- TC 1341371</p>
<p>Stated Use: Used on a lath for cutting metal</p>	
<p>Applicant: SANDVIK AUSTRALIA PTY LTD</p>	<p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8413.70.90 PUMPS, DOWNHOLE, submersible, multistage centrifugal, whether OR not assembled Op. 17.12.13</p> <p>Stated Use: Facilitate production rates from 200 to 95,000 bbl/d with boost pressures of up to 6,000 psi (41,370 kPa)</p> <p>Applicant: SCHLUMBERGER AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1341713</p> <p>5%</p>
<p>8422.30.90 CAN FILLING AND SEALING MACHINES, DAIRY POWDER, with OR without integrated dust collecting module, including all of the following: (a) can filler, having integrated check weigher; (b) can seamer; (c) capping module; (d) on-line product sampling module Op. 11.12.13</p> <p>Stated Use: Designed to be used in the dairy powder manufacturing plant</p> <p>Applicant: OMNIBLEND NOURISH UNIT PTY LTD</p>	<p>50</p> <p>- TC 1340985</p> <p>5%</p>
<p>8425.31.00 CAPSTAN WINCHES, wire-line cable, horizontal OR vertical mounted, programmable logic controlled, having BOTH of the following: (a) winching capacity NOT greater than 1 814 kg; (b) winching speed NOT greater than 91.44 m/min Op. 12.12.13</p> <p>Stated Use: In oil and gas mining on vessels for running cable into and out of well holes</p> <p>Applicant: BAKER HUGHES AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1341154</p> <p>5%</p>
<p>8481.80.90 GLOBE VALVES, disc, cast OR forged, carbon steel OR stainless steel, having a bore size NOT less than 15 mm Op. 12.12.13</p> <p>Stated Use: For liquid natural gas facility</p> <p>Applicant: AUSTRALIA PACIFIC LNG PROCESSING PTY LTD</p>	<p>50</p> <p>- TC 1341157</p> <p>5%</p>
<p>8483.10.99 SHAFTS, HYDRAULIC EXCAVATOR AND/OR EARTHMOVING VEHICLE AND/OR MINING TRUCK, being ANY of the following: (a) diesel engine camshafts; (b) diesel engine camshafts AND drive gear assemblies; (c) differential shafts; (d) drive shafts with OR without spider AND bearing; (e) transmission input OR output shafts; (f) transmission shaft AND cylinder assemblies; (g) transmission shaft AND carrier assemblies; (h) clutch shafts; (i) parking brake shafts; (j) torque converter shafts Op. 13.12.13</p> <p>Stated Use: Shafts to be used in transmissions, differentials, drive axles, diesel engines, clutches, brakes and torque converters for hydraulic excavators and earth moving vehicles and mining trucks</p> <p>Applicant: CATERPILLAR S.A.R.L.</p>	<p>50</p> <p>- TC 1341297</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
8704.22.00 TRUCKS, FLAT BED TRAY, having ALL of the following: (a) compression ignition engine; (b) 4x4 wheel drive; (c) gross vehicle weight exceeding 18 t but NOT exceeding 20 t; (d) approach angle greater than 35 degrees; (e) departure angle greater than 33 degrees; (f) ramp over angle greater than 14.5 degrees; (g) fording depth capacity greater than 1 200 mm	50
Op. 16.12.13	- TC 1341452
Stated Use: Motor vehicle designed for the transport of goods on the battlefield	
Applicant: RHEINMETALL MAN MILITARY VEHICLES AUSTRALIA PTY LTD	5%
8704.22.00 TRUCKS, TIPPER, having ALL of the following: (a) compression ignition engine; (b) 4x4 wheel drive; (c) gross vehicle weight exceeding 18 t but NOT exceeding 20 t; (d) approach angle greater than 35 degrees; (e) departure angle greater than 33 degrees; (f) ramp over angle greater than 14.5 degrees; (g) fording depth capacity greater than 1 200 mm	50
Op. 16.12.13	- TC 1341498
Stated Use: Motor vehicle designed for the transport of goods on the battlefield	
Applicant: RHEINMETALL MAN MILITARY VEHICLES AUSTRALIA PTY LTD	5%
8708.99.99 PARTS, DIFFERENTIAL ASSEMBLY, OFF-HIGHWAY DUMP TRUCK OR MINING TRUCK HAVING A GROSS VEHICLE WEIGHT EXCEEDING 3.5 TONNE, being ANY of the following: (a) differentials; (b) carriers; (c) oil pans; (d) covers; (e) gears; (f) plates; (g) bracket assemblies; (h) tubes AND tube assemblies; (i) shims; (j) housings; (k) hubs; (l) shafts	50
Op. 16.12.13	- TC 1341501
Stated Use: Parts for repair or maintenance of off-highway dump trucks and/or mining trucks	
Applicant: CATERPILLAR S.A.R.L.	5%
9506.91.00 SETS, WEIGHT, having ALL of the following: (a) weight plates; (b) barbell bars AND/OR dumbbell bars; (c) collars; (d) carry case	50
Op. 19.12.13	- TC 1341955
Stated Use: Exercising equipment for weight training and weight lifting	
Applicant: REBEL SPORT LIMITED	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
9506.91.00 PLATES, WEIGHTLIFTING Op. 20.12.13	50 - TC 1342091
Stated Use: For use with fitness and exercising equipment such as barbell, dumbbell and gym sets	
Applicant: REBEL SPORT LIMITED	5%

NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED

Applications for Tariff Concession Orders for the goods described in the following TABLE have been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

3902.30.00 RESINS, being unpigmented polypropylene heterophasic copolymer, propylene based with comonomer ethylene, in pelletised form, having ALL of the following: (a) ethylene monomer composition by weight NOT less than 8.5% and NOT greater than 10.5%; (b) melt flow rate NOT less than 14g/10min and NOT greater than 18g/10min (ISO1133,230 degrees Celsius/2.16kg); (c) density NOT less than 890kg/m3 and NOT greater than 910kg/m3 (ISO1183,23 degrees Celsius); (d) tensile modulus NOT less than 1450 MPa and NOT greater than 1650 MPa (ISO527, 23 degrees Celsius)	50
---	----

Op. 23.09.13

- TC 1332354

Reason for refusal:

Substitutable goods produced in Australia in the ordinary course
of business by LyondellBasell Australia Pty Ltd, South Yarra,
Vic.

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3919.90.00 TAPE, PRINTING PLATE MOUNTING, polyethylene foam, in rolls, including ALL of the following: (a) coated on BOTH sides with a pressure sensitive adhesive; (b) having a release liner on one side; (c) width NOT less than 50 mm Op. 14.10.13	50 Dec. date 13.01.14 - TC 1334346
4810.29.90 SHEETS, AND/OR REELS, PAPER AND/OR PAPERBOARD, kaolin (china clay) AND/OR calcium carbonate coated on one OR both sides, having a weight of NOT less than 90 gsm, with OR without ANY of the following: (a) binder; (b) coloured surface; (c) printed surface Op. 14.10.13	50 Dec. date 13.01.14 - TC 1334156
4810.92.00 SHEETS AND/OR ROLLS, PAPERBOARD, multi-ply, kaolin (china clay) AND/OR calcium carbonate coated on one OR both sides, with OR without ANY of the following: (a) binder; (b) coloured surfaces; (c) printed surfaces Op. 21.10.13	50 Dec. date 13.01.14 - TC 1335196
4810.99.00 SHEETS AND/OR REELS, PAPER AND/OR PAPERBOARD, kaolin (china clay) AND/OR calcium carbonate coated on one OR both sides, with OR without ANY of the following: (a) binder; (b) coloured surfaces; (c) printed surfaces Op. 14.10.13	50 Dec. date 13.01.14 - TC 1334157
4811.51.00 PAPERBOARD, CUP STOCK, coated on both sides with polyethylene Op. 29.10.13	50 Dec. date 13.01.14 - TC 1336108
4819.50.00 SLEEVES, CUTLERY, having BOTH of the following: (a) integrated paper napkin; (b) width NOT less than 44 mm and length NOT greater than 240 mm Op. 23.10.13	50 Dec. date 13.01.14 - TC 1335556
6911.90.00 MONEY BOXES, ceramic Op. 18.10.13	50 Dec. date 13.01.14 - TC 1334982
7306.40.00 PIPES, stainless steel, having ALL of the following: (a) outside diameter NOT less than 10.3 mm and NOT greater than 406.4 mm; (b) wall thickness NOT less than 1.24 mm and NOT greater than 33.32 mm; (c) compliance with American Society for Testing and Materials standards Designations: ASTM A269-10 OR ASTM A312/A312M - 11 OR ASTM A554-13 Op. 03.10.13	50 Dec. date 13.01.14 - TC 1333366

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7604.29.00 ALUMINIUM EXTRUSION PROFILES, produced with alloy ENAW-5005A (ENAW-AIMglC) having ALL of the following: (a) minimum cross sectional dimension of NOT less than 6 mm and NOT greater than 450 mm; (b) alloy chemical composition by percentage weight of ALL of the following: (i) iron NOT exceeding 0.45%; (ii) silicon NOT exceeding 0.3%; (iii) manganese NOT exceeding 0.15%; (iv) chromium NOT exceeding 0.1%; (v) copper NOT exceeding 0.05%; (vi) magnesium NOT less than 0.7% and NOT greater than 1.11%; (vii) zinc NOT exceeding 0.2% (viii) other impurities NOT exceeding 0.15%; (ix) remainder Al	50
Op. 24.10.13	Dec. date 13.01.14 - TC 1335698
8427.20.00 WORKS TRUCKS, MOLTEN ALUMINIUM BATH TAPPING, TRANSPORT AND DISTRIBUTION, mobile, having ALL of the following: (a) on board bath crucibles; (b) discharge launderers; (c) trainee seats	50
Op. 22.10.13	Dec. date 13.01.14 - TC 1335328
8427.20.00 WORKS TRUCKS, ALUMINIUM FLUORIDE TRANSPORT AND HOPPER FILLING, mobile, having BOTH of the following: (a) articulated discharge augers; (b) centrally positioned rear cameras	50
Op. 22.10.13	Dec. date 13.01.14 - TC 1335329
8479.89.90 CONNECTORS, CHOKE AND KILL LINE TO BLOWOUT PREVENTER, OIL AND GAS WELL, hydraulically activated	50
Op. 22.10.13	Dec. date 13.01.14 - TC 1335330
8479.89.90 SUBSEA MONITORING MODULE MOUNTING BASES, whether OR not assembled, with OR without cover, having electrical interface	50
Op. 01.11.13	Dec. date 13.01.14 - TC 1336506
8479.90.00 PARTS, RAIL TRACK GREASE LUBRICATOR, being ANY of the following: (a) grease distribution module, having ALL of the following: (i) wiping bars; (ii) manifold; (iii) grease trough; (iv) distributor blade; (v) gasket, (b) grease guide; (c) rail clamp, including mounting block AND J bolt; (d) check rail guard, including rail guide clamp; (e) check rail guide, including rail guide fabrication AND hose tail piece; (f) wheel sensor, having ALL of the following: (i) bracket; (ii) J-bolt; (iii) sensor head, (g) rail bar top; (h) actuator block, having ALL of the following: (i) plunger housing; (ii) plunger; (iii) bushes; (iv) gasket; (v) valve; (vi) piston; (vii) valve sleeve, (i) foot block quick release; (j) tank	50
Op. 24.10.13	Dec. date 13.01.14 - TC 1335701
8705.90.00 MOTOR VEHICLES, being mobile electrical cable fault diagnostic vans	50
Op. 28.10.13	Dec. date 13.01.14 - TC 1335988

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
9401.90.20 PARTS, MOTOR VEHICLE SEAT, being lumbar support adjuster mechanism, having an electric motor Op. 18.10.13 Dec. date 13.01.14	50 - TC 1334981
9603.90.00 SCOURERS, DISHWASHING, having a handle with detergent chamber, with OR without replacement scourer heads Op. 16.10.13 Dec. date 13.01.14	50 - TC 1334635
9603.90.00 FLOOR CLEANING KITS, unassembled, including ALL of the following: (a) aluminium handle tubes; (b) plastic mopping panel; (c) mop panel to handle plastic swivel connector Op. 16.10.13 Dec. date 13.01.14	50 - TC 1334636

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1) - AUSTRALIAN INDUSTRY INITIATED - TARIFF CONCESSION ORDERS REVOKED

The Tariff Concession Order for the goods described in the following TABLE has been revoked.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7610.90.00 SHORING BOX ASSEMBLY, modular, adjustable, consisting of aluminium panels of extruded honeycomb construction and mechanical screw jacks, capable of being assembled and disassembled manually within the trench Op. 09.06.93 Dec. date 23.09.93	50 13.11.13 - TC 9314414
Substitutable goods produced in Australia in the ordinary course of business by LITE Industries Pty Ltd, Lynbrook, Victoria. In transit provisions apply.	

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF CUSTOMS**

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 13/49 dated 11 December 2013.

Contact: Phone 02 6275 6404, fax 02 6275 6376 or email tarcon@customs.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number	Last Date of Effect
7228.70.00 I BEAMS, hot rolled, having EITHER of the following: (a) depth NOT less than 356 mm (14 in) and a flange width NOT less than 368 mm (14.5 in); (b) depth NOT less than 762 mm (30 in) and a flange width NOT less than 267 mm (10.5 in) Op. 04.10.05 Dec. date 23.12.05 - TC 0513492 Revoked: 2 years non-use. In transit provisions apply	50	08.01.14
8307.10.00 FLEXIBLE TUBING, wound from "A" and "D" wire Op. 19.02.01 Dec. date 18.05.01 - TC 0101670 Revoked: 2 years non-use. In transit provisions apply	50	08.01.14
8414.59.90 FANS, COOLING TOWER, comprising ALL of the following: (a) cowlings; (b) cowling bells; (c) fan blades; (d) hubs; (e) drive assemblies, comprising ALL of the following: (i) motors; (ii) gearboxes; (iii) brake couplings; (iv) shafts; (v) bearings, (f) support platforms and/or frames; (g) fan guards Op. 19.07.07 Dec. date 02.10.07 - TC 0711673 Revoked: 2 years non-use. In transit provisions apply	50	08.01.14
8528.72.00 TELEVISION RECEIVERS, colour, having one red, one green and one blue cathode ray tube which project a picture onto the rear of a television screen having a diagonal measurement exceeding 100 cm; capable of receiving two OR more of the following input signals: (a) RGB; (b) S-Video; (c) AV Op. 01.01.07 Dec. date 22.11.06 - TC 0614455 Revoked: 2 years non-use. In transit provisions apply	50	08.01.14
8529.10.30 COUNTERPOISES, ANTENNA, AIR NAVIGATION BEACON, having a diameter NOT less than 20 metres Op. 23.02.06 Dec. date 05.05.06 - TC 0604258 Revoked: 2 years non-use. In transit provisions apply	50	08.01.14
8529.90.90 COILS, DEGAUSSING, PICTURE TUBE Op. 28.07.98 Dec. date 09.10.98 - TC 9806705 Revoked: 2 years non-use. In transit provisions apply	50	08.01.14

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8536.69.90 ADAPTORS, COMPUTER, having ALL of the following: (a) SCSI (small computer system interface) secondary circuit type; (b) 30 V RMS (root mean square) OR 42.4 V DC (direct current rating); (c) 68 pin receptacle unshielded to 50 pin female low density unshielded capability; (d) ground wires rated at 10 picoFarads Op. 30.12.97 Dec. date 27.03.98 - TC 9711315 Revoked: 2 years non-use. In transit provisions apply	50 08.01.14
8537.10 Controllers, for programming video cassette recorders or time base correctors to control operating functions, but NOT having a remote control function. Op. 06.05.94 Dec. date 06.05.94 - TC 9014838 Revoked: 2 years non-use. In transit provisions apply	50 08.01.14
8537.10.90 CABINETS, ELECTRICAL CONTROL, STACKER CRANE, having a voltage rating NOT greater than 1 000 V Op. 06.10.09 Dec. date 30.12.09 - TC 0937559 Revoked: 2 years non-use. In transit provisions apply	50 08.01.14
8537.20.90 GENERATOR LINE ACCESSORY COMPARTMENT, GAS TURBINE GENERATOR, including All of the following: (a) bus ducts; (b) bus duct supports; (c) basements Op. 19.08.08 Dec. date 07.11.08 - TC 0826986 Revoked: 2 years non-use. In transit provisions apply	50 08.01.14
8537.20.90 CONTAINERISED ELECTRICAL CONTROL SYSTEM, CRUSHER PLANT, programmable logic controlled, comprising BOTH of the following: (a) switchgear exceeding 50 V but NOT greater than 3 300 v; (b) motor control centres Op. 09.06.09 Dec. date 28.08.09 - TC 0919468 Revoked: 2 years non-use. In transit provisions apply	50 08.01.14
9406.00.00 AUXILIARY MODULE ENCLOSURES, POWER STATION, acoustic attenuation and thermal insulation, being gas module enclosures Op. 09.02.09 Dec. date 01.05.09 - TC 0904257 Revoked: 2 years non-use. In transit provisions apply	50 08.01.14

COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Chief Executive Officer (CEO) is satisfied that CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 13 February 2014, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in-transit provisions shall apply. If revoked, the expected date of effect is 13 February 2014.

Interested parties are invited to provide, by close of business, Wednesday, 12 February 2014, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email tarcon@customs.gov.au, fax 02 6275 6376 or phone 02 6122 5540.

THE TABLE

Tariff Classification	Description	Concession Number
6307.90.99	RING INSERTS, padded	
	Op. 23.10.97	Dec. date 09.01.98 - TC 9610717
8539.90	ELECTRODES, neon	
	Op. 20.10.89	Dec. date 11.01.90 - TC 8907582
8543.20	GENERATORS, telegraph and data message	
	Op. 14.08.84	Dec. date 14.08.84 - TC 8439740
8543.30.00	ZINC PLATING LINE, PLC, comprising ALL of the following:	
	(a) gate transporters;	
	(b) loader and unloader;	
	(c) tanks;	
	(d) steam heaters;	
	(e) rectifiers;	
	(f) dryer;	
	(g) filter;	
	(h) barrels	
	Op. 01.01.07	Dec. date 21.11.06 - TC 0614459
8543.30.00	LINES, ELECTROPLATING, having ALL of the following:	
	(a) output NOT greater than 80 metric tonnes per minute;	
	(b) coilers;	
	(c) air filters;	
	(d) plating tanks;	
	(e) anodes	
	Op. 01.01.07	Dec. date 29.03.07 - TC 0704541

Tariff Classification	Description	Concession Number
8543.30.00	ANODISING MACHINES, ALUMINIUM, programmable logic controlled, having ALL of the following: (a) transporters; (b) rectifiers; (c) filters; (d) heaters; (e) tanks; (f) pumps; (g) exhaust; (h) heat exchangers; (i) trolleys	
	Op. 04.01.10	Dec. date 26.03.10 - TC 1000291
8543.90.90	PARTS, GLASS COATER, being targets	
	Op. 08.04.05	Dec. date 17.06.05 - TC 0503993
8543.90.90	PARTS, SYNCHROTRON, being ANY of the following: (a) klystron tanks; (b) klystron shields; (c) medium energy beam transport; (d) wave guides	
	Op. 02.06.05	Dec. date 21.10.05 - TC 0506581
8543.90.90	PARTS, SYNCHROTRON, being EITHER of the following: (a) vacuum chambers; (b) vacuum chambers with magnets	
	Op. 09.06.05	Dec. date 21.10.05 - TC 0507063
8543.90.90	PARTS, LINEAR ACCELERATOR, being ANY of the following: (a) electron guns (electron source); (b) electron gun racks; (c) accelerators; (d) bunchers; (e) waveguide loads	
	Op. 28.06.05	Dec. date 16.09.05 - TC 0508319
8543.90.90	PARTS, SYNCHROTRON, being EITHER of the following: (a) undulators; (b) wigglers	
	Op. 20.11.06	Dec. date 09.02.07 - TC 0618630
8543.90.90	PARTS, SYNCHROTRON BEAMLINE, being ANY of the following: (a) integral beam stops; (b) white beam stops; (c) bremsstrahlung stops; (d) mono-chromatic beam slits; (e) mono-chromatic beam shutters; (f) beam position monitors; (g) fluorescent screens	
	Op. 29.01.07	Dec. date 23.04.07 - TC 0701500

Tariff Classification	Description	Concession Number
8543.90.90	MONOCHROMATORS, double crystal	
	Op. 30.01.07	Dec. date 23.04.07 - TC 0701601
8544.42.19	CABLES, COMPUTER, having BOTH of the following: (a) SCSI (small computer system interface); (b) length 112.1 cm, incorporating connectors having 68 positions at intervals of 153 mm throughout the length For the purposes of this order, ALL measurements have a tolerance of + or - 5%	
	Op. 01.01.07	Dec. date 22.11.06 - TC 0614501
8544.42.19	CABLE, MINERS CAP LAMP, fitted with connectors	
	Op. 01.01.07	Dec. date 22.11.06 - TC 0614507

CUSTOMS ACT 1901 - 269SH(10) - RESULT OF CUSTOMS REVIEW OF A REVOCATION DECISION

The Customs internal review result made on the Tariff Concession Order revocation for goods described in the following TABLE has been finalised:

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect	Review Decision
TCO REVOKED		
7308.90.00 ROAD BARRIERS, steel, portable, conforming to Australian and New Zealand Standard 3845:1999 (AS/NZS 3845:1999), meeting BOTH of the following test requirements: (a) National Cooperative Highway Research Program 350 TL3 AND TL4 (NCHRP350 TL3 AND TL4); (b) Manual for Assessing Safety Hardware TL3 (MASH TL3) Op. 03.04.13 AC&BPS Decision : Revocation of TCO affirmed	50 26.09.13	REVOKED
	- TC 1311314	