



**Commonwealth  
of Australia**

# Gazette

**No. TC14/19, Wednesday, 21 May 2014**  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCO Applications Refused .....	7
TCOs Made .....	9
Customs Initiated - Intention to Revoke Cancelled .....	13
TCOs Revoked - Unused for over 2 years .....	14
Intention to Revoke TCOs not used in over 2 years .....	16

The Australian Customs and Border Protection Service (Customs and Border Protection) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>

Please select “tariff”, then “tariff concessions gazette”.

The gazettes are listed in date order and may be selected from the list of Adobe (PDF) file.

<b>General Inquiries:</b> .....	<b>(02) 6275 6404</b>
<b>Facsimile:</b> .....	<b>(02) 6275 6376</b>

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Submission forms are available from Custom Houses throughout Australia or on the Customs web site [www.customs.gov.au](http://www.customs.gov.au).

For guidance on the required description style, phone 02 6275 6404, fax 02 6275 6376 or email [tarcon@customs.gov.au](mailto:tarcon@customs.gov.au).

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Rate
3912.31.00 CARBOXYMETHYLCELLULOSE, in powder form Op. 17.04.14  Stated Use: For filtration control in water based drilling fluids in downhole drilling applications  Applicant: HALLIBURTON AUSTRALIA PTY LTD	- TC 1413221     50  5%
3924.10.00 SETS, TABLEWARE, consisting of ALL of the following: (a) plastic spoons; (b) drinking straw; (c) paper napkin; (d) paper AND liquid soap napkin Op. 22.04.14  Stated Use: For eating food and drinking beverages  Applicant: PINNACLE INTERNATIONAL WHOLESALERS PTY LTD	- TC 1413498     50  5%
4016.99.00 PARTS, VIBRATORY SOIL COMPACTOR DRUM, being shock absorbers consisting of rubber attached to metal plates Op. 17.04.14  Stated Use: To absorb shocks and vibrations in vibratory soil compactor drums  Applicant: ATLAS COPCO AUSTRALIA PTY LTD	- TC 1413299     50  5%
6306.22.00 SHELTERS, polyester canopy, having EITHER of the following: (a) steel frame; (b) fibreglass frame Op. 10.04.14  Stated Use: Provide shade  Applicant: COLEMAN BRANDS PTY LTD	- TC 1412578     50  5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>7208.27.00 STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3134 (JIS G3134), grade SPFH590, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 460 MPa and NOT greater than 610 MPa;</li> <li>(b) tensile strength NOT less than 590 MPa;</li> <li>(c) elongation NOT less than 17% and NOT greater than 31%;</li> <li>(d) thickness 1.80 mm and width 1 110 mm</li> </ul> <p>For the purpose of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 17.04.14</p>	<p>50</p> <p>- TC 1413447</p>
<p>Stated Use: Sheet steel for automotive body panel production</p> <p>Applicant: TOYOTA TSUSHO (AUSTRALASIA) PTY LTD</p>	<p>5%</p>
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 195 MPa;</li> <li>(b) tensile strength NOT less than 340 MPa;</li> <li>(c) elongation NOT less than 34%;</li> <li>(d) coating mass NOT less than 30 g/m2 on each side;</li> <li>(e) thickness 0.70 mm;</li> <li>(f) width NOT less than 1 480 mm and NOT greater than 1 570 mm</li> </ul> <p>For the purposes of this order, tolerance allowable for specification (e) are +/- 10%</p> <p>Op. 14.04.14</p>	<p>50</p> <p>- TC 1412844</p>
<p>Stated Use: For the manufacture of passenger motor vehicle panels or components</p> <p>Applicant: TOKYO BOEKI (AUSTRALIA) PTY LTD</p>	<p>5%</p>
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 240 MPa and NOT greater than 300 MPa;</li> <li>(b) tensile strength NOT less than 340 MPa;</li> <li>(c) elongation NOT less than 34%;</li> <li>(d) coating mass NOT less than 50 g/m2 and NOT greater than 80 g/m2 on each side;</li> <li>(e) thickness 0.65 mm;</li> <li>(f) width NOT less than 1 455 mm and NOT greater than 1 545 mm</li> </ul> <p>For the purposes of this order, tolerance allowable for specification (e) are +/- 10%;</p> <p>Op. 14.04.14</p>	<p>50</p> <p>- TC 1412845</p>
<p>Stated Use: For the manufacture of passenger motor vehicle panels or components</p> <p>Applicant: TOKYO BOEKI (AUSTRALIA) PTY LTD</p>	<p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
7308.90.00 GUIDE RAILS, iron AND/OR steel, cold-drawn, having a rail length less than 5.5 m, with OR without fishplates Op. 17.04.14	50 - TC 1413672
Stated Use: To be fitted to wall structures within lift shafts to guide lift cars smoothly and safely up and down the shafts	
Applicant: SCHINDLER LIFTS AUSTRALIA PTY LTD	5%
8206.00.00 TOOL KITS, BICYCLE, in cases OR boxes OR saddle bags, consisting of NOT less than a combination of ANY two of the following categories:	50
(a) screwdrivers; (b) spanners; (c) cassette lock-ring removal tools; (d) wrenches; (e) freewheel turners tools; (f) crank arm removal tools; (g) crank extractor tools; (h) spoke adjuster; (i) metal tyre levers; (j) bottom bracket AND/OR headset locking ring tools; (k) bottom bracket removal tools; (l) socket tool adaptors; (m) freewheel removing tools; (n) hex keys; (o) wrench sockets; (p) crank arm dust cap tools; (q) cable cutters; (r) multipurpose folding tools; (s) chain remover tools; (t) chain rivet extractor tools; (u) chain fixing pliers; (v) chain cleaning tools,	
with OR without ANY of the following:	
(i) tyre patches; (ii) tyre cement; (iii) grease; (iv) plastic tyre lever; (v) crank extractor nut; (vi) chain wear indicator; (vii) valve adaptors; (viii) chain cleaner brush	
Op. 11.04.14	- TC 1412675
Stated Use: Tools for Bicycle repairs and adjustments	
Applicant: CYCLING DEAL PTY LTD	5%
8421.29.00 OIL AND WATER SEPARATORS, including ALL of the following: (a) plastic tank, with OR without glass re-enforcing; (b) oil AND/OR sludge level sensor AND/OR controls; (c) coalescing plates; (d) valves Op. 24.04.14	50 - TC 1413759
Stated Use: As a filter for treating rainwater and oily water from the compressor stations	
Applicant: YARA PILBARA NITRATES PTY LTD	5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8424.89.90	<p>TUBES, plastic, multilayered, with dispensing airless pump Op. 15.04.14</p> <p>Stated Use: Packaging and dispensing of cosmetics</p> <p>Applicant: ULTRACEUTICALS PTY LTD</p>	50 - TC 1413031
8425.39.00	<p>WIRELINE WINCH SYSTEM, LOGGING CABIN, OIL AND/OR GAS FIELD, whether OR not assembled, vehicle mountable, with OR without logging cable, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) instrument cabin;</li> <li>(b) data acquisition equipment;</li> <li>(c) control system AND terminals;</li> <li>(d) winch module;</li> <li>(e) tension limiter;</li> <li>(f) power module, with OR without back up system;</li> <li>(g) generator;</li> <li>(h) storage compartments;</li> <li>(i) stairs AND/OR steps;</li> <li>(j) air conditioning</li> </ul> <p>Op. 14.04.14</p> <p>Stated Use: To be fitted on a vehicle chassis as a mobile wireline logging laboratory for use in the oil and/or gas exploration, completion and production</p> <p>Applicant: SCHLUMBERGER AUSTRALIA PTY LTD</p>	50 - TC 1412998
8428.90.00	<p>ACCUMULATION SYSTEM, PASTRY PRODUCTS, programmable logic controlled, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) adjustable conveyors;</li> <li>(b) trolley;</li> <li>(c) electrical cabinet</li> </ul> <p>Op. 15.04.14</p> <p>Stated Use: Control the flow of pastry products between production and packaging stages</p> <p>Applicant: PATTIES FOODS LTD</p>	50 - TC 1413317
8479.89.90	<p>LATCH ASSEMBLIES, SEAL, OIL AND/OR GAS WELL, single trip, whether OR not assembled, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) mandrel;</li> <li>(b) polished bore receptacle;</li> <li>(c) seals;</li> <li>(d) collet;</li> <li>(e) shear screws</li> </ul> <p>Op. 22.04.14</p> <p>Stated Use: Allows production seals to be latched into the packer and the floating seals to be appropriately positioned</p> <p>Applicant: SCHLUMBERGER AUSTRALIA PTY LTD</p>	50 - TC 1413532
8537.10.90	<p>CARTS OR CAGES OR CABINETS, STORAGE, LAPTOP AND COMPUTER TABLETS, incorporating electrical power board with timer and remote control</p> <p>Op. 10.04.14</p> <p>Stated Use: Storage and providing power for laptop and computer tablet</p> <p>Applicant: IWS GLOBAL PTY LTD</p>	50 - TC 1412645

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>9505.10.00 CHRISTMAS FESTIVIITY CRACKERS, consisting of ALL of the following:            (a) decorated paper AND/OR foil outer;            (b) cardboard tubes;            (c) shock AND chemically sensitive cardboard strip,            with OR without internal cracker wrapped accessories being ANY of the following:                (i) stickers;                (ii) written paper OR cards;                (iii) toys;                (iv) paper hat</p> <p>Op. 22.04.14</p> <p>Stated Use:            For entertainment and creating celebratory cap gun like sounds during Christmas festivities</p> <p>Applicant: THE REJECT SHOP LIMITED</p>	<p>50</p> <p>- TC 1413527</p>
<p>9608.10.00 PENS, having BOTH of the following:            (a) ballpoint;            (b) stylus</p> <p>Op. 29.04.14</p> <p>Stated Use:            For writing and use with smart phones and computer tablets</p> <p>Applicant: LOGO LINE AUSTRALIA</p>	<p>50</p> <p>- TC 1413938</p> <p>5%</p>

## CUSTOMS ACT 1901

## NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED

Applications for Tariff Concession Orders for the goods described in the following TABLE have been refused.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
7210.49.00 COILS, non-alloy steel, hot rolled, zinc coated, complying with American Society for Testing and Materials Standard A 653/A653M-11 (ASTM A653/A653M-11), having ALL of the following: <ul style="list-style-type: none"> <li>(a) coil thickness less than 1.60 mm;</li> <li>(b) coil width NOT less than 784 mm and NOT greater than 1 263 mm;</li> <li>(c) minimum yield strength NOT less than 330 MPa;</li> <li>(d) minimum tensile strength NOT less than 430 MPa;</li> <li>(e) coil inside diameter NOT less than 711 mm and NOT greater than 813 mm;</li> <li>(f) zinc coating mass NOT less than 0.080 kg/m<sup>2</sup> per side;</li> <li>(g) each coil weighing NOT less than 14 metric tonnes;</li> <li>(h) chemical composition by weight of ALL of the following:               <ul style="list-style-type: none"> <li>(i) carbon content NOT greater than 0.20%;</li> <li>(ii) manganese content NOT less than 0.30% and NOT greater than 0.90%;</li> <li>(iii) phosphorous content NOT greater than 0.03%;</li> <li>(iv) sulphur content NOT greater than 0.03%;</li> <li>(v) chromium content less than 0.30%;</li> <li>(vi) molybdenum content less than 0.08%;</li> <li>(vii) aluminium content NOT greater than 0.10%;</li> <li>(viii) copper content NOT greater than 0.25%;</li> <li>(ix) nickel content NOT greater than 0.25%;</li> <li>(x) titanium content NOT greater than 0.04%;</li> <li>(xi) vanadium content less than 0.10%;</li> <li>(xii) silicon content NOT greater than 0.45%</li> </ul> </li> </ul> Op. 19.12.13	50
Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by BlueScope Steel (AIS) Pty Ltd, Port Kembla, NSW	- TC 1341922
7210.49.00 COILS, of a width of 600 mm OR more, non-alloy steel, hot rolled, zinc coated, complying with American Society for Testing and Materials Standard A653/A653M-11 (ASTM A653/A653M-11), having a coil thickness NOT less than 3.1 mm Op. 19.12.13	50
Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by BlueScope Steel (AIS) Pty Ltd, Port Kembla, NSW	- TC 1341925

- 7210.49.00 COILS, non-alloy steel, hot rolled, zinc coated, complying with American Society for Testing and Materials Standard A653/A653M-11 (ASTM A653/A653M-11), having ALL of the following: 50
- (a) coil thickness NOT less than 2.50 mm and NOT greater than 6.0 mm;
  - (b) coil width NOT less than 784 mm and NOT greater than 1 263 mm;
  - (c) minimum yield strength NOT less than 330 MPa;
  - (d) minimum tensile strength NOT less than 430 MPa;
  - (e) coil inside diameter NOT less than 711 mm and NOT greater than 813 mm;
  - (f) zinc coating mass NOT less than 0.080 kg/m<sup>2</sup> per side;
  - (g) each coil weighing NOT less than 14 metric tonnes;
  - (h) chemical composition by weight of ALL of the following:
    - (i) carbon content NOT greater than 0.20%;
    - (ii) manganese content NOT less than 0.30% and NOT greater than 0.90%;
    - (iii) phosphorous content NOT greater than 0.03%;
    - (iv) sulphur content NOT greater than 0.03%;
    - (v) chromium content less than 0.30%;
    - (vi) molybdenum content less than 0.08%;
    - (vii) aluminium content NOT greater than 0.10%;
    - (viii) copper content NOT greater than 0.25%;
    - (ix) nickel content NOT greater than 0.25%;
    - (x) titanium content NOT greater than 0.04%;
    - (xi) vanadium content less than 0.10%;
    - (xii) silicon content NOT greater than 0.45%
- Op. 19.12.13 - TC 1341924

Reason for refusal:

Substitutable goods produced in Australia in the ordinary course of business by BlueScope Steel (AIS) Pty Ltd, Port Kembla, NSW

- 7321.11.00 BARBECUES, GAS, fixed OR portable, with OR without wok burner, having ALL of the following: 50
- (a) combination flat top hotplate AND grill OR all grill cooking surface;
  - (b) NOT greater than 6 burners;
  - (c) cooking plate width NOT greater than 140 cm
- Op. 20.12.13 - TC 1342064

Reason for refusal:

Substitutable goods produced in Australia in the ordinary course of business by M & A Mead Investments Pty Ltd t/a Heatlie Barbeques, Edwardstown, SA and Australian Barbeque Manufacturers Pty Ltd, Padstow, NSW



**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods.

Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3908.90.00 POLYAMIDE (PA) PACM12 in accordance with International Standard 1874 (ISO 1874), being a copolymer of cycloaliphatic diamine and dodecanoic acid, in granular form, having ALL of the following: (a) tensile modulus NOT less than 1380 MPa; (b) melting temperature NOT less than 250 degrees C; (c) specific gravity NOT greater than 1.03; (d) refractive index (nD) at 589 nm of 1.516; (e) optical transmission of greater than 90% at a thickness of 2 mm, measured using test method accordance with International Standard 13468-2 (ISO 13468-2) and a D65/2 degrees illuminant Op. 20.02.14	50 Dec. date 19.05.14 - TC 1406961
3926.90.90 STRUCTURAL DRAINAGE MESH, HDPE, bi-planar OR tri-planar Op. 24.02.14	50 Dec. date 19.05.14 - TC 1407210
7312.10.00 ROPE, WIRE, galvanised steel OR stainless steel, having BOTH of the following: (a) rope diameter NOT less than 16 mm and NOT greater than 24 mm; (b) not LESS than 6 strands in each wire rope, having individual strands coated with polyamide OR polypropylene OR polyester Op. 28.02.14	50 Dec. date 19.05.14 - TC 1407682
7616.99.00 STERILISATION TRAYS, medical Op. 25.02.14	50 Dec. date 19.05.14 - TC 1407222
8412.29.00 ACTUATORS, HYDRAULIC ROTARY, having BOTH of the following: (a) torque capacity NOT less than 94 000 Nm at 120 bar hydraulic pressure; (b) swivel angle maximum capacity of NOT less than 148 degrees and NOT greater than 158 degrees Op. 30.01.14	50 Dec. date 16.05.14 - TC 1404384
8419.31.00 ROTARY DRYERS, SLUDGE AND/OR MEAL, ABATTOIR RENDERING AND PROTEIN STERILISATION SYSTEM Op. 21.02.14	50 Dec. date 19.05.14 - TC 1407108
8419.81.90 EVAPORATORS, FALLING FILM Op. 21.02.14	50 Dec. date 19.05.14 - TC 1407104
8419.89.90 BLOOD COAGULATORS, ABATTOIR RENDERING AND PROTEIN STERILISATION SYSTEM Op. 21.02.14	50 Dec. date 19.05.14 - TC 1407099
8421.19.00 CENTRIFUGE DECANTERS, ABATTOIR RENDERING AND PROTEIN STERILISATION SYSTEM Op. 21.02.14	50 Dec. date 19.05.14 - TC 1407105
8421.39.00 CYCLONE SEPARATORS Op. 25.02.14	50 Dec. date 19.05.14 - TC 1407333

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8425.39.00	SPOOLERS, CLIP IN DRUM, hydraulic, telescopic, with OR without a drum, whether OR not assembled Op. 26.02.14	50 Dec. date 19.05.14 - TC 1407465
8427.20.00	FRONT END LOADERS, diesel, self-propelled, having loading forks Op. 27.02.14	50 Dec. date 19.05.14 - TC 1407725
8428.90.00	COLLATING SYSTEM, BAG, programmable logic controlled, containing ALL of the following: (a) infeed belt conveyor; (b) centering module; (c) servo driven matrix stopper; (d) holders; (e) electrical cabinet; (f) voltage transformer; (g) operator terminal; (h) gearboxes; (i) motor gearboxes Op. 25.02.14	50 Dec. date 19.05.14 - TC 1407220
8429.40.00	TRENCH COMPACTORS, diesel engine, remote control, having a gross vehicle weight NOT less than 1 573 kg Op. 20.02.14	50 Dec. date 19.05.14 - TC 1406962
8429.51.90	FRONT END LOADERS, diesel, self-propelled, having a loading bucket Op. 27.02.14	50 Dec. date 19.05.14 - TC 1407600
8479.82.00	HAMMER MILLS, MEAL PRODUCTION, including ALL of the following: (a) mill with motor; (b) cyclone; (c) rotary valve; (d) mill cyclone platform; (e) mill screw with plenum; (f) mill air relief fan Op. 24.02.14	50 Dec. date 19.05.14 - TC 1407207
8479.89.90	PACKER RELEASING AND/OR SETTING ISOLATION MODULES, DOWNHOLE, non-pressure sensitive, whether OR nor assembled, including BOTH of the following: (a) release mechanism; (b) isolated setting pistons Op. 20.02.14	50 Dec. date 19.05.14 - TC 1406853
8479.89.90	CARCASE PRE-BREAKERS, ABATTOIR RENDERING AND PROTEIN STERILISATION SYSTEM Op. 24.02.14	50 Dec. date 19.05.14 - TC 1407206

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8479.89.90     SUBSEA CONNECTION TOOLS, being ANY of the following: (a) pipe cleaning tools, including ALL of the following: (i) buoyancy blocks; (ii) cleaning pads; (iii) steel frame; (iv) hydraulic seals AND pipes, (b) pipe seal replacement tools, including ALL of the following: (i) buoyancy blocks; (ii) seal carrier; (iii) steel frame; (iv) hydraulic seals AND pipes, (c) stroking pipe connection tools, including ALL of the following: (i) steel frame; (ii) hydraulic cylinder rams; (iii) hydraulic seals AND pipes, (d) cap OR clamp replacement tools, including ALL of the following: (i) steel frame; (ii) hydraulic seals AND pipes; (iii) hydraulic cylinder rams Op. 26.02.14   Dec. date 19.05.14   - TC 1407330	50
8481.80.90     VALVES, GATE, SUBSEA CHOKE AND KILL LINE, hydraulically activated Op. 28.02.14   Dec. date 19.05.14   - TC 1407769	50
8481.80.90     VALVES, BUTTERFLY, lug type, gear OR lever operated, complying with BOTH of the following: (a) American Society of Mechanical Engineers standard B16.34-2004, Class 150; (b) American Petroleum Institute API Standard 609, Seventh Edition, October 2010, Category A Op. 03.03.14   Dec. date 19.05.14   - TC 1407975	50
8518.22.00     SOUNDBARS, including ALL of the following: (a) subwoofer; (b) power output NOT less than 120W RMS; (c) HDMI input & output terminals; (d) optical input Op. 25.02.14   Dec. date 19.05.14   - TC 1407336	50
8529.10.30     ANTENNAS, unassembled, including ALL of the following: (a) parabolic dish; (b) reflector panels; (c) antenna controls; (d) antenna hub Op. 26.02.14   Dec. date 19.05.14   - TC 1407329	50
8708.50.59     PARTS, DRIVE AXLE AND DIFFERENTIAL ASSEMBLY, OFF-HIGHWAY DUMP TRUCK OR MINING TRUCK HAVING A GROSS VEHICLE WEIGHT OF MORE THAN 3.5 TONNES, being ANY of the following: (a) differentials; (b) oil pans; (c) covers; (d) guards; (e) plates; (f) tube fittings AND tubes; (g) shims; (h) housings; (i) yokes; (j) hubs; (k) shafts; (l) differential cases; (m) differential pinions; (n) gears; (o) differential carriers; (p) welded double plate brackets Op. 27.02.14   Dec. date 19.05.14   - TC 1407606	50

---

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
9402.90.00 OPTHALMIC EXAMINATION FURNITURE, electric, having ANY of the following: (a) adjustable patient chair; (b) sliding table tops with OR without foot brakes; (c) controls; (d) slit lamp arm Op. 24.02.14	50          Dec. date 19.05.14 - TC 1407116

**CUSTOMS ACT 1901****CANCELLATION OF THE INTENTION TO REVOKE**

The Request for revocation of the Tariff Concession Order for goods described in the following TABLE has been cancelled.

## THE TABLE

---

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
8413.70 PUMPS, boost, centrifugal, hot water, complying with ALL of the following: (a) 24 V DC operation; (b) output of 5 000 L/h or greater at 20 kPa; (c) constant operating water temperature 83 degrees C or greater Op. 18.03.86	50
Dec. date 09.10.86	- TC 8632829

---

## CUSTOMS ACT 1901

## NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC14/15 dated 16 April 2014.

Contact: Phone 02 6275 6404, fax 02 6275 6376 or email [tarcon@customs.gov.au](mailto:tarcon@customs.gov.au).

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8413.70 PUMPS, ink, centrifugal, stainless steel, teflon coated construction, with air or explosion proof quick release demountable motors and ink activator Op. 07.02.92 Dec. date 28.05.92	50 14.05.14 - TC 9201846
Revoked: 2 years non-use. In transit provisions apply	
8413.70.90 WATER PUMP STATIONS, comprising ALL of the following: (a) pump station centrifugal pumps; (b) pump station valves; (c) pump station transformers; (d) pump station insulating joints; (e) pump station internal pipes; (f) pump station accumulation tanks; (g) pump station actuators; (h) pump station fittings; (i) pump station cables Op. 05.03.10 Dec. date 28.05.10	50 14.05.14 - TC 1011542
Revoked: 2 years non-use. In transit provisions apply	
8413.70.90 CHEMICAL PUMPS, RADIAL CENTRIFUGAL, including ALL of the following: (a) bellow-type axial face seal; (b) flow rate greater than 35 m <sup>3</sup> /h; (c) polyethylene casing, having metal enclosure Op. 06.06.11 Dec. date 22.08.11	50 14.05.14 - TC 1118047
Revoked: 2 years non-use. In transit provisions apply	
8413.81.10 NITROGEN PUMPING SYSTEM, skid mounted, having ALL of the following: (a) diesel engine; (b) storage tank; (c) heat recovery unit Op. 13.11.08 Dec. date 23.01.09	50 14.05.14 - TC 0839714
Revoked: 2 years non-use. In transit provisions apply	
8413.91.10 PARTS, MOLTEN METAL PUMP, being ANY of the following: (a) impellers; (b) impeller shafts; (c) impeller housings AND/OR impeller bases; (d) riser pipes Op. 12.01.11 Dec. date 11.04.11	50 14.05.14 - TC 1101582
Revoked: 2 years non-use. In transit provisions apply	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8483.40.90 REDUCTION GEARBOXES, PLANETARY, SINTER STRAND DRIVE, having ALL of the following: (a) input power from motor NOT less than 40 kW; (b) output torque NOT less than 600 000 Nm; (c) gear ratio NOT less than 1900:1; (d) weight NOT less than 8 500 kg Op. 12.03.09 Dec. date 29.05.09 Revoked: 2 years non-use. In transit provisions apply	50 14.05.14 - TC 0908457
8483.40.90 GEARBOXES, COILER, HOT STRIP MILL, WORM DOUBLE REDUCTION Op. 09.03.10 Dec. date 28.05.10 Revoked: 2 years non-use. In transit provisions apply	50 14.05.14 - TC 1011781
8501.34.00 GENERATORS, DC, EXCAVATOR, having ALL of the following: (a) power output NOT less than 450 kW; (b) current NOT less than 900 A; (c) voltage NOT less than 475 V Op. 28.05.10 Dec. date 23.08.10 Revoked: 2 years non-use. In transit provisions apply	50 14.05.14 - TC 1023856
8537.20.90 ELECTRICAL DISTRIBUTION SYSTEM, having ALL of the following: (a) sub-stations with transformers NOT greater than 220 kV; (b) cabling; (c) transmission lines; (d) steel pylons; (e) switchboard Op. 29.08.08 Dec. date 21.11.08 Revoked: 2 years non-use. In transit provisions apply	50 14.05.14 - TC 0828778

**COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS**

The Chief Executive Officer (CEO) is satisfied that CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 19 June 2014, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in-transit provisions shall apply. If revoked, the expected date of effect is 19 June 2014.

Interested parties are invited to provide, by close of business, Wednesday, 18 June 2014, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email [tarcon@customs.gov.au](mailto:tarcon@customs.gov.au), fax 02 6275 6376 or phone 02 6122 5540.

THE TABLE

Tariff Classification	Description	Concession Number
2835.39.10	SODIUM TETRAPOLYPHOSPHATE, having a phosphorus pentoxide content of 59% to 61%	
	Op. 15.07.99	Dec. date 01.10.99 - TC 9905292
3901.10.00	POLYETHYLENE POWDER, ultra-high molecular weight, having BOTH of the following: (a) density 0.930 grams per cubic centimetre OR greater; (b) molecular weight 2 300 000 OR greater	
	Op. 13.12.95	Dec. date 15.03.96 - TC 9600312
3905.29	VINYL ACETATE-CROTONIC ACID COPOLYMERS, being ethanol or propanol soluble when partially or fully neutralised with 2-amino-2-methyl-1-propanol, NOT being water dispersable or water soluble in the form as imported	
	Op. 01.07.96	Dec. date 16.07.96 - TC 9608833
3906.90.00	COPOLYMER OF METHYLMETHACRYLATE AND ALKYL ACRYLATE, having an average molecular weight of NOT less than 900 000	
	Op. 17.04.96	Dec. date 22.07.96 - TC 9605968
3906.90.00	STYRENE/ACRYLATE/1-METHYL-1-PHENYL ETHYLENE RESIN, solid grade, surfactant free, having BOTH of the following properties: (a) acid number 195 to 230; (b) molecular weight less than 10 000	
	Op. 07.01.98	Dec. date 03.04.98 - TC 9800162
3909.50.10	RESIN COMPOUND, polymer solution, consisting of: (a) methylene biphenyl isocyanate; (b) polyoxyalkylene hydroxy compound; (c) aliphatic amine; (d) mineral filler; (e) petroleum hydrocarbon dilvent (f) shore hardness of NOT less than 80 D	
	Op. 14.09.94	Dec. date 05.01.95 - TC 9407607



- 3909.50.90 POLYURETHANE RESIN, aromatic isocyanate based, liquid, plasticising, in a solution of ethyl acetate/denatured ethyl alcohol, having ALL of the following:  
(a) viscosity (25 degree C) - 1 200-1 600 cps;  
(b) non-volatile content - 73-78%;  
(c) free NCO content - below 0.05%;  
(d) colour (gardner) - 2 max;  
(e) acid value - 1 max;  
(f) flash point - -4 degree C
- Op. 28.02.94 Dec. date 03.06.94 - TC 9402486
- 8413.70 PUMPS, boost, centrifugal, hot water, complying with ALL of the following:  
(a) 24 V DC operation;  
(b) output of 5 000 L/h or greater at 20 kPa;  
(c) constant operating water temperature 83 degrees C or greater
- Op. 18.03.86 Dec. date 09.10.86 - TC 8632829
- 8705.90.00 VEHICLES, UNDER BRIDGE INSPECTION PLATFORM, comprising ALL of the following:  
(a) vertical telescopic lift length NOT less than 8 m;  
(b) horizontal extension NOT less 13.5 m;  
(c) suspension airbags;  
(d) NOT less than 4 stabilising wheels;  
(e) platform rotation 180 degrees
- Op. 17.03.06 Dec. date 02.06.06 - TC 0605448