



## CONTENTS

Applications for TCOs.....	2
Withdrawals of a TCO Application.....	6
TCOs Made.....	7
TCOs Revoked – ACS initiated - Unused for over 2 years.....	8
TCO Revoked & Re-issued.....	35
Notification of Review of a TCO Application.....	35
Notification of Review of a TCO Revocation.....	35
Determinations Made.....	36

**FREE** Customs Tariff Concessions Gazettes available at: <http://www.customs.gov.au>

Select “import/export”, then “tariff” and finally “tariff concession gazette”. Select from the list of Adobe files.

General Inquiries: Ninia Benedictos ..... (02) 6275 6483

Facsimile: ..... (02) 6275 6376

**SUBSCRIPTIONS** Telephone: ..... 132 447

Facsimile: ..... (02) 6295 4888

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Submission forms are available from Custom Houses throughout Australia or preferably on the Customs web site [www.customs.gov.au](http://www.customs.gov.au)

For guidance on the required description style contact Glen Beatty on phone 02 6275 6489, fax 02 6275 6376 or email [glen.beatty@customs.gov.au](mailto:glen.beatty@customs.gov.au)

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number
<p>5407.20.00 CARPET BACKING FABRIC, primary, 100% polypropylene, having ALL of the following:                      (a) warp of 124 ends per 10 cm;                      (b) fibrillated warp and weft tapes;                      (c) width NOT less than 382 cm and NOT exceeding 512 cm                      Op. 04.11.02</p> <p>Stated Use: As substrate in manufacture of broadloom carpets</p> <p>Applicant: SPENCER BERGELIN &amp; ASSOCIATES PTY LTD HAWTHORN, VIC, 3122</p>	<p>50</p> <p>- TC 0210425</p>
<p>5407.20.00 FABRIC, WEED MAT, woven, having BOTH the following:                      (a) ultra violet stabilised polyethylene;                      (b) selvedge on both sides;                      Op. 11.11.02</p> <p>Stated Use: Prevents weed growth in gardens and other outdoor areas</p> <p>Applicant: H POLESY &amp; CO PTY LTD MATRAVILLE, NSW, 2036</p>	<p>50</p> <p>- TC 0210725</p>
<p>6001.92.00 FABRIC, brushed shearing pile, tricot fabric, having ALL of the following:                      (a) polyester filament yarn;                      (b) width NOT exceeding 150 cm;                      (c) NOT exceeding 480 grams per linear metre;                      (d) pile height NOT exceeding 5 mm                      Op. 14.11.02</p> <p>Stated Use: For use in manufacturing clothes and other items</p> <p>Applicant: LAVALS DISTRIBUTORS PTY LTD MELROSE PARK, SA, 5039</p>	<p>50</p> <p>- TC 0210921</p>
<p>6815.10.00 TRAYS, SEMI CONDUCTOR, comprising ALL of the following:                      (a) stable at between 490 and 505 degrees Celsius;                      (b) chemically resistant to both silane and ammonia gases;                      (c) manufactured carbon fibre reinforced carbon                      Op. 04.11.02</p> <p>Stated Use: Used in manufacture of semi conductor wafers</p> <p>Applicant: BP SOLAR PTY LTD HOMEBUSH BAY, NSW, 2127</p>	<p>50</p> <p>- TC 0210426</p>
<p>7225.40.00 PLATES OR SHEETS OR FLATS, high alloy steel, to specifications DIN 40CrMnMoS8 6, hardened and tempered                      Op. 14.11.02</p> <p>Stated Use: For use in the production of large and medium sized moulds for plastic processing, including automotive applications</p> <p>Applicant: BOHLER UDDEHOLM (AUSTRALIA) PTY LTD GUILDFORD, NSW, 2161</p>	<p>50</p> <p>- TC 0210776</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number
<p>7226.91.00 PLATES OR SHEETS OR FLATS, high alloy steel, to specifications DIN 40CrMnMoS8 6, hardened and tempered Op. 14.11.02</p> <p>Stated Use: For use in the production of large and medium sized moulds for plastic processing, including automotive applications</p> <p>Applicant: BOHLER UDDEHOLM (AUSTRALIA) PTY LTD GUILDFORD, NSW, 2161</p>	50 - TC 0210774
<p>7228.10.00 RODS, HIGH SPEED STEEL, hot rolled, annealed, in coil form, having a diameter of 5 mm OR greater Op. 14.11.02</p> <p>Stated Use: For use in the production of taps, twist drills, reamers, broaches, metal saws, milling cutters, woodworking tools and cold work tools</p> <p>Applicant: BOHLER UDDEHOLM (AUSTRALIA) PTY LTD GUILDFORD, NSW, 2161</p>	50 - TC 0210775
<p>7228.30.10 BARS OR RODS, high alloy steel, to specifications DIN X40CrMoV51, BS BH13 OR AISI H13 Op. 14.11.02</p> <p>Stated Use: For use in the production of heavy duty hot work tools and dies, mainly for light alloy processing</p> <p>Applicant: BOHLER UDDEHOLM (AUSTRALIA) PTY LTD GUILDFORD, NSW, 2161</p>	50 - TC 0210771
<p>7228.30.10 BARS OR RODS, high alloy steel, to specifications DIN 40CrMnMoS8 6, hardened and tempered Op. 14.11.02</p> <p>Stated Use: For use in the production of large and medium sized moulds for plastic processing, including automotive applications</p> <p>Applicant: BOHLER UDDEHOLM (AUSTRALIA) PTY LTD GUILDFORD, NSW, 2161</p>	50 - TC 0210773
<p>7228.40.10 BARS OR RODS, high alloy steel, to specification DIN 40CrMnNiMo8 6 4 Op. 14.11.02</p> <p>Stated Use: For use in the production of large moulds (over 400 mm thickness) for plastic processing, and mould carrier frames for the plastic moulds</p> <p>Applicant: BOHLER UDDEHOLM (AUSTRALIA) PTY LTD GUILDFORD, NSW, 2161</p>	50 - TC 0210785
<p>7228.60.10 BARS OR RODS, high alloy steel, to specifications DIN 40CrMnMoS8 6, hardened and tempered Op. 14.11.02</p> <p>Stated Use: For use in the production of large and medium sized moulds for plastic processing, including automotive applications</p> <p>Applicant: BOHLER UDDEHOLM (AUSTRALIA) PTY LTD GUILDFORD, NSW, 2161</p>	50 - TC 0210772
<p>7228.60.10 BARS OR RODS, high alloy steel, to specifications DIN X40CrMoV51, BS BH13 OR AISI H13 Op. 14.11.02</p> <p>Stated Use: For use in the production of heavy duty hot work tools and dies, mainly for light alloy processing</p> <p>Applicant: BOHLER UDDEHOLM (AUSTRALIA) PTY LTD GUILDFORD, NSW, 2161</p>	50 - TC 0210770

Description of goods including the Customs Tariff Classification	Prescribed Item Number
<p>8415.82.00 REFRIGERATED AIRCONDITIONERS, PORTABLE, cooling only Op. 15.11.02</p> <p>Stated Use: Cooling of commercial offices, production processors, computer rooms and marquees</p> <p>Applicant: COOL BREEZE RENTALS PTY LTD SPRINGVALE, VIC, 3171</p>	<p>- TC 0210923 50</p>
<p>8419.89.90 HEATERS, CRUDE OIL REFINEMENT, gas fired to a rating of 45 mw Op. 12.11.02</p> <p>Stated Use: Refinery of crude oil</p> <p>Applicant: CALTEX AUSTRALIA LTD KURNELL, NSW, 2231</p>	<p>- TC 0210724 50</p>
<p>8421.21.90 FILTERS, PRESSURE, TOWER, horizontal diaphragm fitted plates, having a filtration area NOT less than 18 square metres Op. 06.11.02</p> <p>Stated Use: Filtration of slurry in the mining industry</p> <p>Applicant: LAROX PTY LTD CHATSWOOD, NSW, 2067</p>	<p>- TC 0210471 50</p>
<p>8422.30.90 PACKING MACHINES, IRREGULAR SHAPED CRACKER, having ALL of the following: (a) central servo motor controller; (b) 10 lane vibrating feed conveyor; (c) Not exceeding 180 slugs per minute; (d) adjustable slug length; Op. 13.11.02</p> <p>Stated Use: To pack rice crackers into plastic trays and remove any broken crackers</p> <p>Applicant: SAKATA RICE SNACKS AUSTRALIA PTY LTD LAVERTON NORTH, VIC, 3026</p>	<p>- TC 0210825 50</p>
<p>8427.20.00 LOG YARDERS Op. 14.11.02</p> <p>Stated Use: Machinery for the "yarding" of felled timber to an area where logs can be further processed before transport to the saw mill</p> <p>Applicant: KEVIN MORGAN PTY LTD LAUNCESTON, TAS, 7250</p>	<p>- TC 0210920 50</p>
<p>8436.80.90 GRINDERS, HORIZONTAL, having ALL of the following: (a) crawler OR trailer mounted; (b) hammermill rotor diameter exceeding 700 mm and rotor cutting length exceeding 1 300 mm; (c) chain and slat infeed table Op. 11.11.02</p> <p>Stated Use: Wood and green waste reduction</p> <p>Applicant: NORTHEM MACHINERY WHOLESALE PTY LTD ARCHERFIELD, QLD, 4108</p>	<p>- TC 0210672 50</p>
<p>8451.80.00 TEXTILE FINISHING MACHINERY, being EITHER of the following: (a) blade over roll, blade over air coating head; (b) double dosing head flocker with conveyor belt Op. 08.11.02</p> <p>Stated Use: Apply a viscose or polyester flock to a wet coated or adhesive applied fabric</p> <p>Applicant: NATIONAL COATING COMPANY PTY LTD BAYSWATER NTH, VIC, 3153</p>	<p>- TC 0210641 50</p>

---

Description of goods including the Customs Tariff Classification	Prescribed Item Number
8479.89.90 RECORDERS, LASER BEAM, DIGITAL VERSATILE DISC (DVD) Op. 08.11.02	50 - TC 0210671
Stated Use: Used to produce DVD masters in a single integrated operation	
Applicant:     TECHNICOLOR PTY LTD ALEXANDRIA, NSW, 2015	

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269G(3) - WITHDRAWAL OF A TARIFF CONCESSION ORDER APPLICATION

The Tariff Concession Order Application set out in the following TABLE has been withdrawn by the applicant.

The number and date shown in the second column refers to the Gazette in which the application was notified.

THE TABLE

Description of goods including the Customs Tariff Classification	No. and date of Gazette	Date of Withdrawal
9404.90.00 NECK CUSHIONS, CHILD SAFETY, U shaped Op. 19.08.02	- TC 0207471	TC 02/36 29.11.02

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference no. follow the description of goods.

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number
3926.90.90 BEDS, PET, plastic Op. 04.09.02	- TC 0208143 50
4016.99.00 TOYS, PET Op. 05.09.02	- TC 0208157 50
5407.20.00 FABRIC, POLYPROPYLENE OR POLYETHYLENE, having a weight of NOT less than 120 gsm and a width NOT exceeding 210 cm Op. 16.09.02	- TC 0208537 50
6307.90.29 TOYS, PET Op. 16.09.02	- TC 0208528 50
8211.10.00 KNIFE SETS, KITCHEN, stainless steel, having a HRC (hardness Rockwell code) of 54 to 58, being BOTH of the following: (a) minimum of 2 kitchen knives; (b) with OR without the following: (i) shears; (ii) sharpening steel; (iii) knife block Op. 18.09.02	- TC 0208604 50
8307.10.00 EXPANSION JOINTS, single, bellows mechanism, having ALL of the following: (a) bore diameter NOT less than 400 mm; (b) standard working pressure NOT less than 600 kPa; (c) seamless polytetrafluoroethylene (PTFE) liner Op. 03.09.02	- TC 0208093 50
8438.10.90 PRESSES, PIZZA CRUST, having ALL of the following: (a) flat and rim style crust moulds; (b) adjustable heating with a maximum temperature of 260 degrees Celsius; (c) output of 600 to 4 800 crusts per hour Op. 03.09.02	- TC 0208091 50
8477.80.00 BLOW MOULDING LINES, comprising ALL the following: (a) moulding machine (stretch blow); (b) preform feeder; (c) preform hopper; (d) air conveyors; (e) pallet conveyors; (f) empty bottle palletiser Op. 05.09.02	- TC 0208155 50
8477.90.90 DISTRIBUTORS, HOT RUNNER, MOLTEN POLYETHYLENE TEREPHTHALATE (PET) Op. 05.09.02	- TC 0208152 50
9507.90.00 FISHING LINE, of polyester OR polypropylene and polyester OR multifilament, having ALL of the following: (a) minimum length 180 m; (b) minimum breaking strain 300 kg; (c) minimum diameter 5 mm; (d) swivels, with stoppers either side Op. 09.09.02	- TC 0208250 50

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDERS AND COMMERCIAL TARIFF CONCESSION ORDERS  
REVOCATION AT THE INITIATIVE OF CUSTOMS

The Tariff Concession Orders or Commercial Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

THE TABLE

COLUMN 1			COLUMN 2
Description of Goods including the Customs Tariff Classification			Prescribed Item No. Date
2903.49.10	CHLOROTETRAFLUOROETHANE, (HCFC-124) Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9702818	50 04.12.02
2909.49	2-PHENOXYISOPROPANOL Op. 03.07.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9005837	50 04.12.02
2918.90.00	2-{4-(2',4'-DICHLOROPHENOXY)-PHENOXY} METHYL PROPANOATE Op. 10.01.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9700349	50 04.12.02
3005.90.90	SHEETS AND STRIPS, polysiloxane, non adhering, thickness of 0.6 mm Op. 03.03.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9801896	50 04.12.02
3204.17.00	PIGMENT YELLOW, 199, but NOT including preparations based thereon Op. 01.11.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9511628	50 04.12.02
3208.90.00	POLYMER ETHYLENE SOLUTION, MODIFIED, SOLVENT BORNE Op. 28.07.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9509306	50 04.12.02
3506.91.00	ADHESIVE, HEAT CURING NITRILE PHENOLIC, capable of withstanding temperatures of 260 degrees C or greater Op. 11.06.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9304459	50 04.12.02
3701.99	FILM, DIAZO, microfilm duplicating, mounted on an aperture card Op. 29.12.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8736142	50 04.12.02
3701.99	PLATES OR FILM, electron micrography, single emulsion, size NOT exceeding 110 sq cm Op. 13.01.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8900195	50 04.12.02
3702.41	FILM, PHOTOGRAPHIC, sensitised, colour negative, unexposed, NOT perforated and NOT further manufactured than coated, in rolls having a width exceeding 750 mm, having a film speed rating exceeding ASA 135 Op. 13.03.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8733063	50 04.12.02



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3702.54 FILM, PHOTOGRAPHIC, 126 format, unexposed, cartridge packed in rolls, but NOT including cartridges having EITHER of the following dimensions: (a) exposures exceeding 24; (b) film length exceeding 900 mm Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 8636145	
3808.90.00 MITICIDES, having a basis of abamectin Op. 17.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 0004794	
3815.90.00 CATALYSTS, having a basis of copper, zinc and alumina, potash promoted Op. 07.04.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 0003544	
3822.00 PAPER DISCS in a lyophilised (freeze-dried) or ready to use form, in cassettes, being purified, standardised allergen/antigen preparations coupled to discs Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9608600	
3901.30.00 ETHYLENE VINYL ACETATE CO-POLYMER having BOTH of the following: (a) vinyl acetate content of NOT less than 17.2% and NOT exceeding 20.8%; (b) a melt flow index of NOT less than 470g/10 min and NOT exceeding 590g/10 mins as per ISO 1133 test method Op. 22.11.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9313330	
3907.20 POLYMERS, sucrose, formed by the copolymerization of sucrose with epichlorohydrin Op. 06.06.91 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9105212	
3909.40.00 ALKYLPHENOL POLYMERS, zinc chelated in a water dispersion Op. 06.10.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9808967	
3909.50.90 POLYURETHANE RESIN, aromatic isocyanate based liquid, plasticising, in a solution of ethyl acetate/denatured ethyl alcohol having ALL of the following: (a) viscosity (25 degrees C) 500 - 1500 cps; (b) non-volatile content 73 - 78%; (c) free NCO content - below 0.05%; (d) acid value 1 max; (e) flash point, 4 to 6 degress C Op. 17.10.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9408313	
3917.31.90 PIPE, UNDERGROUND PETROLEUM, POLYETHYLENE, with or without Nylon liner or a flexible secondary containment coaxial pipe Op. 23.04.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9803410	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>3917.39.90 PIPE, secondary containment double walled, having ALL of the following: (a) complying with Underwriter Laboratories Inc (USA) Standard 971; (b) I D of 40 mm, 50 mm, 75 mm or 100 mm Op. 18.10.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>3917.39.90 PIPES, SECONDARY CONTAINMENT, single or double walled, having BOTH of the following: (a) Underwriters Laboratory listed; (b) having a diameter of NOT less than 18 mm but NOT exceeding 76 mm Op. 17.03.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>3919.90 POLYVINYL CHLORIDE FILM, wound dressing, coated with hypo-allergenic adhesive and backed with release coated protection paper Op. 23.02.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>3920.10 FILM, being formed from a blend of high density and low density polyethylene, having ALL of the following characteristics: (a) embossed; (b) white; (c) containing 2% or greater but NOT exceeding 4%/batch quantity of an ethoxylated alkylamine; (d) containing 1% or greater but NOT exceeding 2%/batch quantity of amidwaxes Op. 16.02.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>3920.62.00 POLYETHYLENE TEREPHTHALATE FILM, having ALL of the following: (a) polyvinylidene chloride (PVDC) coating; (b) width NOT greater than 210 mm; (c) shrinkage NOT greater than 3% in the machine direction and NOT greater than 2% in the transverse direction at 140 degrees C Op. 26.03.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>3920.63.00 FILM, polyester granulate, coloured, in rolls having ALL of the following characteristics: (a) heat activated dry glue base; (b) re-usable; (c) heat shrinkable Op. 08.03.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>3920.99 POLYTETRAFLUOROETHYLENE-PERFLUOROMETHYL VINYL ETHER COPOLYMER PLANAR FORMS Op. 05.04.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>3921.90.90 FILM, POLYVINYL CHLORIDE, destructible, having a tear strength NOT exceeding 1 N/mm (in accordance with AS2324, appendix j, method a) coated with a pressure sensitive adhesive and laminated to a release liner Op. 04.03.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3923.29.00 BAGS, AGRICULTURAL, having All of the following: (a) outer bag of paper; (b) inner bag of polyvinyl alcohol, 100% water soluble, residual free; (c) perforated tear strip Op. 17.01.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9601854	
3923.90.00 STORAGE TRAYS, polypropylene, having EITHER of the following: (a) an integrated, ribbed, recessed sliding tab OR; (b) an integrated, hinged fastening device Op. 01.04.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9605239	
3924.90.00 BOTTLES, BABY, measured to 120 ml imported EITHER singularly OR in sets which have ALL of the following: (a) teat; (b) travelling hood; (c) locking ring/collar; (d) milk flow regulator Op. 15.11.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9512575	
3924.90.00 CHILD SAFETY AND HYGIENE PRODUCTS, juice box holder, having two handles Op. 07.09.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9310120	
3926.90 NET, wound dressing, non-woven high density polyethylene, transparent, thickness 0.100 mm or greater but NOT exceeding 0.175 mm Op. 26.04.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 8531462	
3926.90 SPIRAL SEAMS, polyester, paper making machine fabric belt joining Op. 08.11.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 8341041	
3926.90.90 CARTRIDGES, chaff, countermeasure, but NOT including cartridges imported with pyrotechnic squib Op. 12.09.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9708072	
3926.90.90 PARTS, INKJET OR LASER PRINTERS OR PRINTER-PLOTTERS, being ANY of the following: (a) cams and/or gears; (b) cartridge caps; (c) carriage feet; (d) pen boots; (e) pressure roller bushings; (f) wiper pads Op. 16.03.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 0002891	
3926.90.90 SAUNA SYSTEMS, PORTABLE, SINGLE PERSON, comprising ALL of the following: (a) aluminium frame; (b) insulated vinyl plastic cover; (c) vinyl bag Op. 06.10.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9808971	

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
4008.11.00 NEOPRENE SPONGE RUBBER PIECES, having BOTH of the following: (a) thickness NOT greater than 10 mm; (b) tensile strength NOT less than 1.00 mPa Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9602730
4407.10 BEVEL SIDINGS (WEATHERBOARDS), western red cedar, rough sawn face, NOT less than 140 mm in width and NOT exceeding 1.8 m in length Op. 27.07.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 8806986
4804.31 SATURATING KRAFT PAPER, having a 4 min Klemm absorption of NOT less than 20 mm, grammage of NOT less than 95 g/sq m, formulated with a long/short fibre ratio so that when saturated and processed with thermosetting amino formaldehyde or phenol formaldehyde resins a uniform finish is imparted to the decorative surface of finished decorative laminates Op. 05.12.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 8535388
4821.10.00 LABELS, foil laminated by wax to paper, lacquered, having ALL of the following: (a) aluminium foil layer NOT exceeding 24 gsm; (b) wax layer NOT exceeding 12 gsm; (c) paper layer NOT exceeding 65 gsm; (d) PVC resin varnish coating NOT exceeding 3.5 gsm Op. 08.09.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9707913
5205.42.00 YARN, cotton, waxed, indigo dyed, on cones Op. 14.02.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9501997
5210.41.00 FABRIC, woven, elastomeric, containing less than 75% cotton by weight, having BOTH of the following: (a) width 100cm or greater but NOT exceeding 160 cm; (b) weight 110 gsm or greater but NOT exceeding 210 gsm Op. 01.07.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9805940
5403.33.00 YARN, single, 100% triacetate Op. 12.04.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9504897
5407.10.00 FABRIC, woven, nylon, RFL dipped, having ALL of the following: (a) construction - warp 840/1 + 840/1 weft 840/1; (b) tensile strength (kg/cm) warp 170 weft 120; (c) weight NOT exceeding 200 g/m <sup>2</sup> ; (d) leno weave Op. 20.07.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 0005886

Description of goods including the Customs Tariff Classification		Prescribed Item Number Last day of effect
5516.42.00	INTERLININGS, ARTIFICIAL HAIRCLOTH, woven Op. 30.01.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
5516.93.00	INTERLININGS, SHOULDER AND CHEST PIECE, of synthetic haircloth Op. 23.02.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
5603.12.00	FABRIC, polypropylene, coated with low density polyethylene by the cast co-extrusion method, in rolls, having a width NOT greater than 100 mm Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
5801.35	FABRIC, WARP PILE, rayon, woven, in bulk rolls, having ALL the following characteristics: a) a weight of 265 g/sq m or greater; b) width of 1.3 m or greater; c) length of 15 m or greater; d) pile having a minimum length of 6 mm; e) tensile strength, according to AS 2001.2.3 of at least 400(N) lengthwise and at least 250(N) widthwise Op. 11.09.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
5905.00.30	TEXTILE WALL COVERINGS, being ALL of the following: (a) backed with polyacrylate material; (b) fire rated in accordance with AS 1530; (c) in rolls 2 700 mm wide OR greater Op. 20.01.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
5907.00.00	TAPE, 100% cotton, undyed, laminated to paper, width NOT exceeding 25.4 mm Op. 01.07.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
6304.91.00	WALL HANGINGS, brushed polyester felt, 3 dimensional, having ALL of the following: (a) built in hook; (b) depicting children's characters or themes Op. 23.10.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
6307.90.99	SEWING KITS, educational craft, comprising patterned material and assembly guide numbers Op. 23.10.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
6810.99.00	FIGURINES, being hand painted representations of animals, made up of a minimum 70% grounded marble mix Op. 26.10.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>6815.10.00 CARBON FIBRE, in chopped form, having ALL of the following specifications:</p> <ul style="list-style-type: none"> <li>(a) density : 1.69-1.70 grams/cc;</li> <li>(b) filament diameter : 9.5 microns - 11 microns;</li> <li>(c) filament extension at break : 1.9% minimum;</li> <li>(d) ultimate tensile strength : 0.92 - 1.2 Gpa;</li> <li>(e) youngs modulus : 45-60 Gpa - mechanical strength properties;</li> <li>(f) carbon content : 69 - 72%;</li> <li>(g) filament length : 2.8 - 3.2 mm</li> </ul> <p>Op. 04.01.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>6903.20 KILN FURNITURE, being ANY of the following:</p> <ul style="list-style-type: none"> <li>(a) pin cranks;</li> <li>(b) tile cranks;</li> <li>(c) vertical plate setters;</li> <li>(d) stilts;</li> <li>(e) spurs;</li> <li>(f) star stilts;</li> <li>(g) cone stands;</li> <li>(h) plate setters</li> </ul> <p>Op. 12.02.91 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>6909.12.00 KILN FURNITURE, REFRACTORY, cordierite mullite, pressed and extruded, comprising ANY of the following:</p> <ul style="list-style-type: none"> <li>(a) batts;</li> <li>(b) props, but excluding extruded props;</li> <li>(c) caps;</li> <li>(d) interlocking furniture</li> </ul> <p>Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>6909.19.00 PUMPS, MOLTEN METAL</p> <p>Op. 18.05.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>7019.90.90 COVERS, safety, valve and flange, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) leak indicator coating;</li> <li>(b) able to operate in temperatures up to 220 degrees C;</li> <li>(c) integral tie straps</li> </ul> <p>Op. 13.10.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>7208.53.00 PLATES, non-alloy steel, hot rolled, to specification JIS G3106 SM490A, in EITHER of the following dimensions:</p> <ul style="list-style-type: none"> <li>(a) 3 mm thick x 1 500 mm wide x 4 800 mm long;</li> <li>(b) 4 mm thick x 2 000 mm wide x 4 800 mm long</li> </ul> <p>Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>7210.30 SHEET, steel, electrolytically zinc coated, having a thickness NOT exceeding 0.20 mm</p> <p>Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>7210.70.00 SHEET, GALVANISED STEEL, hot rolled, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) coated on both sides with a polyethylene and acrylic acid copolymer;</li> <li>(b) manufactured to specification ASTM A742;</li> <li>(c) minimum coating thickness of 250 microns;</li> <li>(d) width of 600 mm OR greater</li> </ul>	<p>50 04.12.02</p>

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Op. 21.05.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9903605
7212.50 HOOP OR STRIP, electroplated with ANY of the following: (a) chromium, brass or bronze; (b) nickel, polished one side; (c) copper, polished and lacquered one side, having ANY of the following dimensions: Width  Thickness (i) 34.9 mm                  0.254 mm, 0.315 mm or 0.376 mm; (ii) 38.1 mm                 0.254 mm, 0.315 mm or 0.376 mm; (iii) 54.0 mm                0.25 mm, 0.30 mm or 0.38 mm For the purposes of TC 8632436 the following tolerances apply to width and thickness: (a) width + or - 0.4 mm; (b) thickness + or - 0.02 mm	50 04.12.02
Op. 04.11.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8632436
7212.50.00 STRIP, steel, copper plated, in coil form, to BS1449, CR1-S, having ALL the following: (a) carbon 0.01% to 0.03%; (b) manganese 0.2% to 0.3%; (c) thickness 0.70 mm to 0.91 mm; (d) width 8.0 mm to 350 mm; (e) copper flash on both sides of strip	50 04.12.02
Op. 22.10.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9312559
7216.50.00 SECTIONS, RIM ADAPTOR, hot rolled pre-formed mild steel, having ALL of the following: (a) section width, 157.15 (+/- 1.2 mm); (b) section thickness, outer bead 24.64 (+/-0.5 mm), inner flat 5.0 mm (+/- 0.25 mm); (c) section length 1 500 mm to 2 000 mm; (d) locking taper 28 degrees	50 04.12.02
Op. 10.08.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9509584
7217.10 WIRE, steel, cold heading quality, in coil form, to Specification AISI K1030, having a dia of 1.40 mm or greater but NOT exceeding 11.10 mm	50 04.12.02
Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9607637
7218.99.00 BILLETS, stainless steel, square or round, NOT annealed, having ALL of the following: (a) proof tested for soundness by ultrasonics; (b) a section measurement of 380 mm OR greater; (c) in ANY of the following grades: (i) 304; (ii) 304 L; (iii) 316; (iv) 316 L	50 04.12.02
Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9604874
7219.22.00 FLAT ROLLED PRODUCTS, STAINLESS STEEL, grade Werkstoff No. 1 4003, having a thickness greater than 6 mm but NOT exceeding 10 mm	50 04.12.02
Op. 19.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9508312

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>7219.23.00 PLATES OR SHEET, stainless steel, to AISI standard 420 Op. 10.04.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 9605618 50 04.12.02</p>
<p>7222.19 BARS, stainless steel, hexagonal Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 9607635 50 04.12.02</p>
<p>7222.20 BARS, stainless steel, half round, cold drawn, annealed and pickled Op. 21.02.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 8341625 50 04.12.02</p>
<p>7228.30 BARS AND RODS, maraging steel, containing ALL of the following: (a) carbon 0.03% maximum; (b) nickel 17.0% to 26.0% (both inclusive) Op. 30.12.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 8800845 50 04.12.02</p>
<p>7304.31 TUBES, cold drawn, seamless, to ANY of the following steel grades: (a) K1006; (b) K1016; (c) K1010; (d) K1020; (e) K1026; (f) K1325 modified analysis, and ANY of the following tube specifications: (a) JIS G3445 STKM 11-20; (b) ASTM A519; (c) BS6323: Part 6: 1982; (d) CFS 1325 modified analysis, having BOTH of the following: (a) carbon content NOT less than 0.06% and NOT greater than 0.4% by weight; (b) OD NOT less than 6.4 mm and NOT greater than 203.2 mm Op. 10.06.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 9205539 50 04.12.02</p>
<p>7304.31 TUBES, seamless, carbon steel, cold draw, in straight lengths, ends plain, bevelled or threaded, but without further rework, to specification BS6258, grade 600 Op. 20.08.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 9207674 50 04.12.02</p>
<p>7305.12.00 LINE PIPE, GAS, ELECTRIC-RESISTANCE WELDED, having ALL of the following: (a) outside diameter of 450 mm to 460 mm; (b) wall thickness of EITHER 11.0 mm to 12.5 mm OR 13.5 mm to 14.5 mm; (c) manufactured to specification API 5L grade X70 Op. 06.08.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 0004554 50 04.12.02</p>
<p>7305.12.00 LINE PIPE, GAS, ERW, having ALL of the following: (a) manufactured to API 5L Grade X65; (b) outside diameter of NOT less than 580 mm and NOT exceeding 640 mm; (c) wall thickness of NOT less than 7.9 mm and NOT exceeding 9.6 mm Op. 04.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 0004490 50 04.12.02</p>



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
7305.12.00 LINE PIPE, GAS, ERW, having ALL of the following: (a) manufactured to API 5L Grade X65; (b) outside diameter of NOT less than 580 mm and NOT exceeding 640 mm; (c) wall thickness of NOT less than 6.5 mm and NOT exceeding 7.8 mm Op. 04.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 0004491	
7306.10.00 LINE PIPE, GAS, ERW, having ALL of the following: (a) manufactured to API 5L grade X65; (b) outside diameter of NOT less than 215 mm and NOT exceeding 225 mm; (c) wall thickness of NOT less than 8.5 mm and NOT exceeding 9.5 mm Op. 22.12.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 0004553	
7307.22 CONNECTORS, anaesthetic apparatus, antistatic, of stainless steel and rubber OR polypropylene construction, being ANY of the following: (a) bag mount; (b) face piece angle; (c) tube mount; (d) catheter mount; (e) feed mount; (f) swivel Y piece; (g) angled Y piece; (h) fixed Y piece; (i) face mask angle Op. 01.09.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 8734875	
7307.29.00 COUPLINGS, PIPE, face seal, stainless steel, Underwriters Laboratory OR Underwriters Laboratory Canada listed Op. 17.03.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9802347	
7307.99 COUPLINGS, compression, having a gasket and stainless steel gasket protector, BOTH with interlocking teeth Op. 09.08.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 8533795	
7312.10.00 ROPE, GALVANISED STEEL STRANDED WIRE, having ALL of the following: (a) mounted on reels with a minimum length of 9 100 m of wire/reel; (b) 56 mm to 58 mm diameter; (c) 6 x 31 (12/6 and 6/6/1) construction; (d) minimum breaking load of 217 t; (e) mass of 1 418.2 kg/100 m (+ or - 5%); (f) tensile strength of 1 670 N/sq mm; (g) right hand lang's lay - ie where the direction of lay of the outer layer of wire in the strands is the same as the direction of lay of the strands in the rope itself Op. 09.06.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02
- TC 9804904	
7315.11.00 CHAIN, power transmission, roller, heavy duty offset sidebar, complying with ALL of the following: (a) pitch 63.50 mm; (b) tensile strength 39 700 kg; (c) roller diameter 31.75 mm; (d) side plate thickness 9.5 mm; (e) side plate height 41.5 mm; (f) conforming to ANSI Standard B29.10M	50 04.12.02

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Op. 02.03.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9308582
7326.90.90 PIPE TOWING HEADS Op. 08.12.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 9810667 04.12.02
7606.92 STRIP, aluminium, in coil form, having BOTH of the following: (a) thickness NOT exceeding 2 mm; (b) width exceeding 1 930 mm Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 8809507
7607.19.00 FOIL, COLOUR TRANSFER, aluminium, being ALL of the following: (a) coated on one side with a single colour or coloured decorative pattern; (b) in rectangular sheets of 40 x 60 cm (+/- 1 cm) or 33.5 x 23 cm (+/- 1 cm); (c) having a coating which is absorbed by modified epoxy resin Op. 30.05.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9505824
7609.00 FITTINGS, butt weld, seamless aluminium alloy, having sizes 12.7 mm or greater but NOT exceeding 762.0 mm, conforming to ASTM B361 WP5083-0, being ANY of the following: (a) 90 degree elbows; (b) 45 degree elbows; (c) tees; (d) concentric and eccentric reducers; (e) caps; (f) couplings Op. 12.06.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 8531679
7616.10.00 ANCHORS, aluminium, hollow wall Op. 01.08.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 9406442 04.12.02
7616.99 FOIL, aluminium, paper backed, coated with polyester lacquer and with hypo-allergenic conductive adhesive Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 9602357 04.12.02
8205.59 COMPRESSORS, hydraulic, hand operated, for crimping electric cable Op. 06.12.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8341774 04.12.02
8205.59 TOOLS, glass-blowing, being gathering irons or blowpipes Op. 07.02.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8341849 04.12.02
8205.70 SPLICE ASSEMBLY DEVICES, optical fibre Op. 12.09.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8635110 04.12.02

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8205.80 GRINDING WHEELS with frameworks Op. 06.12.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8341794 50 04.12.02
8207.13 BITS, rotary percussive rock drilling, but NOT including ANY of the following: (a) bits designed for use with down-the-hole percussive hammers capable of drilling holes with a nominal diameter of 88 mm or greater; (b) bits designed for use with top-hole percussive hammers capable of drilling holes with a nominal diameter of 100 mm or greater; (c) integral drill steels; (c) rods with bits, being ANY of the following: (i) tapered drill rods; (ii) extension rods; (iii) speed rods (male/female); (iv) drifter rods; (v) shank rods; (vi) guide rods Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9602856
8302.41.00 TILT AND TURN MOUNTING SYSTEMS, for timber windows and doors Op. 02.04.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9309042 50 04.12.02
8307.10.00 FLOWLINES, OIL, flexible, having BOTH of the following: (a) minimum continuous length 2 550 m; (b) minimum burst pressure 458 bars (6 650 psi) Op. 20.09.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 0008024
8407.34 ENGINES, compressed natural gas, having a piston displacement of 11 L or greater Op. 02.05.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 8903533
8412.29.00 HYDRAULIC POWER UNITS, VALVE, having ALL of the following: (a) hydraulic pressure exceeding 13 000 kPa; (b) dual variable volume axial piston pumps and motors; (c) hydraulic reservoir having a capacity exceeding 375 litres; (d) relief valve; (e) emergency valve closing nitrogen operated accumulator; (f) power unit mounted control panel incorporating a programmable logical controller (PLC) Op. 12.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 0004705
8413.19.00 METERING PUMPS, PELLETISED DOG FOOD, solid OR viscous product, incorporating a feed hopper Op. 15.06.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 0004120
8413.91 CARTRIDGES, unassembled, being cartridges for rotary vane pumps having a vane size NOT exceeding 16 mm, comprising ALL of the following: (a) front bearings; (b) liners; (c) rear bearings; (d) rotors; (e) vane spacer pins; (f) vanes	50 04.12.02

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Op. 13.05.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8531689
8414.30 COMPRESSORS, refrigeration, centrifugal, discharge flow exceeding 700 cu m/min Op. 28.10.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 8334616
8414.59 BOOSTERS, vacuum, rotary lobe type, mechanical, positive displacement, having a capacity exceeding 100 cu m/h, oil free with bare shaft Op. 04.08.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 8805913
8414.59.90 AIR BLOWERS, having ALL of the following: (a) power rating of 110 kW; (b) internal rollers; (c) suction filter; (d) suction and pressure silencers; (e) non-return valves; (f) safety valves; (g) output capacity between 1 250 - 8 600 cu m/h Op. 17.09.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9708172
8417.20.00 OVENS, WAFER BAKING, having BOTH of the following: (a) minimum capacity of 50 kg/h; (b) baking time of between 1.5 and 3 minutes Op. 22.09.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9808462
8417.80.00 TEMPERING FURNACE, float glass, having ALL of the following features: (a) horizontal oscillating roller hearth tempering; (b) natural gas fired with forced convection heating; (c) heat time of 30 seconds per mm; (d) computer controlled; (e) glass thickness range 2.9 mm to 19 mm; (f) minimum glass dimension in direction of travel 350 mm; (g) maximum glass dimension in direction of travel 4 500 mm; (h) maximum glass width 2 140 mm; (i) capable of handling mixed glass colours and types in one load Op. 10.09.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9707967
8417.80.00 TEMPERING FURNACE, FLOAT AND PATTERNED GLASS, having ALL of the following features: (a) horizontal oscillating roller hearth tempering and heat strengthening; (b) natural gas fired with forced convection heating; (c) heat time of 30 seconds per mm; (d) computer controlled; (e) glass thickness range 2.8 mm to 19 mm; (f) minimum glass dimension in direction of travel 250 mm; (g) maximum glass dimension in direction of travel 4 200 mm; (h) maximum glass width 2 140 mm; (i) capable of handling clear, body tinted and surface treated glass of the same substance in one load Op. 10.09.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9707968



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8421.21.90 PRESSES, FILTER, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) 1 500 mm square plate;</li> <li>(b) minimum of 40 and maximum of 80 chambers;</li> <li>(c) cake thickness of up to and including 30 mm;</li> <li>(d) operating to a maximum of 7 bar compression pressure and comprising ALL of the following: <ul style="list-style-type: none"> <li>(i) filter press support frame;</li> <li>(ii) hydraulic power supply;</li> <li>(iii) bellows protected double acting opening/closing/tightening cylinder;</li> <li>(iv) electro hydraulic plate shifting;</li> <li>(v) filter plate suspension and track brackets;</li> <li>(vi) control panels;</li> <li>(vii) infra-red light guards;</li> <li>(viii) polypropylene filter cloths;</li> <li>(ix) polypropylene recessed chamber plate holder</li> </ul> </li> </ul> <p>Op. 11.06.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>8421.29.00 PRESSES, FILTER, SOLIDS FROM LIQUIDS SEPARATION, programmable logic controlled, comprising ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) square plates having minimum dimensions of 1 200 mm x 1 200 mm;</li> <li>(b) minimum of 30 to a maximum of 47 chambers;</li> <li>(c) polypropylene recessed chamber plates;</li> <li>(d) air AND/OR hydraulic opening and compensating closer;</li> <li>(e) electro AND/OR mechanical plate shifter;</li> <li>(f) maximum operating pressure of 7 bar;</li> <li>(g) roll-off container elevated platform;</li> <li>(h) hydraulic control centre</li> </ul> <p>Op. 26.07.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>8421.29.00 SEPARATORS, DENTISTRY AMALGAM, centrifugal vortex, maximum water flow NOT exceeding 7.5 L/min, complying with ISO WD 11143</p> <p>Op. 30.10.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>8424.89.90 COATERS, PROTECTIVE LACQUER LAYER, CD ROM, having BOTH of the following:</p> <ul style="list-style-type: none"> <li>(a) spin dryer;</li> <li>(b) ultraviolet curing and irradiation unit</li> </ul> <p>Op. 02.07.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>8424.89.90 SNOW GUNS, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) 5.5 kW on board compressor;</li> <li>(b) 20 m hose;</li> <li>(c) capability of producing 20 cu m/h of snow under the following conditions: <ul style="list-style-type: none"> <li>(i) wetbulb air temperature of -3 degrees C;</li> <li>(ii) + 2 degrees C water temperature;</li> <li>(iii) 139 L/min water flow;</li> <li>(iv) 8 bar water pressure</li> </ul> </li> </ul> <p>Op. 07.03.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02</p>
<p>8424.89.90 WASHING SYSTEMS, MALT GERMINATION UNDER BED, comprising ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) hinged 13 m radius articulated boom;</li> <li>(b) heaters fixed to rotating boom;</li> <li>(c) 260 L/m water flow at 150 bar;</li> <li>(d) ten (10) 3 port pressure solenoid valves having a working pressure of 150 bar;</li> <li>(e) variable speed motors for washing cycles;</li> <li>(f) programmed washing sequences;</li> <li>(g) articulated boom centre ring guide</li> </ul>	<p>50 04.12.02</p>

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Op. 14.03.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9702201
8424.90.00 PARTS, MALT GERMINATION UNDER BED WASHING SYSTEM, being ANY of the following: (a) washer guide rings; (b) central column; (c) plastic wheels; (d) plastic guides; (e) wheel carriers; (f) support trolleys; (g) hinged 13 m radius articulated boom; (h) articulated boom centre ring guide	50 04.12.02
Op. 01.05.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9703547
8427.10.00 FORKLIFT TRUCK, multi-directional, electric powered, driver seated ride-on type, conforming to ISO Standard 3691, having ALL of the following: (a) micro processor controlled independently electrically controlled wheel positioning; (b) push button electronic selection of driving modes; (c) driving modes including ALL of the following: (i) forward and reverse; (ii) sideways; (iii) diagonal travel to all quadrants; (iv) concentric circle configuration for axis rotation; (v) wheel chock position to prevent movement; (vi) an automatic braking emergency stop safety device; (d) fork or attachment mounting to lifting mast; (e) liquid crystal display (LCD) full time direction of travel electric indication for operator; (f) at a 600 mm load centre, a lifting capacity of 2000 kgs and over but less than 3 000 kgs; (g) travel speed without load of 9.9 km/h; (h) powered by a 5.2 kW series motor (1 hour rating) with high overload capacity; (i) electro-hydraulically operated mast reach; (j) 2 300 mm turning circle with travel mode turning on axis up to fork length of 950 mm; (k) wheel base 1 488 mm	50 04.12.02
Op. 21.10.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9408369
8428.10.00 HOISTS, RACK AND PINION, PERSONS AND/OR MATERIALS, having ALL of the following: (a) carrying capacity in excess of 1 000 kg; (b) maximum mast height of 200 m when anchored; (c) cabin gates fitted with safety switches	50 04.12.02
Op. 16.10.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9809263
8428.90.00 AERIAL WORK PLATFORMS, mobile, having ALL of the following: (a) AC OR DC power source; (b) adjustable outriggers and levelling screw jacks; (c) maximum working height of 7.7 m OR greater; (d) lifting capacity of 100 kg OR greater; (e) platform size of 66 cm x 66 cm; (f) outrigger footprint length of 150 cm OR greater; (g) outrigger footprint width of 120 cm OR greater	50 04.12.02
Op. 03.02.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9801012

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8428.90.00 DUPLEX UNITS, being paper handling devices that attach to laser printers to provide the capability of two-sided printing Op. 03.05.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9404503</p>
<p>8428.90.00 SUPPLIERS, COMPACT DISC MANUFACTURING, having BOTH of the following: (a) substrate loading side arm; (b) sputtered disc unloading side arm Op. 23.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 0004879</p>
<p>8430.49 BORING MACHINES, pneumatic, having a minimum bore size of 105 mm, capable of ALL of the following: (a) ramming; (b) boring; (c) piling; (d) hammering Op. 17.03.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9501876</p>
<p>8431.39.00 CHAIN, LAPPED STREAM NEWSPAPER HANDLING CONVEYOR, single gripper Op. 29.11.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9909275</p>
<p>8431.43 DRILLS, HYDRAULIC, down hole motor design, positive displacement hydraulic water power driven motor, having ALL of the following: (a) rotor; (b) stator; (c) bent housings for directional control Op. 20.03.91 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9102999</p>
<p>8433.90 COMPONENTS, COTTON STRIPPER, being ANY of the following: (a) stripping heads; (b) precleaners; (c) angers fans; (d) elevators; (e) boll baskets; (f) mounting frames Op. 22.10.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 8433465</p>
<p>8433.90.90 PROPELLING BASES, but NOT including agricultural implements, having ALL of the following: (a) mountings for interchangeable implements; (b) hydraulics to raise and lower implements; (c) hydraulic or shaft driven power take off; (d) engine capacity of 15 kW or greater Op. 24.07.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9509156</p>
<p>8434.20.00 COMPONENTS, RICOTA AND/OR MASCARPONE CHEESE PLANT, having a minimum production temperature of 85 degrees C, being ANY of the following: (a) flocculation tank; (b) centrifugal mixer with hopper; (c) coagulation product discharger and drainer and transferor; (d) coagulator; (e) smoother Op. 15.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 0004707</p>



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8438.10.90 PRODUCTION LINE, PLAIN OR FILLED PANCAKE Op. 14.04.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0003798 50 04.12.02
8438.50 PIG PROCESSING EQUIPMENT, capable of processing pigs at a rate exceeding 230/h and capable of processing carcasses with weights exceeding 200 kg, comprising EITHER of the following: (a) washer/dryer; (b) polisher Op. 19.06.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8733600 50 04.12.02
8438.60 BLANCHING MACHINES, nut Op. 31.07.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8434289 50 04.12.02
8438.80 SCALING MACHINES, fish Op. 16.10.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8908271 50 04.12.02
8438.80.00 CRAB MEAT MANUFACTURING LINE, comprising ALL of the following: (a) moulding machine; (b) cooking machine; (c) cutting machine; (d) bundling machine Op. 08.08.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0006955 50 04.12.02
8438.80.00 PROCESSING MACHINES, CHIPPING AND GRINDING AND MIXING FOOD, having ALL of the following: (a) three dimensional movement; (b) spherical mixing vessel; (c) maximum grinding capacity between 250 kg AND 280 kg inclusive Op. 11.03.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9901787 50 04.12.02
8438.80.00 VACUUM CORE COATERS, EXTRUDED DOG FOOD PELLETS, liquid flavour batching, incorporating a mixing machine Op. 14.06.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0004114 50 04.12.02
8438.90.10 DECKS, LOADING, UNLOADING AND TURNING MACHINE, GREEN MALT, having ALL of the following: (a) longitudinally perforated floor plates; (b) floor plate perforation size 2 mm x 20 mm; (c) floor plates attached to radial beam; (d) removable hook bolts Op. 28.04.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9703376 50 04.12.02
8439.99.00 ROLLS, DANDY, PAPER OR PAPERBOARD MAKING MACHINE Op. 11.05.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9903261 50 04.12.02
8441.10.10 REWINDERS, PAPER, equipped with log sawing knives Op. 28.06.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9904813 50 04.12.02

Description of goods including the Customs Tariff Classification			Prescribed Item Number Last day of effect
8441.80.10	REWINDERS, PAPER, equipped with log sawing knives Op. 28.06.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9904804	50 04.12.02
8451.80	BOARDING MACHINES, hosiery Op. 08.03.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8803224	50 04.12.02
8451.80	STRAIGHTENERS, weft Op. 26.08.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8808206	50 04.12.02
8451.80.00	SINGEING MACHINES, TEXTILE FABRIC Op. 31.03.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0003383	50 04.12.02
8451.90.00	PARTS, TEXTILE CUTTING MACHINE, being interchangeable cutting heads Op. 30.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9508634	50 04.12.02
8464.20.90	GLASS EDGE GRINDING AND WASHING LINE, CNC controlled, having ALL of the following: (a) two double sided diamond wheel grinding machines each having a minimum of six spindles and each capable of simultaneous grinding of both edges; (b) washing machine with frequency convertor for conveyor drive; (c) lateral driven infeed for draw-in of the glass plates on the first grinding machine; (d) squaring device and lateral alignment with positioning control on the second grinding machine with a tolerance of less than 1.0 mm measured over the diagonal; (e) maximum working width of 1 000 mm (+ or - 10%) for first grinding machine; (f) maximum working width of 1 600 mm (+ or - 10%) for the second grinding machine; (g) preset electronic width control; (h) capable of accepting glass sheets with a thickness from 3 mm to 8 mm (both inclusive); (i) grinding wheels having a coolant system consisting of ALL of the following: (i) capacity of more than 270 L/min/grinding machine; (ii) stainless steel coolant tank capacity of more than 990 L/grinding machine; (iii) two (2) 1.65 kW (+ or - 10%) coolant pumps on each grinding machine Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9703315	50 04.12.02
8464.20.90	GRINDING AND POLISHING MACHINES, glass, straight line edger, having 2 or 4 spindles and capable of working flat, mitred and pencil edges Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9703320	50 04.12.02
8465.91.00	SAWS, postforming and softforming, sliding panel, having ALL of the following: (a) two matched ground carbide tipped blades (i) 250 mm edge cutting, sensor controlled, pneumatic operated jump blade; (ii) 400 mm cutting blade, cutting height with blade angle 90 degree - 65 mm; (b) cutting height with blade angle 45 degree - 45 mm; (c) saddle length 3 200 mm or greater; (d) inclined cutting fence adjustable from - 30 degree to 45		50 04.12.02

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
degree; (e) blade guard incorporating suction facility Op. 22.11.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9313326
8465.92.00 PLANERS, thickness having ALL of the following: (a) one twin blade planing head only; (b) maximum cutting width of 312 mm; (c) maximum specified cutting depth of 3.0 mm; (d) net operating weight including planer table support system not exceeding 38 kg; (e) net operating weight of planer alone not exceeding 28 kg Op. 08.02.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9308226
8474.20.00 MILLS, BALL, ALUMINIUM PASTE AND FLAMMABLE FILTER CAKE AND WHITE SPIRIT, having ALL of the following: (a) maximum batch size of 400 kg; (b) milling to a particle size of less than 20 microns; (c) water cooled to a constant 50 degrees C; (d) controlled oxidation air flow Op. 24.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 0004967
8474.20.00 MILLS, WET GRINDING, comprising ALL of the following: (a) rod mill drum; (b) ball mill drum; (c) exciter; (d) diver motor capacity 90 kW OR greater; (e) grinding capacity of 1 500 kg/h Op. 14.08.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9807261
8474.39.00 MIXERS, ALUMINIUM PIGMENT PASTE, argon gas self-extinguishing, having BOTH of the following: (a) flame proof pneumatic fire doors; (b) anti-spark mixing section Op. 24.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 0004966
8474.90.00 PARTS, GRINDING MILL, being magnetics imbedded in rubber liner modules Op. 20.11.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9512701
8477.10 MOULDING MACHINES, injection, structural foam, single or multi-component types Op. 05.08.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 8333868
8477.80.00 ASSEMBLY MACHINES, INTRAVENOUS FLUID ADMINISTRATION SETS Op. 07.08.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 0006957
8477.80.00 DRAW STANDS, POLYETHYLENE TEREPHTHALATE (PET) STRAP Op. 31.07.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 0006800

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8477.80.00 EXTRUSION LINE, POLYETHYLENE TEREPHTHALATE (PET) STRAP Op. 03.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0004426 50 04.12.02
8477.80.00 MIXING PLANT, PVC Op. 29.03.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0003320 50 04.12.02
8477.90.90 TOOLING, TILT ACTION PRESSURE FORMING MACHINES, having ALL of the following: (a) maximum forming area NOT greater than 700 mm x 450 mm and NOT less than 500 mm x 280 mm (b) depth of draw NOT exceeding 150 mm; (c) cam operated toggle lever mechanism, computer controlled Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9703447 50 04.12.02
8479.10.00 SPREADING MACHINES, self propelled, having ALL of the following: (a) diesel powered hydrostatic drive; (b) conveyor belting; (c) hydraulic extendable powered spreader box fitted with flow gates and augers; (d) programmable logic controller Op. 02.10.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9808925 50 04.12.02
8479.89 CUTTERS, pipe, hydraulic Op. 08.05.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8438833 50 04.12.02
8479.89 PRESSES, cotton bale Op. 22.05.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8439073 50 04.12.02
8479.89 PROCESSING MACHINES, conveyorised, multilayer printed circuit board Op. 27.09.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8902673 50 04.12.02
8479.89.90 COILERS, POLYETHYLENE TEREPHTHALATE (PET) STRAP Op. 03.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0004428 50 04.12.02
8479.89.90 FEEDERS, PNEUMATIC, PELLETISED DOG FOOD INGREDIENTS, incorporating load cell mass measurement and hopper, having BOTH of the following: (a) ingredient batcher; (b) loss in weight feeder Op. 08.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0004593 50 04.12.02
8479.89.90 FEEDERS, PNEUMATIC, PELLETISED DOG FOOD PRODUCTION, GRANULAR OR POWDERED INGREDIENTS, incorporating airlocks and blowers Op. 05.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0004545 50 04.12.02

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8479.89.90 GLUING AND FEEDING MACHINE, PRINTED MATTER AND/OR SAMPLES, BOOK AND/OR MAGAZINE STITCHING LINE Op. 10.01.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9601448
8479.89.90 INSULATING GLASS SEALING PLANT, comprising ALL of the following: (a) glass positioning inlet station; (b) vertical edge sealing machine; (c) mixing and metering machine with emergency purging pump; (d) safety guards; (e) motor operated sheet glass storage racks Op. 03.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 0004465
8479.89.90 ROUND MANDREL SLIP JOINTS Op. 22.06.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9805406
8479.89.90 UNDERBALANCED WELL CONTROL AND SEPARATION SYSTEM, comprising ALL of the following: (a) four (4) phase closed loop separator; (b) geologic sampler; (c) choke manifold; (d) data header; (e) inline surface safety valve Op. 15.08.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 0007129
8479.90.90 PARTS, SANITARY NAPKIN MAKING MACHINE, being ANY of the following: (a) pulp matrix construction plates; (b) matrix transfer drum and gears; (c) product transfer or in feed parts, being belt, ejector, drive unit, vacuum supply, safety guard components; (d) adhesive applicators; (e) embossers or rollers, complete with gears; (f) counter or separator rollers, complete with gears Op. 06.07.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9802945
8480.79.00 MOULDS, MOTOR VEHICLE DASHBOARDS, being ANY of the following: (a) insert OR sub-frame moulds, having a weight greater than 13 t; (b) polyurethane foaming moulds, being two part male and female aluminium resin moulds Op. 06.11.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9809900
8481.10 VALVES, automatic, pressure reducing/shut-off, chlorine gas control and feeding apparatus, having ALL of the following: (a) capable of preventing liquefaction of chlorine; (b) manual shut-off function; (c) automatic self-compensating diaphragm capable of constant output pressure irrespective of inlet pressure; (d) diaphragms, stems, seats, springs and seals made of chlorine resistant materials Op. 24.12.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9100558

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8481.80 VALVES, formation fracturing, working pressure 103 MPa, with integral hammer unions, size 50 mm to 80 mm full bore Op. 22.02.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9002685</p>
<p>8481.80.90 VALVE SKID ASSEMBLIES, PRESSURE SWING ADSORPTION, having ALL of the following: (a) block valves; (b) butterfly valves; (c) controls; (d) interconnecting piping Op. 16.01.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9800410</p>
<p>8481.80.90 VALVES, CONE, HYDRAULICALLY ACTUATED, having a minimum bore size of 875 mm Op. 12.05.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 0004706</p>
<p>8483.10 LINERS, drum bearing, phenolic resin-teflon coated rotary vacuum drum filter Op. 06.12.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 8342180</p>
<p>8483.10.99 AGITATOR SHAFT, titanium, with OR without titanium coupling Op. 04.11.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9611939</p>
<p>8483.60.90 CLUTCHES, BALL MILL Op. 01.07.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9805749</p>
<p>8501.10 MOTORS, DC, 6 V, gas analyser Op. 23.08.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 8343026</p>
<p>8501.10.00 MOTORS, ELECTRO-MECHANICAL TIMER, synchronous, inner rotor Op. 13.11.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9709865</p>
<p>8502.20.00 MOTOR/GENERATOR SET comprising BOTH of the following: (a) 2 stroke spark combustion engine, 33 cc; (b) 12 V DC generator, 0.2 kW maximum output Op. 15.03.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9403670</p>
<p>8504.40 POWER SOURCES, AC, solid-state, conversion of three phase 50 Hz power to three phase 60 Hz power, providing output with total harmonic distortion NOT exceeding 0.5% Op. 13.03.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 8343055</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8504.40.90 CHARGERS, 12V DC powered capable of concurrently charging two nickel cadmium accumulators of the following type: (a) 6V; (b) 5 cells; (c) not less than 1 100 mA/hr; (d) moulded case; (e) inbuilt terminal connectors; (f) nominal dimensions 77 mm x 59 mm X 24 mm Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02  - TC 9601892
8511.30.00 IGNITION COILS, capacitor discharge ignition compatible, capable of ALL of the following: (a) operate in the primary winding between 0.23 and 0.7 ohms; (b) operate in the secondary winding between 8 and 16 ohms; (c) operate between 160 and 220 W Op. 26.08.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02  - TC 9307585
8511.90.00 ELECTRODES, ground, copper core Op. 19.12.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02  - TC 9500322
8518.29.90 LOUDSPEAKERS, unmounted, in-car type, having ALL of the following: (a) frequency response in the range of 21 Hz - 1.5 kHz; (b) magnet weight in the range of 500 g - 3 800 g; (c) driver diameter in the range of 203 mm - 458 mm; (d) PVA treated or Kevlar reinforced cone material; (e) flat or inverted dustcap Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02  - TC 9703709
8518.29.90 TWEETERS, 25 mm textile dome, having ALL of the following: (a) frequency range no lower than 1 000 Hz; (b) 25 mm voice coil; (c) a magnet weight no greater than 250 grams; (d) a plastic "tear drop profile" face plate Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02  - TC 9703727
8525.10 TRANSCODERS, colour television component source output conversion to one or more types of colour television component outputs Op. 17.08.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02  - TC 9007248
8527.39 SATELLITE RECEPTION APPARATUS, comprising ALL of the following: (a) satellite receiver, input signal 950-1 450 MHz phase locked loop tuning, 8 MHz IF bandwidth; (b) sub-carrier demodulator, single or multi-channel for demodulation of compressed audio, crystal stable, but NOT including RECEIVERS or DEMODULATORS of B-MAC or PAL Transmissions Op. 25.07.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02  - TC 9006586
8528.12.00 RECEIVERS, capable of receiving satellite television transmissions having an input frequency range from NOT less than 950 MHz to NOT more than 1 700 MHz and capable of ALL of the following: (a) phase locked loop tuning in steps of 1 MHz or less; (b) audio sub-carrier tuning range from 5.0 MHz + or - 10% to 8.4 MHz + or - 5% selectable in steps of 20 kHz or less; (c) selectable C or Ku band operation; (d) composite baseband output compatible with BMAC or encrypted	50 04.12.02

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
PAL transmission formats	
Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9601822
8529.90.30 FILTERS, bandpass, tunable, operating in the range 835-940 MHz, having a passband of 3 MHz, maximum passband insertion loss of 3 dB and attenuation as follows: (a) at Fo + or - 5 MHz, attenuation greater than 45 dB; (b) at Fo + or - 7 MHz, attenuation greater than 70 dB	50 04.12.02
Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9703839
8529.90.30 PARTS, RADAR, exported from Australia for repair or renovation, being ANY of the following: (a) cavity assembly; (b) power divider; (c) planar array; (d) detector circuit; (e) waveguide null horn; (f) waveguide switch; (g) phase comparator; (h) comparator; (i) coupler RF elevation; (j) coupler RF azimuth; (k) gimbal sub assembly; (l) elevation gyro; (m) calibrator	19 04.12.02
Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9703845
8536.49 RELAYS, cradle, having ALL of the following: (a) maximum switching current NOT exceeding 5 A (AC or DC); (b) switching voltage NOT exceeding 250 V (AC or DC); (c) body dimensions NOT exceeding 31 mm x 36 mm x 19 mm	50 04.12.02
Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8635404
8543.20 SIGNAL GENERATORS, level having ALL of the following characteristics: (a) a maximum frequency range greater than 200 kHz; (b) output impedance switchable to at least 600, 150, and less than 5 ohms; (c) a coaxial impedance of 75 ohms; (d) output level selection by keypad	50 04.12.02
Op. 09.07.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9006031
8544.51.90 ADAPTORS, COMPUTER, LINE CORD, having ALL of the following: (a) RISC (reduced instruction set computing) configuration; (b) rated for 110 V AC; (c) length NOT exceeding 190.0 cm; (d) incorporating a socket and plug containing provision for at least one pin of cylindrical shape	50 04.12.02
Op. 30.12.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9711335
8602.10.00 LOCOMOTIVE, 6000 HP, AC traction, incorporating a single inverter per motor, microprocessor controlled with self diagnostic monitoring and self reset capability	50 04.12.02
Op. 28.04.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9902907



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8705.90 VEHICLES, roadmarking, capable of spreading thermoplastic paint on road surfaces Op. 04.09.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 8903531
8708.40.99 TRANSMISSIONS, POWER SHIFT, having ALL of the following: (a) hydraulically activated clutch; (b) minimum power input capacity exceeding 50 kW; (c) countershaft design; (d) minimum of three forward and three reverse gear ratios but NOT including power shift transmissions of the epicyclic type Op. 03.04.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9704649
9017.80.20 TAPE MEASURES, comprising ALL of the following: (a) steel blade; (b) battery operated electronics; (c) electronically displaying a length that may or may not take into account the length of the tape measure case; (d) electronically displaying ALL of the following: (i) inches and fractions to 1/16 of an inch; (ii) feet, inches and fractions of an inch; (iii) centimetres and millimetres; (e) retains the last measurement in electronic memory Op. 03.09.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9906591
9029.20 STROBOSCOPES, diesel engine timing, having piezoelectric crystal transducers Op. 10.06.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 8432856
9405.40.00 FLEXIBLE LIGHT TUBES, being a series of 0.46 watt globes at 25 mm intervals, encased within a solid polyvinyl chloride tube Op. 22.06.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9405291
9502.10.00 FIGURES, PLASTIC, being ALL of the following: (a) dressable; (b) having articulated limbs; (c) height 30 cm (+/- 1 cm); (d) having ALL of the following: (i) airtank; (ii) snorkel; (iii) goggles; (iv) lifevest; (v) flippers; (vi) speargun Op. 31.05.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9608309
9503.41.00 MASCOT BEARS, FOOTBALL CLUB, stuffed, having ALL of the following: (a) pressure activated vocals; (b) pre-programmed integrated circuit chip; (c) maximum height 25 cm; (d) football club beanie; (e) football club scarf Op. 12.10.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 04.12.02 - TC 9809147

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>9503.90.99 WALKERS, MOTOR CAR, rigid plastic, height adjustable Op. 03.11.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9709689</p>
<p>9504.90 GAMBLING EQUIPMENT OR ACCESSORIES, being EITHER of the following: (a) keno balls; (b) keno cages Op. 02.12.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 8735908</p>
<p>9506.91.00 EXERCISE EQUIPMENT, BICYCLE, TRAINER, microprocessor controlled, having ALL of the following features: (a) LCD handlebar display module with six button keypad; (b) rear mount stand; (c) load capacity 400 W continuous; (d) stand alone operation or interactive video software; (e) interface with entertainment system; (f) simulates road grade, headwind, tailwind, rider inertia and the effects of drafting; (g) computer generated competitor; (h) five real road courses and the ability to create courses; (i) pedal stroke analyser; (j) heart rate monitor; (k) electronic display of current speed, distance, time, lead distance, horsepower, calories burned; (l) distance controlled programs with four distances and three levels of difficulty; (m) connectable to a second unit for real-time competition Op. 14.09.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9510617</p>
<p>9506.91.00 EXERCISE EQUIPMENT, with OR without recorded demonstrational video cassette, having ALL of the following: (a) plastic construction; (b) adjustable tension; (c) reversible handle; (d) moulded thigh grips; (e) elastic tension band OR bands; (f) total operating weight less than 1 kg Op. 08.12.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9400373</p>
<p>9612.10.00 RIBBONS, COLOUR PRINTER, THERMAL TRANSFER, being ALL of the following: (a) 203 m in length (+/- 18 m); (b) 25.7 mm inner diameter (+/- 0.2 mm), with a core of length 316 mm (+/- 0.5 mm); (c) 3 or 4 colours, being: (i) cyan, magenta and yellow; (ii) cyan, magenta, yellow and black Op. 14.12.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 04.12.02 - TC 9600398</p>

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(1)&(2) - TARIFF CONCESSION ORDER REVOKED AND A NARROWER TARIFF CONCESSION ORDER MADE

Tariff Concession Orders and Commercial Tariff Concession Orders for the good described in the following TABLE have been revoked and narrower Tariff Concession Orders have been made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

NOTE: This replaces the incorrect notice on page 29 of Gazette TC 02/40 dated 9 October 2002.

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
TCO REVOKED 3926.90.90 YARN, FIBREGLASS, multifilament, PVC coated Op. 26.02.02 NOTE: Revoked in accordance with ss.269SD(2) of the Customs Act. Tariff Classification change - see now TC0209002. In-transit provisions do NOT apply.	- TC 0201734 50 26.02.02
TCO REISSUED 5404.10.00 YARN, FIBREGLASS, multifilament, PVC coated Op. 27.02.02	- TC 0209002 50

CUSTOMS ACT 1901 - NOTIFICATION OF REQUEST FOR REVIEW OF A DECISION

A request has been received for review by the ACS of the decision made on a Tariff Concession Order Application for goods described in the following TABLE.

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number Date of Lodgement of Request	Initial Decision
8518.22.00 LOUDSPEAKERS, ACTIVE, self powered, having ALL of the following: (a) internal transducer; (b) active crossover; (c) drive protection; (d) frequency and phase response correction; (e) power amplifier; (f) dual network connectors Op. 13.03.02	50 23.10.02 - TC 0202179	Refused

CUSTOMS ACT 1901 - NOTIFICATION OF REQUEST FOR REVIEW OF A DECISION

A request has been received for review by the ACS of the decision made on a request for revocation of a Tariff Concession Order for goods described in the following TABLE.

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect	Initial Decision
8424.30.90 PRESSURE CLEANERS, domestic, maximum flow rate 10 litres/minute Op. 01.01.02	50 - TC 0109354 18.07.02	Revoked

NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of determinations applying to goods of a kind specified in the table below.

In the table:

- (i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the Determination reference number;
- (ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods.

THE TABLE

Description of Goods Dates of Effect		Prescribed Item Number
One (1) only Stair Elevator, being an aid and appliance for the disabled. 01.12.02 to 31.01.03	- MD 346553	12
One (1) only Stair Elevator, being an aid and appliance for the disabled. 01.11.02 to 31.12.02	- MD 346554	12
One (1) only F 1016/20 II Electro-Slag Remelting (ESR) Furnace, meeting the terms of TC 0207964. 08.04.02 to 31.05.02	- MD 346555	45
Twenty nine (29) only butterfly valves, meeting the terms of TC 9501185. 30.08.02 to 31.12.02	- MD 346557	45
One (1) only Spooner Vicars sandwiching machine, meeting the terms of TC 0206253. 07.11.02 to 31.12.02	- MD 346550	46
One (1) only Shortwave Radio Broadcasting Transmitter donated for the purposes of performing work of a philanthropic nature. 01.11.02 to 30.11.02	- MD 346547	23A