



**Commonwealth
of Australia**

Gazette

No. TC 03/24, Wednesday, 25 June 2003
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

Applications forTCOs.....	2
TCOs Made.....	4
Customs Initiated - TCOs Revoked – Unused for over two years ...	5
Determination Made	31
Item 25A By-Law Made and Revoked	32

FREE Customs Tariff Concessions Gazettes available at: <http://www.customs.gov.au>

Select “import/export”, then “tariff” and finally “tariff concession gazette”. Select from the list of Adobe Portable Document Format (PDF) files.

General Inquiries: (02) 6275 6483

Facsimile: (02) 6275 6376

SUBSCRIPTIONS Telephone: 132 447

Facsimile: (02) 6295 4888

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Submission forms are available from Custom Houses throughout Australia or preferably on the Customs web site www.customs.gov.au

For guidance on the required description style contact Glen Beatty on phone 02 6275 6489, fax 02 6275 6376 or email glen.beatty@customs.gov.au

THE TABLE

Description of goods including the Customs Tariff Classification		Prescribed Item Number
3204.17.00	<p>PIGMENT VIOLET 29 Op. 20.05.03</p> <p>Stated Use: Used in the manufacture of automotive paint</p> <p>Applicant: DIC INTERNATIONAL AUST P/L DANDENONG SOUTH, VIC, 3164</p>	- TC 0305975 50
3926.90.90	<p>CLIPS, DIELECTRIC, plastic, comprising two clips connected through a plastic breakaway joiner Op. 27.05.03</p> <p>Stated Use: Designed to hold gloves onto clothing, backpacks etc</p> <p>Applicant: VISION SAFE PTY LTD T/AS PPE SAFETY MUNDARING, WA, 6073</p>	- TC 0306291 50
5907.00.00	<p>FABRIC, WOVEN, PVC coated, aluminium coated on one side, vacuum bonded Op. 27.05.03</p> <p>Stated Use: Used in the production of window blinds, to reduce glare, retain heat, and provide privacy</p> <p>Applicant: VEROSOL AUSTRALIA PTY LTD KINGSGROVE, NSW, 1480</p>	- TC 0306343 50
6005.31.00	<p>NETTING, WARP KNIT RASCHEL, knotless, having ALL of the following: (a) width NOT less than 5.5 mm; (b) mesh size greater than 50 sq cm; (c) weight NOT greater than 400 g per square metre Op. 27.05.03</p> <p>Stated Use: In the manufacture of nets for the commercial tuna fishing industry</p> <p>Applicant: MEYDAM AUSTRALIA PTY LTD PORT LINCOLN, SA, 5606</p>	- TC 0306344 50
6404.11.90	<p>FOOTBALL BOOTS, having ANY of the following attached to the sole: (a) screw in studs; (b) moulded studs or stops Op. 02.06.03</p> <p>Stated Use: Football boots (AFL, soccer, rugby) for use on firm or soft natural surfaces</p> <p>Applicant: PUMA AUSTRALIA PTY LTD MOORABBIN, VIC, 3189</p>	- TC 0306695 50

Description of goods including the Customs Tariff Classification	Prescribed Item Number
8417.20.00 BAKERY OVEN, ICE CREAM CONE, with interchangeable baking moulds, gas heated Op. 20.05.03 Stated Use: Manufacture of ice cream cones Applicant: JPMR INVESTMENT PTY LTD RESERVOIR, VIC, 3073	50 - TC 0306033
8417.90.00 TUBES AND FITTINGS, ETHYLENE STEAM CRACKING FURNACE, having BOTH of the following: (a) chromium content NOT less than 24% and NOT greater than 28%; (b) nickel content NOT less than 33% and NOT greater than 37% Op. 28.05.03 Stated Use: Assist with furnace function Applicant: QENOS PTY LTD ALTONA, VIC, 3018	50 - TC 0306409
8474.20.00 ROLLER MILLS, vertical airswept, pendulum style, comprising a bull ring NOT less than 60 cms in diameter Op. 23.05.03 Stated Use: Fine milling of minerals Applicant: BEN CASEY PTY LTD COWRA, NSW, 2794	50 - TC 0306164
8477.40.00 FORMING MACHINES, VACUUM, computer controlled, having BOTH of the following: (a) adjustable platten size NOT less than 3 square metres; (b) adjustable draw depth NOT less than 1 000 mm Op. 21.05.03 Stated Use: Vacuum forming plastics Applicant: OAKMOORE PTY LTD T/AS EGR PLASTICS SALISBURY, QLD, 4107	50 - TC 0306039
9107.00.00 TIMERS, ELECTROMECHANICAL Op. 23.05.03 Stated Use: Electromechanical domestic washing machine timers Applicant: INVENSYS APPLIANCE CONTROLS PENDLE HILL, NSW, 2145	50 - TC 0306131
9503.41.00 COMFORTERS, INFANT BEDTIME, comprising a stuffed figurehead (head and arms), representing animals OR non-human creatures, combined with a security blanket having a length NOT greater than 50 cm and a width NOT greater than 50 cm Op. 02.06.03 Stated Use: A toy used to comfort infants at bedtime Applicant: HOWARD CHIA IMPORTS PTY LTD ARTARMON, NSW, 2064	50 - TC 0306693

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDERS AND COMMERCIAL TARIFF CONCESSION ORDERS
 REVOCATION AT THE INITIATIVE OF CUSTOMS

The Tariff Concession Orders or Commercial Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these Orders was notified in Gazette TC 03/20 dated 28 May 2003.

The following Orders notified in that Gazette have NOT been revoked at the request of importers on this occasion: 8805647, 9508971, 9609365, 9609856, 9703418, 9703918, 9708339, 9708342, 9800642, 9908100, 0001210 and 0101689.

Contact: Mr Geoff Hollins, phone 02 6275 6385, fax 02 6275 6376 or email geoff.hollins@customs.gov.au

THE TABLE

COLUMN 1 Description of Goods including the Customs Tariff Classification	COLUMN 2 Prescribed Item No. Date
2915.29 ZIRCONYL ACETATE Op. 11.10.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 8340329
3204.17.00 PIGMENT PREPARATIONS, but NOT including masterbatches, synthetic, based on pigments listed in THE TABLE hereunder, having ALL of the following characteristics: (a) dry powder OR granular chip form; (b) dispersed in acrylic resin THE TABLE Pigment Pigment Black 7 Pigment Red 122 Pigment Orange 5 Op. 29.01.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9602275
3206.49.00 PIGMENT PREPARATIONS, but NOT including masterbatches, synthetic, based on pigment black 7 Cl 77266, having ALL of the following characteristics: (a) a dry powder or granular form; (b) predispersed by particle coating in ANY of the following dry media: (i) ethyl cellulose; (ii) modified rosin esters; (iii) vinyl copolymers; (iv) acrylic Op. 01.08.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9406455
3208.90.00 SURFACING PREPARATIONS, capable of withstanding 98% sulphuric acid solution at a temperature of 110 degrees C without deterioration, being ANY of the following: (a) a two-component, polyurethane based primer/sealer; (b) an aromatised polyisocyanate, 45% in an organic solution; (c) a solution of unsaturated polyester resins in styrene Op. 27.03.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9802677
3808.10.90 MOSQUITO REPELLANT, in bottles having ALL of the following: (a) PETG (polyethylene terephthalate) material; (b) wick holder, HDPE (high density polyethylene); (c) screw cap, urea resin; (d) ceramic wick, porous; (e) height not exceeding 75 mm Op. 14.02.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9501789
3808.30.00 HERBICIDE, having a basis of clomazone Op. 07.06.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 0005379

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3814.00.00 SOLVENTS, fusing agent, having a basis of dichlorofluoroethane Op. 25.11.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9313841
3815.90.00 PREPARATIONS, having a basis of peroxy substituted cyclohexane and butylbenzyl phthalate Op. 24.05.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9304987
3824.90.90 PENTACHLOROTHIOPHENOL, incorporating metal complex additives Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9705740
3901.90 TERPOLYMERS OF ETHYLENE, TERTIARY BUTYLACRYLATE AND ACRYLIC ACID Op. 09.10.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 8908097
3903.11.00 COPOLYMERS of polystyrene and polyethylene for processing by the steam moulding method consisting of at least 30 per cent polystyrene and 5 per cent hydrocarbon blowing agent Op. 29.10.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9209352
3903.90.00 POLY-(DIBROMOSTYRENE), having a bromine content of 59.0% Op. 07.06.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9608700
3906.90 ACRYLAMIDE-SODIUM ACRYLATE COPOLYMERS, cross-linked, NOT water soluble Op. 30.04.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 8633179
3906.90.00 ACRYLIC RESIN, pellet form, having BOTH of the following: (a) exhibiting a flow of greater than 20g/10 min when tested in accordance with ASTM D1238; (b) having a light transmission of at least 92% at 3.2 mm when tested in accordance with ASTM D1003 Op. 05.03.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9604171
3910.00 FLUOROSILICONE FLUIDS Op. 25.10.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 8340282
3919.90.00 FILMIC TAPE with permanent adhesive on one side and removable on the other Op. 16.12.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9500291
3919.90.00 POLYMERIC POLYVINYL CHLORIDE, planar form, having ALL of the following: (a) thickness of film without adhesive 50 micron + or - 10%; (b) stabilized with titanium oxide; (c) elongation of more than 200% Op. 11.05.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9305600

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>3921.90 POLYPROPYLENE PLANAR FORMS, biaxially oriented, laminated with a layer of polyethylene, having ALL of the following characteristics: (a) colour printed; (b) total nominal thickness of 0.05 mm; (c) weight 50 g/sq m or greater but NOT exceeding 75 g/sq m; (d) nominal shrinkage of 4% in the machine direction and a nominal shrinkage of 6% in the transverse direction at 120 degrees C Op. 28.06.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>- TC 8533336</p>	
<p>3921.90.90 FABRIC, woven textile polyvinyl chloride (PVC) coated shelf and display case liner, having ALL of the following: (a) grip and cushioning of fresh food products for display where maximum airflow is required; (b) capable of gripping products for display at an angle of 70 degrees; (c) mildew resistant; (d) meets approved USA Food and Drug Administration sanitation guidelines; (e) width of rolls NOT exceeding 915 mm; (f) length of rolls NOT exceeding 18.50 m Op. 23.05.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>- TC 9404811</p>	
<p>3923.30.00 JARS, clear acrylic, incorporating snap tight buckle and silicon seal Op. 12.10.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>- TC 9408150</p>	
<p>3923.50.00 CLOSURES, snap on bottle, tamper proof evident, incorporating a built in pourer Op. 12.07.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>- TC 9306905</p>	
<p>3923.90.00 CONTAINERS, microwaveable, copolymer polypropylene, having snap lids with attached tamper proof shrink sleeve seal, with volumes of 380 ml and 520 ml and depth of 75 mm and 114 mm respectively Op. 17.11.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>- TC 9313234</p>	
<p>3926.90.90 DETECTORS, TILT LEVEL, having a metal disc housed in a plastic cartridge Op. 06.02.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>- TC 9801155</p>	
<p>4823.60.00 PRESSED PAPERBOARD TRAYS, with or without lids, polyester laminated (non stick) inner surface, microwaveable AND ovenable, unprinted OR printed with not greater than 5 colours, capable of withstanding temperatures of 204 degrees C (400 degrees F) or greater for 60 minutes in a conventional oven Op. 10.10.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>- TC 9407788</p>	
<p>4823.90.90 BASE SHEETS, AIRLAID, INCONTINENCE, in roll or festooned box form Op. 07.03.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>- TC 0102214</p>	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
5108.20.00 CASHMERE YARN, on cones, having ALL of the following:	50
(a) 100% cashmere; (b) 2/26 to 2/30 Nm; (c) waxed; (d) oiled; (e) dyed spun on Woollen System	18.06.03
Op. 14.02.95	- TC 9504002
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
5407.53.00 FABRIC, NAPERY, 100% TEXTURED POLYESTER FILAMENT, having ALL the following:	50
(a) weight NOT less than 200 gsm; (b) tensile strength, warp and weft, NOT less than 133 N; (c) tear strength, warp and weft, NOT less than 11 N; (d) warp yarns of NOT less than 65 per inch (25.4 MM); (e) weft yarns of NOT less than 50 per inch (25.4 MM); (f) shrinkage at 60-65 degrees C, warp and weft, NOT more than 3%; (g) yarn size 325 denier (+ or -2%)	18.06.03
Op. 15.01.01	- TC 0100386
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
5407.61.00 FABRIC, WOVEN, heat stabilised scrim, 100% polyester, having ALL of the following:	50
(a) warp threads/cm NOT less than 8.65 and NOT more than 8.75; (b) weft threads/cm NOT less than 3.1 and NOT more than 3.2; (c) yarn size 140 decitex (14/1) in both directions; (d) weight NOT less than 50 gsm and NOT more than 60 gsm; (e) tensile strength 85 N/cm (+ or - 25%) in the warp direction and 35 N/cm (+ or - 25%) in the weft direction	18.06.03
Op. 20.10.97	- TC 9709272
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
5509.99.00 YARN, core spun, single or plied, comprising BOTH of the following:	50
(a) core of continuous filament E-glass fibre; (b) cover of aromatic polyamide fibre	18.06.03
Op. 19.02.98	- TC 9801543
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
5510.90.00 YARN, 2 ply, 52% viscose rayon, 48% polyester, ring spun, high twist of 800 to 1000 single x 300 to 400 plied twists per metre, count 25 tex (ECC 24) in the single	50
Op. 28.06.95	- TC 9508540
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
5512.19 FABRIC, polyester, woven, coated on both sides with phenolic resin	50
Op. 10.04.87	- TC 8733065
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
5603.12.00 FABRIC, spunbonded, non woven, made of polyethylene (sheath) and polyester (core) bi-component continuous filament, having ALL of the following:	50
(a) weight 35-45 gsm inclusive; (b) thickness 0.25 - 0.35 mm inclusive; (c) width equal to or less than one metre; (d) tensile strength of between 15 - 25 kg/5 cm inclusive Machine Direction (MD) & 5 - 10 kg/5 cm inclusive Cross Direction (CD) (e) elongation between 65 - 75% in either MD or CD; (f) tear strength (MD) between 0.5 - 1.0 kg inclusive.	18.06.03
Op. 01.07.96	- TC 9601326
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>5903.20.10 TAPES, CARRIER, flat, anti static, maximum thickness 2.1 mm, polyester with one outer layer of polyurethane Op. 01.03.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 0102019</p>
<p>5903.90 FILM, planar, with woven polyester base, coloured or pigmented, having ALL of the following: (a) nominal thickness of 0.085 mm; (b) grammage of 70 g/sq m or greater but NOT exceeding 90 g/sq m; (c) shrinkage of 5% in machine direction and 5% in transverse direction at 150 degrees C Op. 28.06.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 8533789</p>
<p>6307.90.99 CORD OR BRAID, EXTERNAL LOUVRE BLIND, aramid reinforced, fitted with slat supports Op. 22.06.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9805407</p>
<p>6402.19.00 HIGH JUMP SHOES, metal spiked Op. 13.02.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 0101371</p>
<p>6402.19.00 JAVELIN SHOES, covering the ankle, metal spiked Op. 13.02.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 0101373</p>
<p>6404.11.90 SPORTING FOOTWEAR, TRACK SHOE, not having a heel, size 4 US fitting and above, having ALL of the following : (a) a spike plate at the forefront of the shoe containing seven circular spike holders moulded into the spike plate; (b) each spike holder having ALL of the following: (i) a diameter of 21mm +/- 10%; (ii) a height of 3mm +/- 10% measured from the sole immediately adjacent to the spike holder; (iii) a threaded metal insert having an internal diameter of 4mm and a thread length of 5mm; (c) weight of each pair of shoes, including the weight of a full set of spikes and laces if applicable, not to exceed 499gms (d) a full set of spikes incorporated with each pair of shoes (e) height of each screw in spike measured from the face of the sole immediately adjacent to the spike to be a minimum of 4mm and a maximum of 10mm (f) five plastic stops moulded to the forefront of the shoe (g) no provision for attachment of, or existence of spikes, studs or cleats in any part of the shoe apart from the forefront Op. 22.12.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9903384</p>
<p>6804.22 PENS, abrasive rust eraser, hand held, manually operated, comprising BOTH of the following: (a) pen-like holder having an in-built advance/retract mechanism; (b) abrasive eraser elements, being resin coated glass filaments set in a brass sleeve Op. 16.11.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 8435117</p>
<p>6909.12 PUMPS, molten metal Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9607586</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>6909.19 SUPPORTS, ceramic tower, internal, for absorption, drying, cooling, stripping or scrubbing columns, being EITHER of the following: (a) support bars with grid blocks or cross partition rings; (b) support plates and liquid distributors Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9608445</p>
<p>7019.19 YARNS, glass fibre, 33-1-0 tex, continuous filament yarns coated with a size showing epoxy functionality Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9606568</p>
<p>7211.19 HOOP AND STRIP, hardened and tempered Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9605658</p>
<p>7212.40.00 STRIP, tin free steel, having ALL of the following: (a) thickness between 0.30 mm to 0.45 mm inclusive; (b) of rectangular section; (c) width NOT exceeding 500 mm; (d) treated with an electrochemical layer of chromium OR chromium oxide; (e) coated on both sides; (f) one OR both of those sides having a pigmented food contact coating Op. 04.05.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9803707</p>
<p>7212.60 HOOP OR STRIP, steel, clad with nickel, chromium, leaded-copper or leaded-tin bronze, but NOT including alphasized steel For the purposes of TC 8434690 the term alphasized steel means steel into the surface of which chromium has been diffused by means of a gas process Op. 16.10.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 8434690</p>
<p>7216.69.00 WIRE, non alloy steel, "A" shaped, having ALL of the following: (a) chemical composition by weight of ALL of the following: (i) carbon 0.05% maximum; (ii) phosphorous 0.04% maximum; (iii) manganese 0.45% maximum; (iv) silicon 0.05% maximum; (v) sulphur 0.04% maximum; (b) tensile strength between 550-1100 MPa; (c) harden and temper 22 Rc Op. 01.02.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 0101091</p>
<p>7216.69.00 WIRE, non alloy steel, "D" shaped, having ALL of the following: (a) chemical composition by weight of ALL of the following: (i) carbon 0.50% maximum; (ii) phosphorous 0.03% maximum; (iii) manganese 0.90% maximum; (iv) silicon 0.40% maximum; (v) sulphur 0.03% maximum; (b) tensile strength between 840-1300 MPa; (c) harden and temper 39 Rc Op. 01.02.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 0101090</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
7217.10 WIRE, piano, bright, tinned or polished, but NOT including bright wire having a dia of 0.234 mm to 3.658 mm (both inclusive) Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9605784
7217.10 WIRE, soft rolled, flat, to Specification AISI C1010, having a thickness of 1.6 mm and within the width range of 12.7 mm to 15.75 mm (both inclusive) Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9607815
7217.10.00 WIRE, STEEL, diameter of 2.5mm to 3.5 mm, having the following chemical composition: (a) carbon 0.06%-0.11%; (b) phosphorus 0.04-0.08%; (c) manganese 0.80%-1.00%; (d) silicon 0.10% maximum; (e) sulphur 0.015%-0.07%; (f) nickel 0.006%-0.012%; (g) aluminium 0.005% maximum Op. 05.01.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 0100127
7219.22.00 PLATES OR SHEETS, stainless steel, to ASTM A240, in ANY of the following grades: (a) 316; (b) 316L; (c) 304; (d) 304L; (e) 321; (f) UNS S41050 Op. 27.03.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9702581
7219.31.00 PLATES, SHEETS OR COILS, stainless steel, to ASTM A240, in ANY of the following grades: (a) 316; (b) 316L; (c) 304; (d) 304L; (e) 321 Op. 27.03.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9702515
7219.32.00 FLAT ROLLED PRODUCTS, stainless steel, Grade UNS S30815, having a chemical composition by weight of ALL of the following: (a) carbon 0.1% maximum; (b) silicon 1.40% to 2.00% (both inclusive); (c) manganese 0.8% maximum; (d) phosphorous 0.040% maximum; (e) sulphur 0.030% maximum; (f) chromium 20% to 22% (both inclusive); (g) nickel 10% to 12% (both inclusive); (h) cerium 0.03% to 0.08% (both inclusive); (i) nitrogen 0.14% to 0.20% (both inclusive) Op. 21.01.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9401449
7220.20.00 STRIP, cold rolled, stainless steel, width NOT exceeding 384 mm, thickness 0.35 mm or greater but NOT exceeding 0.91 mm, having a chemical composition by weight of ALL of the following: (a) carbon - 0.05% maximum; (b) manganese - 0.30% to 0.50% (both inclusive); (c) iron - 29% to 73% (both inclusive); (d) sulphur - 0.005% maximum;	50 18.06.03

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
(e) nickel - 12% to 15% (both inclusive); (f) chromium - 19.5% to 21.0% (both inclusive); (g) titanium - 0.25% to 1.0% (both inclusive); (h) phosphorus - 0.02% maximum Op. 07.01.94	- TC 9401239
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7222.19 BARS, stainless steel, hot rolled, NOT further worked than heat treated, pickled or mechanically descaled, to specification AISI 304, but NOT including flat bars Op. 01.07.96	50 18.06.03 - TC 9606748
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7223.00.00 WIRE, stainless steel, cold rolled flat section, in accordance with specification AISI grades 304 or 316 in the following nominal sizes: (a) 12 mm x 3 mm round edge; (b) 6.4 mm x 3 mm Op. 25.09.95	50 18.06.03 - TC 9510818
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7226.20 STRIP, of rectangular section, of a thickness NOT exceeding 6 mm, of a width NOT exceeding 500 mm and of such dimension that the thickness does NOT exceed one tenth of the width Op. 28.02.84	50 18.06.03 - TC 8734432
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7228.30.10 BARS AND RODS, high alloy steel, to specification DIN 1.2210 Op. 04.04.96	50 18.06.03 - TC 9605325
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7228.30.10 BARS OR RODS, high alloy steel, to standard AISI A6 (DIN 70MnMoCr8) Op. 10.04.96	50 18.06.03 - TC 9605610
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7228.60.10 BARS, high alloy, forged steel, grade AISI 4340, having a diameter NOT less than 310 mm Op. 02.06.95	50 18.06.03 - TC 9505962
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7229.90 WIRE, metallising, spray gun, having a chemical composition by weight of ALL of the following: (a) carbon - 0.04% to 1.0% (both inclusive); (b) manganese - 2.0% to 2.5% (both inclusive); (c) chromium - 1.5% to 2.0% (both inclusive); (d) nickel - 3.5% to 4.5% (both inclusive); (e) molybdenum - 1.5% to 2.0% (both inclusive); (f) phosphorus - 0.03% maximum; (g) sulphur - 0.03% maximum Op. 16.11.87	50 18.06.03 - TC 8735438
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7304.41 TUBES, alloy steel, in straight lengths, ends plain, bevelled or threaded in accordance with JIS pipe material specification but without further rework, containing NOT less than 12% by weight of chromium, having EITHER of the following: (a) OD NOT exceeding 105 mm and WT NOT less than 4.5 mm but NOT exceeding 25 mm; (b) OD NOT less than 105 mm and WT NOT exceeding 25 mm Op. 24.01.90	50 18.06.03 - TC 9001785

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7304.59.00 TUBES OR HOLLOW BARS, seamless, alloy steel, being ALL of the following: (a) hot finished in straight lengths; (b) ends plain OR bevelled OR threaded; (c) specification ASTM A519 grade 4340; (d) quenched and tempered Op. 17.11.97	50 18.06.03
- TC 9710139	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7304.59.00 TUBES OR PIPES, seamless alloy steel, hot rolled, to ASTM A519-90 Grade 280T, having ALL of the following: (a) outside diameter of NOT less than 89 mm and NOT more than 91 mm; (b) inside diameter of NOT less than 66 mm and NOT more than 68 mm; (c) wall thickness of NOT less than 10 mm and NOT more than 12 mm Op. 12.02.01	50 18.06.03
- TC 0101370	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7304.90 TUBING, Bourdon, conforming to BS 3127:1979, oval elliptic, supplied in straight lengths which when bent to a curve tend to straighten under internal pressure Op. 19.03.85	50 18.06.03
- TC 8530870	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7306.40.00 STAINLESS STEEL TUBE, AISI Grade 316, welded and cold drawn, outer diameter 3.18 mm and inner diameter 2.77 mm, length 44 mm, with a maximum allowable bow in length +/- 0.03 mm Op. 02.05.97	50 18.06.03
- TC 9703917	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7307.19.00 COUPLINGS AND FITTINGS, PIPE, malleable and/or ductile iron to ASTM A-536, rigid, having ALL of the following: (a) a nominal size of 50 mm or greater but NOT exceeding 250 mm; (b) UL and ULC listing and FM approval; (c) maximum working pressure of 175 PSI Op. 03.05.95	50 18.06.03
- TC 9505307	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7308.90.00 SAFETY GATES, powder coated steel construction, having ALL of the following: (a) adjustable two way opening (b) adjustable to fit door openings from 750mm to 850mm (both inclusive); (c) capable of being fitted with extensions of 75mm each side; (d) locking handle on top of gate; (e) double locks on bottom of gate Op. 14.10.94	50 18.06.03
- TC 9408286	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7315.11 CHAIN, gilling machine, having ALL of the following: (a) 9.525 mm pitch; (b) interconnected carriers; (c) 12 mm extended bearer pins; (d) overall width of 39 mm between outer plates Op. 13.01.92	50 18.06.03
- TC 9204982	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>7326.90 BANDS, CONVEYOR, stainless steel, endless, welded, complying with ALL of the following: (a) grades type 301SS and 302SS; (b) thickness of 0.063 mm or greater but NOT exceeding 0.127 mm; (c) width of 8 mm or greater but NOT exceeding 1 200 mm Op. 02.05.91 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>7409.40.00 STRIP, COPPER ALLOY, having the following composition: (a) nickel 2.2% - 4.2% (both inclusive); (b) silicon 0.25% - 1.2% (both inclusive) Op. 20.09.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>7409.90 PLATES, slab casting mould lining, being ANY of the following: (a) copper, zirconium and chromium alloy; (b) copper silver alloy; (c) copper, nickel, beryllium, zirconium and magnesium alloy Op. 20.03.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>7606.11 SHEET OR STRIP, wrought aluminium, conforming to BS1470, having ALL of the following: (a) purity 95% or greater; (b) thickness 0.25 mm to 1.00 mm (both inclusive); (c) coated on one side with an easy release pigmented fluorinated thermoplastic resin based material having a thickness 7.5 microns to 15 microns (both inclusive) which is protective coated with removable plastic coating; (d) other side raw Op. 30.10.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>7606.92.00 BLANKS, aluminium alloy, having ALL the following: (a) clad on one side with stainless steel; (b) thickness of 2.00 mm or greater but NOT exceeding 4.00 mm (including 0.2 mm to 0.3 mm cladding); (c) length NOT exceeding 500 mm; (d) width NOT exceeding 500 mm Op. 14.02.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>7607.19 STRIP, aluminium coiled, having ALL of the following: (a) thickness - 0.18 mm + or - 0.01 mm; (b) width - 127.00 mm + or - 0.5 mm; (c) matt brushed finish both sides; (d) minimum 99.45% purity of aluminium; (e) electrical conductivity NOT less than 62% of the International Copper Standard Op. 29.10.91 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8203.20.00 PLIERS, MICRO PRECISION, spring loaded, stainless steel, being ANY of the following: (a) 90 mm cutting nippers; (b) 100 mm flat nose; (c) 100 mm round nose; (d) 100 mm long nose Op. 13.11.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8419.50.90 HEAT EXCHANGERS, vertical plate, having ALL the following: (a) titanium plates; (b) plates combined surface area exceeding 640 square metres; (c) primary water flow exceeding 2 200 cubic metres/hr; (d) secondary water flow exceeding 1 480 cubic metres/hr Op. 14.01.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9800365</p>
<p>8419.81 COOKER EXTRUDERS, capable of mixing, cooking and extruding products with a sugar content exceeding 50% by weight or products with a fat content exceeding 9% and moisture content of less than 5% by weight Op. 04.05.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 8805104</p>
<p>8419.89.90 CONDITIONERS, DOUGH, having ALL of the following: (a) temperature range of - 17 degrees C to + 50 degrees C; (b) blast cooling; (c) heating; (d) humidifying Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9703184</p>
<p>8419.89.90 DISTILLATION/DEHYDRATION COLUMNS, glass lined, having EITHER of the following specifications: (a) length of 7 600 mm and diameter of 1 000 mm; (b) length of 15 100 mm and diameter of 400 mm For the purposes of this order, all measurements have a tolerance of + OR - 5% Op. 21.11.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9710261</p>
<p>8419.89.90 EVAPORATOR AND SEPARATOR, ALUMINA PROCESSING, comprising BOTH of the following: (a) falling film evaporator; (b) concentrator vessels Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9703158</p>
<p>8419.89.90 HYDROCHLORIC ACID PRODUCTION PLANT, comprising ALL of the following: (a) burner; (b) combustion chamber; (c) absorber; (d) gas scrubber Op. 25.11.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9710375</p>
<p>8419.89.90 PASTEURISERS, tunnel type, single deck Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9703165</p>
<p>8419.89.90 PELLETISING PLANT, SULPHUR Op. 20.12.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9910437</p>
<p>8419.89.90 STERILISERS, LIQUID FOOD, having a maximum sterilisation temperature of 150 degrees C, having BOTH of the following: (a) homogeniser; (b) tubular heat exchanger Op. 17.11.00 NOTE:</p>	<p>50 18.06.03 - TC 0009466</p>

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8419.89.90 STOCKFEED EXPANDER, consisting of the following: (a) drive; (b) product inlet; (c) stop screws; (d) kneading elements; (e) temperature probe; (f) adjustable pressure cone; (g) product outlet	50 18.06.03
Op. 01.07.97	- TC 9703152
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8419.89.90 SULPHUR MELTERS, steam, finned tube, having a sulphur heating capacity of 24 degrees C to 135 degrees C	50 18.06.03
Op. 16.09.97	- TC 9708165
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8419.90.90 CONVERSION AND/OR MODIFICATION EQUIPMENT, AMMONIA SYNTHESIS PLANT, being ANY of the following:	50 18.06.03
(a) ammonia converter system, comprising ALL of the following: (i) converter complete with intercooler; (ii) converter feed and/or effluent exchanger; (iii) synthesis loop waste heat boiler; (b) carbon supported ruthenium metal ammonia synthesis catalyst; (c) synthesis gas start-up heater and mixed feed preheater; (d) synthesis gas compressor intercoolers and modification components; (e) feed gas desulfurisation catalyst	
Op. 01.07.96	- TC 9609299
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8419.90.90 GILL PLATES, AISI 316L stainless steel, having a plate thickness greater than 1.8 mm, perforated in patterns for turbulent movement and self-cleaning	50 18.06.03
Op. 01.07.96	- TC 9608478
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8419.90.90 PARTS, CRYOGENIC, COLD BOX, operating temperature -185 degrees C OR lower, comprising ALL of the following:	50 18.06.03
(a) valves; (b) pipes; (c) pipe fittings; (d) mitres; (e) cabling; (f) sensors	
Op. 22.01.97	- TC 9700689
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8419.90.90 VIBRATORY ELEMENTS, being eccentric shafts mounted in bearings, capable of creating motion at 60 degrees to horizontal in a fluidised bed	50 18.06.03
Op. 01.07.96	- TC 9608498
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8420.91.00 ROLLS, SWIMMING, CROWN CONTROLLED, PAPER AND/OR PAPERBOARD	50 18.06.03
Op. 02.05.97	- TC 9703950
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8421.19.90 CENTRIFUGES, CONTINUOUS FINE SOLIDS RECOVERY, having ALL of the following: (a) constant operation at 6000 G force; (b) product contact surfaces of stainless steel; (c) continuous product temperature of 95 degrees to 98 degrees C; (d) continuous feed and separation at 12 000 to 15 000 l/h; (e) bowl incorporating solids transport scroll; (f) sedimenting paste extrusion screw Op. 15.09.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9906988
8421.29 FILTERS, ink, teflon coated body with teflon coated stainless steel fluted element and magnet trap Op. 07.02.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9201849
8421.29.00 FILTER PRESSES, PRESSURE HEATED, having ALL of the following: (a) shell jacket pressure of 6.0 Bar G; (b) 20 micron multi layer filters; (c) heated filters to 150 degrees C; (d) heated agitators to 150 degrees C; (e) maximum capacity 1 000 L; (f) washers Op. 27.01.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9900652
8421.29.00 FILTER PRESSES, SOLID/LIQUID SEPARATION, having ALL of the following: (a) hydraulic plate shifting; (b) vertically mounted filter plates on an overhead beam; (c) filter plate size 630 mm x 630 mm OR 1 000 mm x 1 000 mm; (d) polypropylene filter plates; (e) programmable logistic control Op. 25.11.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9710382
8421.29.00 ROLLED FILTERS, sensitised photographic emulsion, having a structure of fibreglass filter medium and corrugated polypropylene feed spacer both spirally wound on to a polypropylene core, tape wrapped, fitted with end caps, capable of removing from emulsions containing silver halide grains ALL of the following: (a) soft gel slugs; (b) fibres; (c) hard particles other than specific geometric silver halide grains Op. 10.11.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9313138
8421.99.00 PARTS, SPENT CAUSTIC NANO FILTRATION MEMBRANE FILTER MODULE, sanitary design compliant with the Australian Code of Practice for Dairy Factories, being ANY or ALL of the following: (a) nano filtration membrane filter housings; (b) end caps; (c) end plugs; (d) housing interconnectors; (e) shrouds; (f) filter tube inners Op. 03.03.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9701857

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8424.89.90 WASHERS, tank, rotary spray, having ALL of the following: (a) air driven motor; (b) capability of operating at pressures up to 6.9 MPa; (c) turret nozzle rotating both vertically and horizontally; (d) capability of using solid stream nozzles Op. 23.08.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9307519</p>
<p>8425.19 HOISTS (WINCHES), pneumatic, rope climbing scaffolding Op. 31.03.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 8803606 50 18.06.03</p>
<p>8427.10.00 SIDeloadERS, TURRET, rider seated, having ALL of the following: (a) load capacity exceeding 1 750 kg at a 600 mm load centre; (b) elevatable operators cabin attached to a primary mast; (c) auxiliary mast with side traversing function cabin mounted; (d) battery powered; (e) lift height exceeding 5.5 m but NOT exceeding 13 m Op. 11.12.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 0010044</p>
<p>8427.20.00 HAULERS, SLAG POT, having a laden capacity of 60 tonne OR greater Op. 06.04.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 0003520 50 18.06.03</p>
<p>8428.10.00 HOISTS, RACK AND PINION, PERSONS AND/OR MATERIALS, having ALL of the following: (a) maximum carrying capacity of 700 kg; (b) maximum mast height of 200 m when anchored; (c) overspeed governor and/or safety brake For the purposes of this order, ALL measurements have a tolerance of + OR - 5% Op. 31.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9706694</p>
<p>8428.60 AERIAL ROPEWAY EQUIPMENT, complying with the National Standard of Canada, CAN3-Z98-M78, being ANY of the following: (a) unassembled or disassembled rope drive and return stations, but NOT including ANY of the following: (i) stations imported with external cladding and/or roof trusses; (ii) station support structures; (iii) base plates imported with motors, gearboxes or control panels attached; (b) drive and return bull wheels; (c) rope grips; (d) carrier accelerating and decelerating equipment; (e) rope grip attaching and detaching equipment; (f) T-bar, J-bar or towhanger mechanisms from the rope grip to the bar; (g) gondolas Op. 03.02.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 8735903</p>
<p>8428.90.00 ACCUMULATORS, PRE-FILLED LIQUID FOOD PACKAGE, down line stoppage, multi-package dimension, having BOTH of the following: (a) floating gear controlled; (b) one infeed and one outfeed conveyor in parallel Op. 14.11.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 0009393</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8429.51.90 LOADERS, SKID STEER, wheeled, having a single loader arm, self levelling, operating load SAE rating of 850 kg Op. 30.03.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9511774
8429.51.90 MULTI-FUNCTION LOADERS, capable of utilising a minimum of 35 interchangeable working attachments, having ALL of the following: (a) weight of 8.4 t or greater; (b) a slewing ring which allows the arm to revolve through 180 degrees Op. 25.04.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9505144
8430.41.00 DRILLING MACHINES, rotary blasthole, crawler mounted, hydraulically driven having BOTH of the following: (a) minimum drill hole diameter capability of 130 mm; (b) minimum pull down force of 20 400 kg Op. 22.04.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9703221
8430.50.00 SCALING MACHINES, self propelled, diesel hydraulic drive, having ALL of the following: (a) hydraulic impact hammer exceeding 400 joules impact; (b) scaling boom with a horizontal coverage up to 10 m; (c) diesel engine power exceeding 104 kW For the purposes of this order, ALL measurements have a tolerance of + OR - 5% Op. 01.08.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9706776
8431.39.00 PARTS, ARMoured FACE CONVEYOR, comprising BOTH of the following: (a) line pans, having a length of 1.75 m + or - 5%, and being complete with haulage; (b) inspection pans, having a length of 1.75 m + or - 5%, and being complete with haulage Op. 12.12.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9613015
8434.20.00 MILK AND CREAM FAT CONTENT STANDARDISATION SYSTEM, comprising ALL of the following: (a) magnetic-inductive flowmeter; (b) modulating valves; (c) pneumatic three-way valves; (d) pressure gauges; (e) interconnecting pipes and fittings (f) milk and cream ratio regulating control panel Op. 05.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9505967
8438.10 MIXERS, food, planetary type, batch feed, capacity NOT exceeding 5 L Op. 09.04.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 8634745
8438.10.90 PRODUCTION LINES, BAKED FINGER ROLLS, micro-processor controlled, comprising ALL of the following: (a) doser and mixer; (b) tray proofer; (c) oven; (d) cooler; (e) depanner; (f) tray buffer Op. 17.01.01	50 18.06.03 - TC 0100483

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8438.80.00 CONTINUOUS SUGAR DISSOLVING PLANT, consisting of ALL of the following: (a) sugar feeding unit; (b) dissolving unit; (c) refractometer; (d) filter unit and filter screen; (e) deaeration unit; (f) anti-bacterial internal cleaning system, having ALL of the following: (i) computer controls; (ii) control valves; (iii) spray nozzles; (g) flowmeter with thermometer; (h) pump and radial jet mixer set being injector nozzle tube, deflector plate and recirculation pump	50 18.06.03
Op. 19.11.93 - TC 9313294	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8443.59 HOT STAMPING MACHINES, having ALL of the following: (a) electrical operation; (b) mechanically integrated vacuum pick-up pump; (c) clamp pressure 60 t or greater; (d) chase area (print area) 0.14 sq m or greater	50 18.06.03
Op. 01.07.96 - TC 9607128	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8454.30 CASTING MACHINES, continuous, nonferrous metal, having BOTH of the following characteristics: (a) integral crucible; (b) capacity NOT exceeding 250 kg/h	50 18.06.03
Op. 12.07.85 - TC 8533038	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8464.90.90 STONE WORKING MACHINES, GRANITE AND/OR MARBLE, CNC controlled, having ALL of the following: (a) X-axis travel 4 000 mm; (b) Y-axis travel 2 300 mm; (c) Z-axis travel 400 mm; (d) fourth axis movement with inclination of + OR - 5 degrees; (e) work piece clamping by vacuum pump; (f) minimum of 28 toolholder positions; (g) spindle motor power of NOT less than 7 kW; (h) electro spindle to shape, contour, drill, grind, polish, cut, surface mill, engrave, groove OR rout; (i) spindle rotation speed 0 - 15 000 rpm	50 18.06.03
For the purpose of this concession, all measurements have a tolerance of + OR - 5% Op. 04.02.98 - TC 9801067	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8474.20.00 PULVERISERS, FUEL COAL, vertical, having ALL of the following: (a) 630 Kw motor; (b) 63.0 t/h capacity (at 20% maximum moisture coal); (c) reduction gear; (d) reduction gear forced lubricator; (e) hydraulic roller tensioner; (f) remotely controlled variable angle type vane	50 18.06.03
Op. 29.06.99 - TC 9904885	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8479.89 GUNS, mud/clay, tap hole, furnace, with or without tap hole drill Op. 25.07.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 8905065</p>
<p>8479.89 HANDWAXERS, graphic arts but NOT including handwaxers when imported with transformers Op. 24.11.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 8810352</p>
<p>8479.89.90 APPLICATORS, PLASTIC RECLOSEABLE POURING SPOUT, having ALL of the following: (a) programmable logic control; (b) control panel which incorporates a fault display; (c) hot air activation of hot melt adhesive; (d) minimum running speed of 2 900 packages per hour (+ OR - 5%) Op. 28.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9706604</p>
<p>8479.89.90 ASSEMBLY LINES, PRINTED CIRCUIT BOARD, ELECTRONIC COMPONENT MOUNTING, comprising ALL of the following: (a) input magazine loader; (b) conveyors; (c) placement machines; (d) feeders; (e) surface mount reflow machine; (f) output magazine unloader; (g) computer controlled Op. 20.05.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9804303</p>
<p>8479.89.90 DYESTUFF STOCK SOLUTION PREPARATION, DILUTION AND DISPENSING SYSTEM, laboratory scale, comprising ALL of the following: (a) electronic balance and dispensing valves; (b) hot and cold water tanks; (c) electro-magnetic mixing mechanism; (d) central processing unit Op. 16.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9508294</p>
<p>8479.89.90 FEEDER MACHINES, COTTON MODULE Op. 14.04.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9702893</p>
<p>8479.89.90 HAMMERS, stainless steel, pneumatic tube Op. 06.02.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9602760</p>
<p>8479.89.90 PAY-OFF AND TAKE-UP REWIND MACHINES, OPTICAL FIBRE, having a running speed of 1 km/min Op. 16.10.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9809271</p>
<p>8479.89.90 PRESSES, PACKING, having ALL of the following: (a) production capacity greater than 40 bales per hour; (b) two (2) x 30.48 cm (12 inch) press rams; (c) hydraulic tramper and pusher Op. 14.04.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03 - TC 9702894</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8479.89.90 SPREADERS, ORGANIC MATERIALS, pneumatic delivery by hose, truck OR trailer mountable Op. 29.03.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 0004764
8479.89.90 SWEEPERS, suction collection, ride on, comprising ALL of the following: (a) hopper capacity 1.715 m3; (b) maximum suction mouth width 800 mm; (c) maximum sweeping width 2 500 mm; (d) maximum travelling speed 50 kilometers per hour Op. 14.04.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9902584
8483.90.00 PARTS, SLIDE BEARINGS, being ANY of the following: (a) sleeves; (b) housings but NOT including ball OR roller bearing OR parts thereof Op. 23.09.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9808541
8484.20.00 PARTS, GAS HOLDER PISTON MECHANICAL SEAL, being ANY of the following: (a) rubbing bars; (b) bulkhead extension plates; (c) round bar fenders Op. 07.03.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 0102215
8501.10.00 ACTUATORS, ROTARY, comprising ALL of the following: (a) harmonic gear; (b) AC synchronous motor; (c) built-in potentiometer; (d) stainless steel casing Op. 04.08.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9706801
8501.32.00 MOTORS, DC, traction, continuous miner or longwall shearer having ALL of the following: (a) power rating of 26 kW; (b) voltage rating of 250 V; (c) conforming to Australian Standards AS 2595 for electrically powered mining machines and Australian Standard AS2380 Parts 1 and 2 Mines Department Regulations Op. 20.10.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9408361
8501.34.00 MOTORS, DC, 1 155.83 kW continuous, 570 V, 2 200 A, 550 rpm, horizontal, armoured Op. 12.09.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9708084
8501.52.00 DRIVES, PAPER MAKING MACHINE, AC, digital, variable speed, comprising ALL of the following: (a) AC motors, having variable voltage ranging from 332 V to 415 V, 3 phase, IP55 protection, Class B rise; (b) switchgear, comprising ALL of the following: (i) incomer section with withdrawal type circuit breaker; (ii) power converter units with either diode bridges or anti-parallel thyristor bridges; (iii) reactor and capacitor banks; (iv) DC busbar, common to several drives;	50 18.06.03

(continued on next page)

Description of goods including the Customs Tariff Classification Prescribed Item Number
Last day of effect

(Continued from previous page)

- (c) inverters, pulse width modulated frequency convertor modules with:
 - (i) IGBT transistor modules for size 16 kVA to 215 kVA;
 - (ii) GTO thyristor modules for size 550 kVA to 1 210 kVA and with vector and scalar control for torque and speed;
 - (d) control system comprising ALL of the following:
 - (i) application controllers;
 - (ii) digital drive controllers;
 - (iii) communications bus 1.5 M/bit per second;
 - (iv) remote input/output interface,
- and having:
- (a) a frequency resolution of 0.01 Hz;
 - (b) static speed control accuracy of 0.001%;
 - (c) dynamic speed control accuracy 0.2% per second to 0.3% per second at 100% load step;
 - (d) variable frequency having minimum range of 0 to maximum range of plus or minus 200 Hz, with pulse generator

Op. 17.10.97

- TC 9709218

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
In transit provisions apply

- 8501.52.00 DRIVES, PAPER SLITTER-REWINDER MACHINE, AC, digital, variable speed, comprising ALL of the following: 50
18.06.03
- (a) AC motors, having variable voltage ranging from 332 V to 415 V, 3 phase, IP55 protection, Class B rise;
 - (b) switchgear, comprising ALL of the following:
 - (i) incomer section with withdrawal type circuit breaker;
 - (ii) power converter units with either diode bridges or anti-parallel thyristor bridges;
 - (iii) reactor and capacitor banks;
 - (iv) DC busbar, common to several drives;
 - (c) inverters, pulse width modulated frequency convertor modules with:
 - (i) IGBT transistor modules for size 150 kVA;
 - (ii) GTO thyristor modules for size 550 kVA to 1 210 kVA and with vector and scalar control for torque and speed;
 - (d) control system comprising ALL of the following:
 - (i) application controller;
 - (ii) digital drive controllers;
 - (iii) communications bus 1.5 M/bit per second;
 - (iv) remote input/output interface,
- and having:
- (a) a frequency resolution of 0.01 Hz;
 - (b) static speed control accuracy of 0.001%;
 - (c) dynamic speed control accuracy 0.2% per second to 0.3% per second at 100% load step;
 - (d) variable frequency having minimum range of 0 to maximum range of plus or minus 200 Hz, with pulse generator

Op. 17.10.97

- TC 9709219

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
In transit provisions apply

- 8501.52.00 MOTORS, AC, TRACTION, having ALL of the following: 50
18.06.03
- (a) power rating of 37 kW;
 - (b) voltage rating of 950 V;
 - (c) conforming to Australian Standards AS 2595 for electrically powered mining machines and Australian Standard AS 2380 Parts 1 and 2 Mines Department Regulations

Op. 26.11.97

- TC 9710500

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
In transit provisions apply

- 8501.53 MOTORS, synchronous, output 1 000 kW or greater, but NOT including replacement bars or coils 50
18.06.03
- Op. 31.08.88
- NOTE:
- Revoked in accordance with ss.269SD(1A) of the Customs Act.
In transit provisions apply

- TC 8807957

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8507.20.00 ACCUMULATORS/BATTERIES, absorbed electrolyte lead acid, rechargeable, having ALL of the following features: (a) 12 V nominal; (b) nominal capacity 12 A h at 20 h rate; (c) leakproof moulded case; (d) operable in any position; (e) nominal dimensions of 151 mm x 98 mm x 102 mm Op. 11.11.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8507.30 ACCUMULATORS, aircraft, but NOT including 24 V accumulators having a rating of 36 A h at the 5 h rate Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8511.90 PINS, copper electrode, spark plug Op. 29.10.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8514.10.90 BAKE-OUT SYSTEMS, SEMICONDUCTOR DEVICE, comprising BOTH of the following: (a) rack and processing station; (b) portable nitrogen filled bake-out boxes Op. 12.12.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8514.10.90 FURNACES, ELECTRIC RESISTANCE, crucible magnesium of 4 991 kg (11 000 lb) capacity Op. 14.08.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8515.21 WELDING MACHINES, stud to metal hollow ware Op. 03.04.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8516.90 BUSHES, fusible ceramic, being tubular heating element components Op. 17.09.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8518.29.90 TWEETERS, shielded, 25 mm textile dome, having ALL of the following: (a) frequency range no lower than 1 000 Hz; (b) 25 mm voice coil; (c) 2 magnets neither of which weighs greater than 180 grams; (d) a plastic "tear drop profile" face plate Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8525.10 TELEVISION SYSTEMS, addressable, when imported as systems comprising ANY or ALL of the following: (a) addressable wallplate; (b) intelligent taps and peripherals; (c) intelligent tap indoor amplifier; (d) system commander; (e) data power supplies for taps; (f) data detector and decoder; (g) encoder and pilot carrier generator; (h) sector commander; (i) addressable outdoor multi-tap Op. 01.07.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8528.12.00 TELEVISION RECEIVERS, addressable by unique identifier and comprising ALL of the following:</p> <ul style="list-style-type: none"> (a) modem subsystem, capable of receiving from a main computer a frequency shift key (FSK) signal of 44.5 MHz launched at 105 dBuV as well as transmitting a return FSK signal of 13.5 MHz at 108 dBuV to the computer; (b) memory transfer unit to provide the communication link between the microprocessors in the television and modem subsystems, allowing the proprietary text messages to be displayed on the television screen; (c) television subsystem, capable of displaying messages, text and menu options; (d) infrared remote control handset, preprogrammed to allow interaction between the user and the television system <p>Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8535.30.00 REVERSERS, DC TRACTION CIRCUIT, being electrically controlled pneumatic switches</p> <p>Op. 21.11.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8535.40.10 POLARISATION CELL REPLACEMENT (PCR) DEVICE, 50 Hz version, solid state design, having ALL of the following characteristics:</p> <ul style="list-style-type: none"> (a) over voltage protection; (b) DC blocking voltage rating of less than 0.1 mA in typical cathodic protection range of 0.85 to 1.25 V; (c) fault current ratings between 19 000 (1 cycle) to 3 000 (30 cycles); (d) 50 Hz steady state current rating of 50 A at 20 degrees c; (e) lightning surge current rating of 100,000 peak amps (8x20 micro seconds); (f) non spark producing <p>Op. 25.05.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8536.30.00 SWITCHES, ELECTROLYTIC CELL SHORTING, DC, having ALL of the following:</p> <ul style="list-style-type: none"> (a) making and breaking of 30 kA DC and greater; (b) voltage rating 20V - 30V DC <p>Op. 15.05.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8543.30.90 COPPER ELECTRO-EXTRACTION APPARATUS, comprising ALL of the following:</p> <ul style="list-style-type: none"> (a) 11 kV AC power factor corrector and harmonic filter; (b) 11 kV rectifier; (c) cathode mother plates <p>Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>
<p>8544.41.90 ASSEMBLIES, CABLE, COMPUTER, EXTERNAL, having ALL of the following:</p> <ul style="list-style-type: none"> (a) RISC (reduced instruction set computing) type; (b) fitted on both ends with a 68 position connector; (c) connectors to comply with flammability standard UL 94V-0; (d) cable complying with BOTH of the following specifications: <ul style="list-style-type: none"> (i) 68 primary wires of tinned copper in twisted pairs with left-hand lay; (ii) wire gauge 28 AWG (American Wire Gauge) <p>Op. 30.12.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8544.41.90 CABLES, COMPUTER, MODULATOR/DEMODULATOR, having ALL of the following: (a) connectors on both ends; (b) contacts phosphor bronze with gold 0.00127 mm over nickel; (c) strain relief minimum pull test capability of 50 Newtons for 60 seconds Op. 15.12.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9710994
8606.30.00 ORE CARS, BOTTOM SIDE DUMP, UNDERGROUND MINE RAIL HAULAGE, having ALL of the following: (a) 14 cu m volume; (b) 91.44 cm (36") gauge; (c) side hinged bottom door for continuous dumping; (d) self lubricating bottom door to bucket hinge bearing; (e) box design bottom door with internal support members and 25 mm, 425 BHN (Brinell Hardness Number) plate to resist impact and wear; (f) bucket side plates of 10 mm, 425 BHN abrasive resistant steel with built in steel beam to resist force from traction equipment drive wheel; (g) inside gable plates of 12 mm, 425 BHN abrasive resistant steel; (h) overlapping and sealed ends for continuous loading; (i) 700 mm diameter traction wheels of forged steel heat treated to 321/363 BHN; (j) 500 mm diameter dump wheel; (k) outside wheel suspension; (l) car overlap of 20 mm, 425 BHN abrasive resistant steel; (m) couplers Op. 11.12.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9710962
8704.10.00 DUMP TRUCKS, rigid body, having ALL of the following: (a) rear or side dump; (b) 4 axle steer; (c) payload capacity 80 tonne or greater; (d) overall height NOT greater than 4.2 metres Op. 29.09.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9907440
8716.39.00 TRAILERS, ANODE BEAM RAISING FRAME, having the following specifications: (a) length 13.9 m from centre of towing ring to end of trailer; (b) width 2.5 m Op. 29.11.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9612682
8716.39.00 TRAILERS, CRUCIBLE TRANSPORTER, having ALL of the following: (a) longitudinal and transversal profiles; (b) integrated boogie wheels; (c) front crossmember mounted for articulated steering; (d) integrated hydraulic ladle lifter; (e) side lifters Op. 19.03.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 9702295
9029.20 TACHOGRAPHS Op. 22.02.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 18.06.03 - TC 8430561

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>9106.10.00 ATTENDANCE RECORDERS, comprising ALL of the following features: (a) 10 pay groups and 30 departments; (b) weekly, bi-weekly, and semi-monthly pay periods; (c) user selectable password access; (d) daylight saving time correction; (e) 200 individual employee files containing name, ID number, department, pay group; (f) quartz crystal time base (g) 2 line LCD display, each with 16 alphanumeric characters; Op. 12.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p> <p>- TC 9508125</p>
<p>9107.00 TIMERS, clock-radio, synchronous motor Op. 31.07.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p> <p>- TC 8439954</p>
<p>9306.30 CASES, cartridge, .22 calibre rim-fire, empty, whether or not primed, case length exceeding 25 mm Op. 14.08.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p> <p>- TC 8434040</p>
<p>9306.30.00 AMMUNITION, training, dyemarking, muzzle velocity 122 metres/ sec (Imperial : 400 fps) of the following calibres: a) 0.38 revolver b) 0.357 revolver c) 9 mm d) 5.56 mm Op. 11.02.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p> <p>- TC 9308257</p>
<p>9405.91.00 LAMP BASES, lead crystal, having a lead oxide content of at least 30 per cent Op. 04.02.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p> <p>- TC 9402162</p>
<p>9406.00.00 RADOMES Op. 23.05.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p> <p>- TC 9505689</p>
<p>9504.30.00 GAMES, VIRTUAL REALITY RIDE, comprising ALL of the following: (a) floor mountable moving platform with seating; (b) 3-D monitor fitted to each seat; (c) stereo sound; (d) roll and pitch and heave axle motorised motion simulator; (e) computer controlled playback of image and sound and motion recordings Op. 27.04.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p> <p>- TC 9902873</p>
<p>9506.91.00 EXERCISE EQUIPMENT, with or without recorded demonstrational video cassette, being ALL of the following: (a) multifunction; (b) variable resistance; (c) having two adjustable elastic tension bands; (d) total operating weight less than 20 kg Op. 13.08.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 18.06.03</p> <p>- TC 9307397</p>

NOTICE OF A DETERMINATION MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of a determination applying to goods of a kind specified in the table below.

In the table:

- (i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the Determination reference number;
- (ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods.

THE TABLE

Description of Goods Dates of Effect	Prescribed Item Number
---	---------------------------

One (1) only High Pressure Rolls Crusher Unit for use in the mining industry and meeting the terms of TC 0109486.
15.10.01 to 31.12.01

45

- MD 346772

CUSTOMS ACT 1901

CUSTOMS TARIFF ACT 1995

PART II OF SCHEDULE 4

BY-LAW NO. 0340004

I, JOHN PETER ARNDELL, delegate of the Chief Executive Officer for the purposes of section 271 of the Customs Act 1901, hereby make the by-law set out in the Schedule below.

Unless the context otherwise requires, any word or phrase used in a reference in the by-law set out in the Schedule has the same meaning as if it were used in the tariff classification in Schedule 3 to the Customs Tariff Act 1995 that applies to those goods to which that reference applies.

THE SCHEDULE

BY-LAW NO. 0340004

Item 25A
Part II of Schedule 4

1. This by-law may be cited as Customs By-law No. 0340004.
2. This by-law shall take effect on and from 26 June 2003.
3. Item 25A in Part II of Schedule 4 to the Customs Tariff Act 1995 applies to trophies won outside Australia in competition being ornamental or utilitarian machines, appliances or articles of a kind used in an office or the household, or for display on walls or on stands or similar mounts.
4. For the purposes of this by-law, a certificate from the organisers of the competition stipulating the name of the winner, the event and the date of the competition and the scope of the competitors taking part in the competition, or copies of daily news media in which the competition was reported and with which the importer can be identified as a winner, will be sufficient to establish eligibility.
5. For the purposes of this by-law, the "Customs Tariff Act 1995" means the Customs Tariff Act 1995, as amended or proposed to be altered.

Dated this Thirteenth day of June 2003.

(signed)
JOHN PETER ARNDELL
Delegate of the Chief Executive Officer

NOTICE OF REVOCATION OF CUSTOMS BY-LAW

I, JOHN PETER ARNDELL, delegate of the Chief Executive Officer, pursuant to section 271 of the Customs Act 1901 and section 33(3) of the Acts Interpretation Act 1901, hereby revoke the following Customs By-law published in the Commonwealth of Australia Gazette, and made for the purposes of the item in Schedule 4 to the Customs Tariff Act 1995 set out in the Table below:

THE TABLE

By-law No.	Number and Date of Commonwealth Gazette	Item in Schedule 4
9640059	TC 23 of 12 June 1996	25A

This Notice shall take effect on and from 26 June 2003.

Dated this Thirteenth day of June 2003.

(signed)
JOHN PETER ARNDELL
Delegate of the Chief Executive Officer