



CONTENTS

Applications for TCOs.....	2
TCOs Made	3
Customs Initiated - TCOs Revoked - Unused for over two years.....	5
Determinations Made and Revoked.....	30

FREE Customs Tariff Concessions Gazettes available at: <http://www.customs.gov.au>

Select “import/export”, then “tariff” and finally “tariff concession gazette”. Select from the list of Adobe Portable Document Format (PDF) files.

General Inquiries: (02) 6275 6483

Facsimile: (02) 6275 6376

SUBSCRIPTIONS Telephone: 1300 889 873

Facsimile: (02) 6293 8333

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference no. follow the description of goods.

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number
3808.30.00 HERBICIDES, having a basis of ANY of the following: (a) bromacil; (b) bromacil and diuron; (c) terbacil Op. 28.08.03	50 - TC 0310738
4811.90.90 PAPER, NON-STICK BAKING AND COOKING, in rolls, comprising ALL of the following: (a) bleached greaseproof paper base; (b) coated on BOTH sides with silicon polymer; (c) weight NOT less than 36 gsm and NOT greater than 41 gsm; (d) heat resistant to 230 degrees Celsius; (e) width of NOT less than 295 mm and NOT greater than 305 mm and a diameter NOT less than 500 mm Op. 07.07.03	50 - TC 0308268
5907.00.00 FABRIC, KNITTED POLYESTER, aluminium coated on one side, vacuum bonded Op. 29.08.03	50 - TC 0310739
6006.32.00 FABRIC, NON-TEXTURED POLYESTER, knitted and dyed, flame retardant to DIN Standard 4102 B1, in widths NOT less than 195 cm and NOT greater than 300 cm Op. 29.08.03	50 - TC 0310741
8414.59.10 BLOWER FANS, MOTOR VEHICLE Op. 22.08.03	50 - TC 0310216
8414.59.90 BLOWER FANS, MOTOR VEHICLE Op. 22.08.03	50 - TC 0310215
8417.80.00 TOUGHENING FURNACES, LOW EMISSIVITY COATED GLASS, comprising ALL of the following: (a) horizontal oscillating roller hearth tempering and heat strengthening; (b) forced convection heating; (c) glass thickness NOT less than 3 mm and NOT greater than 25 mm; (d) width NOT greater than 2 440 mm and length NOT greater than 5 000 mm; (e) departure from flatness NOT greater than 0.4%; (f) roller wave NOT greater than 0.15 mm peak to peak Op. 14.08.03	50 - TC 0310083
8419.89.90 PYRO-PROCESSING SYSTEM, with OR without refractory bricks, comprising of two OR more of the following: (a) refractory pre heater and damper; (b) gas analyser; (c) coal meal measurer; (d) coal meal transporter; (e) preheater fan; (f) rotary kiln shell; (g) pneumatic screw pump; (h) rotary blower; (i) hoist and monorail; Op. 20.08.03	50 - TC 0310304
8438.50.00 BONING LINES, MEAT, comprising ANY three of the following: (a) electric motors with gear drives; (b) back supports; (c) drop rails; (d) bone pulling posts; (e) hook stops; (f) saws Op. 22.08.03	50 - TC 0310439

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8464.90.90 ARRISSING LINE, GLASS SHEET Op. 29.08.03	- TC 0310807 50
8479.89.90 VEHICLES, EXPLOSIVE ORDNANCE DISPOSAL (EOD) OR IMPROVISED EXPLOSIVE DEVICE DISPOSAL (IEDD), battery operated, wireless remote OR fibre optic controlled, WHETHER or NOT having ANY of the following: (a) control console OR base station; (b) cameras; (c) firearms or disruptors; (d) water cannon; (e) x-ray apparatus; (f) magnetic clamps; (g) tearing hooks; (h) gripper jaws; (i) glass breakers; (j) cryogenic freezing Op. 20.08.03	- TC 0310309 50
8481.80.90 VALVES, ANGLE PLUG, FLUID CATALYTIC CRACKER, having BOTH of the following: (a) bore NOT less than 500 mm; (b) internal refractory lining Op. 20.08.03	- TC 0310310 50
8607.21.00 DISC BRAKES, BOGIE Op. 12.08.03	- TC 0309969 50
9502.10.00 SETS, DOLL, comprising ALL of the following: (a) solid, injection moulded torso, arms and legs; (b) interchangeable body parts; (c) head circumference greater than chest circumference; (d) clothing; AND having ANY of the following: (i) sunglasses; (ii) travel bags and/or handbags; (iii) telephones and/or mobile phones; (iv) umbrellas; (v) furniture; (vi) mirrors; (vii) jewellery; (viii) cosmetics; (ix) towels; (x) watches and/or clocks; (xi) toys; (xii) food; (xiii) books; (xiv) radios and/or cd players; (xv) sun protection lotions Op. 08.08.03	- TC 0309837 50

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDERS AND COMMERCIAL TARIFF CONCESSION ORDERS
REVOCATION AT THE INITIATIVE OF CUSTOMS

The Tariff Concession Orders or Commercial Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these Orders was notified in Gazette TC 03/39 dated 8 October 2003.

The following Orders notified in that Gazette have NOT been revoked at the request of importers on this occasion: 8635302, 9800737 9908765 and 0104476.

Contact: Mr Geoff Hollins, phone 02 6275 6385, fax 02 6275 6376 or email geoff.hollins@customs.gov.au

THE TABLE

COLUMN 1 Description of Goods including the Customs Tariff Classification	COLUMN 2 Prescribed Item No. Date
3204.17.00 PIGMENT RED 146, C.I. No. 12485, Monoazo Carmine, but NOT including preparations based thereon Op. 05.03.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9308659
3206.49.00 PIGMENT DISPERSIONS, incorporating heat stabilizer and flame retardant having ALL of the following: (a) particle size less than 1 micron; (b) flash point (C.O.C.) greater than 200 degrees c; (c) volatility less than 1% in 24 h at 70 degrees c Op. 23.10.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9209279
3208.90 POLYPROPYLENE, chlorinated, in volatile solvent Op. 02.03.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8732644
3209.10.00 COATINGS, non-pigmented, comprising ALL of the following: (a) heat expanding polymeric microspheres based on polyacrylates and/or vinyl acetate ethylene co-polymer; (b) solvents; (c) levelling agents; (d) anti-foam additives being dispersed in an aqueous medium Op. 17.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9706277
3506.91.00 ADHESIVE, THIROTROPIC EPOXY, having a post cure operating temperature of -50 degrees C to -200 degrees C Op. 02.05.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9703585
3702.43 FILM, MOUNTING, polyethylene terephthalate, width NOT less than 1 100 mm, which when developed produces negative or positive red, blue or yellow images Op. 11.05.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8804478
3702.44 FILM, helium neon laser typesetting, high speed, high contrast, pan-chromatic emulsion coated on a dimensionally stable polyester film base Op. 27.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8801975
3703.90 PAPER, being high contrast, positive working projection speed orthochromatic paper on a resin coated base Op. 27.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8801976

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3808.10 DIENOCHLOR Op. 10.10.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8532689 50 10.11.03
3808.20 FUNGICIDE INTERMEDIATE, being pyrazophos 660 g/L Op. 30.05.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8805214 50 10.11.03
3808.30.00 HERBICIDES, having a basis of fenoxaprop-P-ethyl Op. 09.05.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9704144 50 10.11.03
3808.90.00 ANTIMICROBIAL AGENTS, having a basis of mixtures of 4-(2-nitrobutyl) -morpholine and 4,4'-(2-ethyl-2-nitrotrimethylene) dimorpholine Op. 22.04.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9404320 50 10.11.03
3824.90 VISCOELASTIC FLUID, STERILE, for surgical implantation during ophthalmic surgery Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9603526 50 10.11.03
3824.90.90 BORON MICRONUTRIENTS, having a water soluble boron content exceeding 15% Op. 12.07.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0105733 50 10.11.03
3824.90.90 HEAT TRANSFER FLUID, being a eutectic mixture with a basis of diphenyl oxide and diphenyl Op. 10.02.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0001681 50 10.11.03
3901.30 ETHYLENE VINYL ACETATE COPOLYMER, having ALL of the following: (a) vinyl acetate range 25% - 31% (both inclusive); (b) Brookfield viscosity range (at 190 degrees C) 2 300 - 3 900 MPAS (both inclusive) Op. 31.03.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9203682 50 10.11.03
3902.30 THERMOPLASTIC SYNTHETIC RUBBER, being styrene-ethylene-propylene- styrene (YSEP) Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8810648 50 10.11.03
3905.99.00 DENSITY GRADIENT MEDIA, polydisperse colloid, with a basis of non-dialysable polyvinylpyrrolidone (PVP) coated silica particles having a nominal diameter 15 nm or greater but NOT exceeding 30 nm Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9605939 50 10.11.03
3909.40.00 ANTIFOULING REACTOR COATINGS, based on condensation products of formaldehyde and alpha-naphthol, in solution form Op. 12.06.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0104748 50 10.11.03

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3912.90 CELLULOSE PROPIONATE, plasticised in granular form, flow rate grade 11 A Op. 06.08.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9006824
3919.90 FOIL, diffraction, polyester, heat embossed Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8534665
3919.90 POLYESTER FILM, shatter resistant, having ALL of the following characteristics: (a) colourless; (b) transparent; (c) pressure sensitive adhesive coated; (d) clear film liner; (e) in rolls having a width 1 010 mm or greater but NOT exceeding 1 530 mm; (f) total thickness of 0.18 mm or greater but NOT exceeding 0.21 mm; (g) conforming to the Impact Test Requirements of AS 2208 Op. 03.03.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8901647
3920.62.00 POLYESTER FILM, transparent, having ALL of the following: (a) maximum elongation at break NOT exceeding 170% machine direction as measured by ASTM-D882-75b; (b) width NOT less than 1 260 mm but NOT exceeding 1 280 mm; (c) thickness gauges NOT less than 22 micron but NOT exceeding 51 micron but NOT including film which is: (a) pigmented or coloured; (b) printed; (c) coated; (d) metallised; (e) heat sealable Op. 07.04.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9404011
3921.13.00 POLYURETHANE IN ROLLS, having ALL of the following characteristics: (a) porous leather grained surface; (b) thickness 1.5 mm; (c) maximum weight 0.95 kg/m ² ; (d) minimum width 0.9 m Op. 21.03.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9508447
3921.90 FILM, polyethylene terephthalate having ALL of the following: (a) NOT more than 2 layers; (b) total thickness NOT more than 60 microns; (c) encapsulated metal deposited in the form of longitudinal stripes NOT less than 5 mm apart Op. 04.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8800076
3921.90 SAILCLOTH FABRIC, being open multi-directional woven scrim of high tenacity polyester or aramid yarns, weave set and laminated on both sides with polyethylene terephthalate polyester or polyamide film Op. 04.05.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9203837

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3923.40 REELS, magnetic computer tape Op. 08.11.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8341022
3924.10.00 CHILD SAFETY AND HYGIENE PRODUCT, being a babies formula dispenser having ALL of the following features: (a) three or more compartments; (b) measuring graduations; (c) sealable lid; (d) separately sealable dispensing spout Op. 19.08.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9406912
3924.90.00 BATH, portable, babies or infants, having ALL of the following features: (a) fold-up design; (b) sponge head rest; (c) bath accessory storage basin; (d) carry handle; (e) pull up drain plug Op. 01.11.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9312684
3924.90.00 CANTEEN, depicting comic or cartoon characters, having ALL of the following: (a) carry strap; (b) protective travel hood; (c) straw Op. 25.05.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9505749
4002.20.00 BUTADIENE RUBBER in granular form, complying with ALL of the following: (a) density - 0.908-0.910 g/cu cm as measured by the ASTM D792 test method at 20 degree C (0.5 degree C variability allowance); (b) microstructure (1.2 - unit content) of 90% or greater based on the Morero test method; (c) melt flow index of 1.7 to 4.5 g/10 minutes as measured by ASTM D1238 (150 degree C, 2.16 kg load) test method; (d) ash content of 0.10% maximum as measured by ASTM D1416 test method Op. 01.07.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9405434
4016.93.00 BOOTS, SUMP ENTRY, underwriters laboratory or underwriters laboratory Canada listed Op. 30.04.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9803598
4016.99.00 RUBBER LABELS, BEING preprinted rubber film with plastic backing cured on rubber products during vulcanisation Op. 18.07.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9406205
4017.00 EBONITE DUST Op. 25.10.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8340275

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
4911.99.00 COLLECTOR DISCS, depicting cartoon characters, polystyrene, printed on both sides, maximum diameter of 4.2 cm Op. 20.11.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 0009526
5205.42.00 SEWING THREAD, cotton, multiple ply, single "s" fold with final "z" twist Op. 14.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9508193
5402.33.00 SEWING THREAD, continuous filament texturised polyester, final "z" twist, single or multiple ply, decitex greater than 160 and less than 175 per ply Op. 14.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9508198
5402.39.00 YARN, 100% continuous filament polypropylene, having ALL of the following: (a) 300 denier; (b) filament count 60 to 65; (c) mass pigmented Op. 19.03.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 0102371
5403.20.00 YARN, single ply, 100% viscose rayon filament, counts 167 decitex OR 333 decitex Op. 13.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9508164
5403.32.00 YARNS, single, continuous filament, bright viscose rayon, having ALL of the following: (a) counts NOT less than 100 denier but NOT exceeding 200 denier; (b) crepe twisted in EITHER "S" OR "Z" direction; (c) NOT less than 900 turns per m but NOT exceeding 1 750 turns per m Op. 15.08.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9707183
5404.10 YARN, monofilament, of natural (clear) polyethylene, NOT exceeding 335 decitex, wound on bobbins Op. 08.07.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8734114
5407.42.00 FABRIC, nylon woven, plain OR ripstop weave, having ALL of the following: (a) composition 100% polyamide; (b) width NOT less than 160 cm; (c) weight NOT less than 52 gsm and NOT greater than 56 gsm; (d) air permeability NOT exceeding 3.0 CFM; (e) abrasion resistance at least 40 000 rubs at 12.5 kPA, Martindale test; (f) Warp yarn count NOT exceeding 45 denier and AT LEAST 60 threads per cm; (g) Weft yarn count NOT exceeding 45 denier and AT LEAST 40 threads per cm Op. 21.03.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9702363

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>5407.52 MESH, filter, multi-filament polyester, 30 denier, weight NOT exceeding 80 g/sq m Op. 06.12.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 8534558</p>
<p>5509.21.00 YARN, 100% polyester, having ALL of the following characteristics: (a) single ply; (b) 300 tex (+/- 5%); (c) semi worsted spun; (d) a blend of 7,8,10 and 12 denier fibres; (e) 140 twists per metre on S; (f) melt coloured Op. 23.08.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 9510011</p>
<p>5509.22.00 YARN, 2 ply, spun polyester fibre, solution dyed, having ALL of the following properties: (a) UV stabilised; (b) incorporating pigments with colour fastness greater than 7 (Blue Wool Scale); (c) each ply having a tex between 29 and 33 (inclusive); Op. 21.04.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 9505053</p>
<p>5509.31.00 YARN, 100% acrylic, single ply, 268 decitex (22 ECC) (+/- 5%), spun, dope dyed, steamed and waxed Op. 12.10.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 9511201</p>
<p>5509.42.00 YARN, spun polypropylene, 24/1 ECC, 600 twists per metre, "z" twist, raw white Op. 20.02.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 9603276</p>
<p>5512.11.00 FABRIC, NEEDLE BASE, WOVEN, FILTRATION, plain weave, having ALL of the following: (a) weight 125 gsm + or - 5%; (b) yarn construction 2 ply, 120 tex, 100% polyester, cotton spun; (c) width 3.63 m Op. 27.03.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 9802673</p>
<p>5609.00.00 MOORING HAWSER ASSEMBLIES, being a circular rope, having ALL of the following: (a) braided OR 8 plait OR single leg OR grommet; (b) constructed from nylon OR polyester; (c) diameter exceeding 85 mm; (d) fittings of galvanised thimbles OR protected eyes; (e) tonnage minimum of 153 tonne Op. 21.04.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 9902790</p>
<p>6306.99.00 BEVERAGE BAGS, multi use, nylon outer skin bonded to a polyurethane inner lining, fitted with a screw on detachable cap, having a capacity of EITHER 2, 4, 6 or 10 litres Op. 23.10.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 9610506</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect																
6402.19.00 FOOTBALL BOOTS, NOT having a heel, sizes 1 to 5 1/2 inclusive (UK second series OR equivalent), having BOTH of the following: (a) synthetic upper; (b) attached screw in stops Op. 12.12.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03																
- TC 0010119																	
6403.19.00 FOOTBALL BOOTS, NOT having a heel, sizes 1 to 5 1/2 inclusive (UK second series OR equivalent), having BOTH of the following: (a) leather upper OR leather/synthetic combination upper; (b) moulded stops Op. 12.12.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03																
- TC 0010118																	
6403.19.00 SPORTING FOOTWEAR, NOT having a heel, sizes 10 - 13 inclusive (UK 1st series or equivalent) and 1 - 5 inclusive (UK 2nd series or equivalent) having ALL of the following: (a) number of studs, stops, cleats or similar affixed to or incorporated into the sole of each shoe: <table border="0" style="margin-left: 40px;"> <thead> <tr> <th></th> <th style="text-align: center;">Minimum</th> <th style="text-align: center;">Maximum</th> </tr> </thead> <tbody> <tr> <td>rear third of sole</td> <td style="text-align: center;">2</td> <td style="text-align: center;">6</td> </tr> <tr> <td>front half of sole</td> <td style="text-align: center;">4</td> <td style="text-align: center;">12</td> </tr> </tbody> </table> (b) circumference of the protrusion (excluding the base or fixing plate) of each stud, stop, cleat or similar, or, for moulded sole footwear, at the widest point of any stud, stop, cleat or similar: <table border="0" style="margin-left: 40px;"> <tbody> <tr> <td></td> <td style="text-align: center;">13 mm</td> <td style="text-align: center;">60 mm</td> </tr> </tbody> </table> (c) minimum height at the highest point of each stud, stop, cleat or similar when measured from the face of the sole immediately adjacent to the stud, stop, cleat or similar: <table border="0" style="margin-left: 40px;"> <tbody> <tr> <td>rear third of sole</td> <td style="text-align: center;">6 mm</td> </tr> <tr> <td>front half of sole</td> <td style="text-align: center;">4 mm</td> </tr> </tbody> </table> but NOT including golf footwear Op. 16.09.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply		Minimum	Maximum	rear third of sole	2	6	front half of sole	4	12		13 mm	60 mm	rear third of sole	6 mm	front half of sole	4 mm	50 10.11.03
	Minimum	Maximum															
rear third of sole	2	6															
front half of sole	4	12															
	13 mm	60 mm															
rear third of sole	6 mm																
front half of sole	4 mm																
- TC 9709320																	
6902.10 BRICKS, refractory, dolomite fired, direct bonded, having ALL of the following: (a) magnesium oxide content by weight - 25% to 40%; (b) calcium oxide content by weight - 50% to 70%; (c) length NOT less than 196 mm but NOT exceeding 250 mm; (d) width NOT less than 150 mm but NOT exceeding 230 mm; (e) average tapered thickness (mean cord) NOT less than 50 mm but NOT exceeding 100 mm Op. 24.12.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03																
- TC 8803999																	
6902.10.00 BRICKS AND BLOCKS, REFRACTORY, pressed and fired, having ALL of the following: (a) minimum 50% chromic oxide; (b) maximum 2% magnesia; (c) alumina, zirconia AND silica (AZS) fused cast grains Op. 15.07.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03																
- TC 9905294																	
6902.20 CHOKES OR SHAPES, refractory, high chrome alumina Op. 29.11.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03																
- TC 8341252																	
6902.20.00 BRICKS AND BLOCKS, REFRACTORY, pressed and fired, having ALL of the following: (a) minimum 25% chromic oxide; (b) maximum 2% magnesia; (c) alumina, zirconia AND silica (AZS) fused cast grains Op. 15.07.99	50 10.11.03																
- TC 9905297																	

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7019.51 FABRIC, being fibreglass scrim, chemically sized and bonded, having a width exceeding 150 mm and a weight less than 65 g/sq m Op. 01.07.96	50 10.11.03 - TC 9606669
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7211.19 FLAT ROLLED PRODUCTS, hot rolled, to Specification SAE 1080 modified, having a chemical composition by weight of ALL of the following:	50 10.11.03
(a) carbon - 0.74% to 0.88% (both inclusive); (b) manganese - 0.60% to 0.90% (both inclusive); (c) phosphorus - 0.025% maximum; (d) sulphur - 0.035% maximum; (e) silicon - 0.10% to 0.30% (both inclusive); (f) aluminium - 0.02% to 0.05% (both inclusive)	
Op. 21.12.87	- TC 8735998
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7211.29 FLAT ROLLED PRODUCTS, cold rolled, to Specification SAE 1080 modified, having a chemical composition by weight of ALL of the following:	50 10.11.03
(a) carbon - 0.74% to 0.88% (both inclusive); (b) manganese - 0.60% to 0.90% (both inclusive); (c) phosphorus - 0.025% maximum; (d) sulphur - 0.035% maximum; (e) silicon - 0.10% to 0.30% (both inclusive); (f) aluminium - 0.02% to 0.05% (both inclusive)	
Op. 01.07.96	- TC 9605856
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7212.40 STRIP, "Hi Top" single reduced mild steel, having a thickness within the range of 0.30 mm to 0.50 mm (both inclusive), of rectangular section, of a width NOT exceeding 500 mm and of such dimension that the thickness does NOT exceed one tenth of the width, treated with an electrochemical deposition of chromium or chromium oxide, coated on both sides with an easy release pigmented fluorinated thermoplastic resin based material (but NOT including strip with a thermosetting coating applied as a pre-treatment or final coating)	50 10.11.03
Op. 06.12.83	- TC 8341536
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7216.50.00 PROFILE SHAPES, non alloy steel, having a chemical composition by weight of ALL of the following:	50 10.11.03
(a) carbon - 0.60%; (b) silicon - 0.25%; (c) manganese - 0.70%; (d) chromium - 0.20%	
Op. 04.04.96	- TC 9605328
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7219.24.00 PLATES OR SHEET, stainless steel, to AISI standard 420	50 10.11.03
Op. 10.04.96	- TC 9605615
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7222.19 BARS, stainless steel, hot rolled, NOT further worked than heat treated, pickled or mechanically descaled, to specification AISI 316, but NOT including flat bars	50 10.11.03
Op. 01.07.96	- TC 9606750
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect																												
7222.40.00 ANGLES, SHAPES OR SECTIONS, stainless steel, duplex, composition conforming to UNS S 32550, UNS S 32520 OR UR52N+ Op. 13.05.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9804060																												
7223.00 WIRE, STAINLESS STEEL, cold rolled, flat section with bevelled edges, polished and imported in coils to the following specifications: <table style="margin-left: 20px; border-collapse: collapse;"> <tr> <td style="padding-right: 20px;">WIDTH</td> <td>WIDTH TOLERANCE</td> </tr> <tr> <td>2.50 mm</td> <td>+ or - 0.04 mm;</td> </tr> <tr> <td>3.00 mm</td> <td>+ or - 0.04 mm;</td> </tr> <tr> <td>4.00 mm</td> <td>+ or - 0.04 mm;</td> </tr> <tr> <td>5.00 mm</td> <td>+ or - 0.04 mm;</td> </tr> <tr> <td>6.00 mm</td> <td>+ or - 0.05 mm;</td> </tr> <tr> <td>8.00 mm</td> <td>+ or - 0.06 mm;</td> </tr> <tr> <td>10.00 mm</td> <td>+ or - 0.075 mm</td> </tr> <tr> <td>THICKNESS</td> <td>THICKNESS TOLERANCE</td> </tr> <tr> <td>0.10 mm to 0.20 mm</td> <td>+ or - 0.005 mm;</td> </tr> <tr> <td>0.22 mm to 0.34 mm</td> <td>+ or - 0.007 mm;</td> </tr> <tr> <td>0.37 mm to 0.55 mm</td> <td>+ or - 0.01 mm;</td> </tr> <tr> <td>0.60 mm to 0.80 mm</td> <td>+ or - 0.015 mm;</td> </tr> <tr> <td>1.00 mm to 2.00 mm</td> <td>+ or - 0.02 mm</td> </tr> </table> Op. 06.01.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	WIDTH	WIDTH TOLERANCE	2.50 mm	+ or - 0.04 mm;	3.00 mm	+ or - 0.04 mm;	4.00 mm	+ or - 0.04 mm;	5.00 mm	+ or - 0.04 mm;	6.00 mm	+ or - 0.05 mm;	8.00 mm	+ or - 0.06 mm;	10.00 mm	+ or - 0.075 mm	THICKNESS	THICKNESS TOLERANCE	0.10 mm to 0.20 mm	+ or - 0.005 mm;	0.22 mm to 0.34 mm	+ or - 0.007 mm;	0.37 mm to 0.55 mm	+ or - 0.01 mm;	0.60 mm to 0.80 mm	+ or - 0.015 mm;	1.00 mm to 2.00 mm	+ or - 0.02 mm	50 10.11.03 - TC 9200878
WIDTH	WIDTH TOLERANCE																												
2.50 mm	+ or - 0.04 mm;																												
3.00 mm	+ or - 0.04 mm;																												
4.00 mm	+ or - 0.04 mm;																												
5.00 mm	+ or - 0.04 mm;																												
6.00 mm	+ or - 0.05 mm;																												
8.00 mm	+ or - 0.06 mm;																												
10.00 mm	+ or - 0.075 mm																												
THICKNESS	THICKNESS TOLERANCE																												
0.10 mm to 0.20 mm	+ or - 0.005 mm;																												
0.22 mm to 0.34 mm	+ or - 0.007 mm;																												
0.37 mm to 0.55 mm	+ or - 0.01 mm;																												
0.60 mm to 0.80 mm	+ or - 0.015 mm;																												
1.00 mm to 2.00 mm	+ or - 0.02 mm																												
7223.00 WIRE, stainless steel, precipitation hardened, nominal dia 1.50 mm, having a tensile strength of 160 kg/sq mm or greater but NOT exceeding 185 kg/sq mm, to Specification JISG 4314C SUS 631 J1-WPC (17/7 P/H) Op. 28.09.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8433528																												
7225.40 PLATES OR SHEET, steel, that have been annealed, normalised, quenched, stress relieved, tempered or subjected to ANY combination of these heat treatments, maximum carbon content 0.25%, yield strength exceeding 345 MPa, including solution annealed plates or sheets, having a thickness exceeding 105 mm Op. 29.10.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8634220																												
7226.19 STRIP, electrical steel, thickness 0.35 mm, having a core loss NOT exceeding that permitted by Specifications JIS-S12 or AISI-M22, of rectangular section, of a width NOT exceeding 500 mm and of such dimension that the thickness does NOT exceed one tenth of the width Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9607900																												
7228.60.10 BARS OR RODS, high alloy steel, to standard SAE 4340 Op. 10.04.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9605611																												
7229.90 WIRE, circular section, NOT exceeding 0.274 mm dia Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8734402																												
7304.59 PIPES, steel, seamless, ferritic alloy, in straight lengths, ends plain, bevelled or threaded in accordance with ANY of the following Pipe Material Specification options: (a) AS; (b) ASME; (c) ASTM; (d) BS;	50 10.11.03																												

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
(e) DIN, but without further rework, to ASTM Specification A 335 Grade P11, having EITHER of the following: (a) OD of NOT less than 1 250 mm; (b) OD NOT exceeding 1 250 mm and a WT of 13 mm or greater but NOT exceeding 25 mm Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8735695
7304.59.00 BARS, hot rolled, annealed OR temper hardened, seamless alloy steel to specification MBS92 OR ISO2938 Op. 19.11.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03
7304.59.00 DRILL PIPES, RAISE BORING, seamless, alloy steel, hot forged, ID 135 mm to 140 mm, OD 325 mm to 330 mm, length 3 000 mm OR greater Op. 24.05.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0104295 50 10.11.03
7307.99 CROSSES, socketweld Op. 06.03.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8341410 50 10.11.03
7312.10 ROPE, wire galvanised, mine shaft winding, being ANY of the following: (a) 1 600 MPa grade, in ANY of the following constructions: (i) 44 mm, 8 x 8/6 x 27 (9/12/6 + 3T)/1 x 19 (9/9/1) WMC; (ii) 50 mm, 8 x 8/6 x 28 (10/12/6 + 3T)/1 x 19 (9/9/1) WMC; (b) 1 750 MPa grade, in ANY of the following constructions: (i) 22 mm, 9 x 10 (8/2)/6 x 14 (8/6 + 3T)/1 x 7 (6/1) WMC; (ii) 32 mm, 9 x 6/6 x 13 (7/6/IBR)/1 x 7 (6/1) WMC; (c) 1 800 MPa grade, in ANY of the following constructions: (i) 43 mm, 16 x 19C (9/9/1)/6 x 19C (9/9/1) + 6 x 19C (9/9/1)/6 x 19C (9/9/1)/1 x 19 (9/9/1) WMC; (ii) 44 mm, 12 x 10 (8/2)/6 x 29 (11/12/6 + 3T)/1 x 19 (9/9/1) WMC; (iii) 49 mm, 16 x 19C (9/9/1)/6 x 19C (9/9/1) + 6 x 19C (9/9/1)/6 x 19C (9/9/1)/1 x 19 (9/9/1) WMC; (iv) 50 mm, 12 x 10 (8/2)/6 x 29 (11/12/6 + 3T)/1 x 19 (9/9/1) WMC Op. 28.03.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03
7323.93.00 SAUCEPAN SETS, CAMPING, stainless steel, comprising ALL of the following: (a) 1.5 L handleless saucepan; (b) 2.0 L handleless saucepan; (c) pot lifter; (d) lid to suit both saucepans and which alternates as a frypan; (e) tea pot without protruding spout; (f) total weight of set NOT exceeding 1 200 grams Op. 12.12.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03
7323.93.00 SAUCEPAN SETS, camping, stainless steel, each set comprising EITHER of the following: (a) 1.5 L handleless saucepan; (b) 2.0 L handleless saucepan; (c) pot lifter (d) lid to suit both saucepans, and alternates as a frypan; (e) total weight of set NOT exceeding 733 grams: OR (f) 1.0 L handleless saucepan; (continued on next page)	50 10.11.03

Description of goods including the Customs Tariff Classification Prescribed Item Number
Last day of effect

(Continued from previous page)

- (g) 2.0 L handleless saucepan;
- (h) 3.0 L handleless saucepan;
- (i) pot lifter;
- (j) lids to suit each saucepan, and alternate as frypans;
- (k) total weight of set NOT exceeding 1398 grams

Op. 04.05.94 - TC 9404521

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

7324.21.00 BATH TUBS, cast iron, BOTH inbuilt and free standing in ANY of the following sizes and weights as set out in THE TABLE below: 50
10.11.03

THE TABLE

Dimensions	Weight
(a) 180 cm x 86 cm	142 kgs;
(b) 151 cm x 86 cm	123 kgs;
(c) 170 cm x 80 cm	110 kgs;
(d) 174 cm x 80 cm	128 kgs

Op. 22.12.92 - TC 9300279

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

7326.20.00 CLIPS, HAND HELD WIRE TWISTER 50
10.11.03

Op. 12.02.96 - TC 9603148

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

7326.90 TUBULAR SLIT SCREENS, stainless steel, having BOTH of the following: 50
10.11.03

- (a) a 3/8 of an inch tube which is flattened to 1/4 of an inch;
- (b) constructed from 18 gauge stainless steel

Op. 19.05.92 - TC 9204958

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

7326.90.90 LATCHES, GAS LIFT VALVE 50
10.11.03

Op. 01.05.98 - TC 9803638

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

7326.90.90 LINKS, OBLONG MASTER, grade 80, triple OR quadruple leg sling, chain sizes NOT less than 26 mm diameter 50
10.11.03

Op. 26.11.97 - TC 9710415

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

7411.29 TUBES, copper aluminium, OD exceeding 82.5 mm 50
10.11.03

Op. 20.03.84 - TC 8437037

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

7604.29 BARS AND RODS, conforming to aircraft Specification QQA225/6E, Alloy 2024 50
10.11.03

Op. 31.03.88 - TC 8803417

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

7610.90.00 RAISED FLOORS, aluminium, having ALL of the following: 50
10.11.03

- (a) perforated panels;
- (b) damper controlling air volumes;
- (c) stainless steel pedestals;
- (d) non-conductive surface

Op. 27.03.01 - TC 0102694

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8413.50.90 PUMPS, positive displacement, triplex, having BOTH of the following: (a) a drive capacity exceeding 350 kW; (b) operating pressure of 75 MPa OR greater, imported with OR without drive unit Op. 15.07.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9406192
8413.70.90 PUMPS, submersible, centrifugal, multistage, having ALL of the following features: (a) LPG cooled thermal protected electric motor NOT exceeding 2.20 kW; (b) head exceeding 30 m when measured at 0 L/min and NOT exceeding a nominal 2900 r/min; (c) pump and motor outside diameter NOT exceeding 103 mm; (d) complying to specifications AS 1826 and 2380.7 Op. 31.08.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9407305
8414.30.00 COMPRESSORS, refrigeration or air-conditioning, welded hermetic, rotary fixed vane, having a swept volume exceeding 1.68 L/s but NOT exceeding 2.80 L/s For the purposes of TC 9500486 "swept volume" is calculated from the published displacement/r x the published nominal speed Op. 28.12.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9500486
8414.59.90 TURBO DRYERS, portable, having ALL of the following: (a) use weight 10.6 kg to 18.2 kg; (b) balanced carrying handle; (c) thermally protected motor with true venturi inlets; (d) motor rating .3 hp to .75 hp; (e) operative at 45 degree and 90 degree angle; (f) 6 m (20 ft) water resistant cord; (g) 3 speed control; (h) permanent rubber feet Op. 01.07.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9318911
8415.83.00 AIR HANDLING UNITS, having ALL of the following: (a) air flow volumes of 40 000 m3/h to 200 000 m3/h; (b) sandwich panel enclosures; (c) panel width up to 1 100 mm, panel length up to 7 000 mm; Op. 27.03.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 0102695
8419.32.00 WET END HOODS, HOT AIR DRYING, PAPER TISSUE MAKING MACHINERY Op. 22.02.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 0101756
8419.40 DISTILLATION AND FRACTIONATOR EQUIPMENT, crude oil analysis Op. 16.03.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8437420
8419.81 COOKERS, pressurised, smoked foodstuff, having a pressure pot capacity NOT exceeding 200 L Op. 22.05.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8633494

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8419.81.10 COFFEE MAKING MACHINE, ESPRESSO, having ALL of the following: (a) hand crafted components; (b) granite and chrome railing surround with each body part removeable without undoing any nut or bolt; (c) 10 mm thick curved glass awning; (d) dimensions 93 cm (H) x 130 cm (W) x 100 cm (D); (e) limited production design with unique designer's identification number Op. 07.08.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 9509479</p>
<p>8419.81.90 PREPARATION AND COOKING PLANTS, FOOD, comprising ALL of the following: (a) griller, conveyor belt, continuous, having ALL of the following: (i) thermal oil heater; (ii) platens; (iii) variable belt height adjuster; (iv) in-feed and discharge conveyors; (b) cooker, steam heated, incorporating a tilting mechanism and having a capacity of 400 litres OR greater; (c) pan, saute, tilting, having a capacity of 200 litres OR greater; (d) mixing machine, having a capacity of 590 litres OR greater; (e) processing machine, being cutters, mixers and emulsifiers, having a rotating bowl and a capacity of 45 litres OR greater Op. 25.05.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 0104331</p>
<p>8421.19 CENTRIFUGES, vacuum, air from liquid separation Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 8437512 50 10.11.03</p>
<p>8421.19.90 EVAPORATING CONCENTRATORS, centrifugal, having ALL of the following: (a) selectable adjustable heat from 30 degrees C to 80 degrees C; (b) automatic vacuum and ventilation of evaporation chamber; (c) LCD screen display; (d) safety detector to prevent driving of rotor while the lid is open Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 9703284</p>
<p>8421.29.00 FILTERS, MASH, BREWING, having ALL of the following: (a) polypropylene filter plates; (b) fixed shield; (c) movable shield; (d) rear caisson; (e) hydraulic jack; (f) air regulation tank; (g) buffertank level regulator Op. 06.09.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 0104608</p>
<p>8421.29.00 FILTERS, MEMBRANE, PRESS, having ALL of the following: (a) NOT less than 102 chamber plates; (b) final cake thickness after squeeze NOT exceeding 25 mm; (c) hydraulic opening pressure 400 bar OR greater Op. 10.04.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03 - TC 0103066</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
<ul style="list-style-type: none"> lifting lugs; (k) programmable logic control operation; (l) electrical cable drum mounted to control travelling machine from feeding points; (m) rack and pinion lift; (n) cabling sheaves; (o) rubber/hydraulic buffers; (p) DC drive power converters; (q) fitted with crane management 	- TC 9803220
<p>Op. 16.04.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	
<p>8426.30.00 CRANES, HARBOUR, MOBILE, BREAKBULK AND CONTAINER CARGO HANDLING, having ALL of the following:</p> <ul style="list-style-type: none"> (a) maximum radius 48 metres; (b) simultaneous slewing, luffing and hoisting; (c) maximum lifting capacity 104 tonnes 	50 10.11.03
<p>Op. 16.02.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	
<p>8427.20.00 HANDLERS, telescopic, self propelled, having ALL of the following:</p> <ul style="list-style-type: none"> (a) 360 degree operator visibility; (b) three mode steering being: <ul style="list-style-type: none"> (i) front wheel; (ii) four wheel; OR (iii) crab; (c) telescopic boom with vertical lift and horizontal reach; (d) cab mounted on rubber antivibration blocks and fitted with noise dampening panels; (e) boom side shift; (f) wheel base NOT greater than 2 875mm; (g) cab height NOT greater than 2 440mm; (h) maximum lift capacity NOT greater than 6 000kg; (i) hydrostatic drive transmission 	50 10.11.03
<p>Op. 19.12.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	
<p>8427.90.00 FEEDING TRUCKS, ALUMINIUM FLUORIDE, having a high mounted boom and a low mounted dosing boom with measuring device</p>	50 10.11.03
<p>Op. 25.07.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	
<p>8428.32.00 CLARIFIER SYSTEMS, rectangular, non metallic, comprising ALL of the following:</p> <ul style="list-style-type: none"> (a) non metallic driver and idler shafts; (b) cast nylon 6 sprockets; (c) cast nylon 6 wear shoes and return rail brackets; (d) non metallic chain; (e) return rails and "c" channel flights 	50 10.11.03
<p>Op. 04.02.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	
<p>8428.39 NEWSPAPER HANDLING EQUIPMENT, being of the single copy gripper type and associated equipment, being ANY of the following when classified to sub heading 8428.39, in Schedule 3 to the Customs Tariff Act 1987:</p> <ul style="list-style-type: none"> (a) press connections; (b) systems or stations being ANY of the following: <ul style="list-style-type: none"> (i) forwarding; (ii) insert, winding or unwinding; (iii) emergency, delivery or handfly; (iv) transfer; (c) lapped stream conveyors; (d) inserting systems; (e) insert pre-collection storage units being cassettes; (f) hopper or hopper loaders; 	50 10.11.03

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
---	--

(Continued from previous page)

- (g) stacking machines with or without merging devices;
 - (h) insert pre-collecting machines;
 - (i) folders or folder connections;
 - (j) pressing devices;
 - (k) copy counting units;
 - (l) waste extraction devices;
 - (m) cross strappers;
 - (n) film wrappers;
 - (o) side welders, including exhaustor units therefor;
 - (p) operating panels and control units;
 - (q) evacuation units;
 - (r) bundle merging units;
 - (s) shifting devices;
 - (t) top sheet units being applicators, feeders, supports or printers;
 - (u) feeder sections,
- but NOT including:
- (a) belt conveyors;
 - (b) accumulating conveyors;
 - (c) despatch/conveyor equipment

Op. 21.10.86

- TC 8903431

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

8428.90.00 PALLETISERS, operational in an ambient temperature of -15 degrees Celsius, consisting of ALL the following:

50
 10.11.03

- (a) main frames;
- (b) layer pushers displaced 90 degrees;
- (c) pallet handlers;
- (d) protection grids;
- (e) switch cabinets;
- (f) junction boxes;
- (g) double belt conveyors;
- (h) control panels;
- (i) single orientation tables with turning machine, case pusher and row pusher;
- (j) vertical lifts with double stripper plate, back stop and side presses, with movable hold back bar, pallet size 1 165 mm x 1 165 mm

Op. 25.02.97

- TC 9701682

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

8428.90.00 SCISSOR LIFTS (elevating work platforms), self propelled, having ALL of the following:

50
 10.11.03

- (a) petrol and/or lpg engines;
- (b) maximum working height from 10.80m to 30.50m (both inclusive)

Op. 17.10.94

- TC 9408294

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

8429.51.90 LOADERS, SKID STEER, wheeled, having a single loader arm, self levelling, operating load SAE rating of 650 kg

50
 10.11.03

Op. 30.03.96

- TC 9511737

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

8431.49.90 AXLES, ARTICULATED BACKHOE LOADERS

50
 10.11.03

Op. 14.02.95

- TC 9501913

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

8433.53.00 CARROT HARVESTER, single row, with side elevator

50
 10.11.03

Op. 11.05.95

- TC 9505472

NOTE:

Revoked in accordance with ss.269SD(1A) of the Customs Act.
 In transit provisions apply

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8434.20.00 CHEESE BLOCK FORMING MACHINES Op. 07.01.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9401235 50 10.11.03
8436.29 DEBEAKERS, electric, cauterising, incorporating variable heat controls Op. 25.07.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8633888 50 10.11.03
8438.10 STAMPING MACHINES, bread roll, capacity 4 000 pieces/h Op. 31.07.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8434273 50 10.11.03
8438.10.90 DOUGH FORMING AND MOULDING LINE, having ALL of the following: (a) maximum output capacity exceeding 1.85 t/h; (b) sheeter; (c) gauge roll; (d) wire cutter; (e) scrap pick-up and transferer; (f) feed conveyors; (g) rotary moulder; (h) swivel panner Op. 20.07.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9905402 50 10.11.03
8438.10.90 MIXING AND SHEETING LINES, DOUGH, with a batch capacity of at least 900 kg but NOT greater than 1200 kg, having ALL of the following: (a) mixers with twin helical stainless steel beaters; (b) dough feeders, including tub tilting and elevating; (c) laminator, including: (i) three roll sheeting section; (ii) gauge rolls; (iii) sheet cutter and layer Op. 20.03.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0102511 50 10.11.03
8438.10.90 RICE CRACKER MANUFACTURING LINES, having ALL of the following: (a) rice flour mixer; (b) rice steamer incorporating pressure adjustment; (c) kneader; (d) seasoning tumbler; (e) finishing dryer; (f) band ovens Op. 30.07.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0106473 50 10.11.03
8438.10.90 RICE CRACKER MANUFACTURING LINES, having ALL of the following: (a) rice flour mixer; (b) rice steamer, incorporating pressure adjustment; (c) twin screw kneader; (d) twin teflon dough sheeter; (e) four head seasoning tumbler; (f) weight checker and separator; (g) shaking oven Op. 30.04.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0103595 50 10.11.03
8438.40.00 WATER TREATMENT PLANT, CHEMICAL, BREWING LIQUOR, having a maximum capacity of 40 cubic meters/hour brew water Op. 05.01.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0100128 50 10.11.03

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8438.60.00 COCONUT GRATER, having ALL of the following: (a) single phase electric motor with a speed rating of less than 1 500 r/min; (b) single shaft; (c) metal grating head; (d) metal guard; (e) metal stand Op. 09.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03</p>
<p>- TC 9508062</p>	
<p>8438.80.00 FILLING MACHINES, LIQUID OR SEMI-LIQUID FOODSTUFFS, electronic piston, capacity NOT exceeding 60 cycles per minute Op. 05.06.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03</p>
<p>- TC 0104621</p>	
<p>8439.99.00 DIES, EXTRUSION LAMINATION COATING, comprising ALL of the following (a) adjustable internal decks; (b) edge bead reduction; (c) maximum width, at the extrusion lip, 2 235 mm; (d) plastic lamination layer width, maximum 2 235 mm and minimum 800 mm Op. 20.01.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03</p>
<p>- TC 9900565</p>	
<p>8450.20.00 WASHING MACHINES, commercial, front loading, coin/token operated, having a coin/token operated mechanism incorporated within the control panel and a dry linen capacity NOT exceeding 18.5 kg Op. 11.01.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03</p>
<p>- TC 9300950</p>	
<p>8465.10.00 MILLING AND DRILLING MACHINES, SPECTACLE LENS Op. 25.10.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03</p>
<p>- TC 0008948</p>	
<p>8465.10.00 WOODWORKING MACHINES, having ALL of the following: (a) multi-functional within the one non-detachable machine base; (b) saw blade maximum depth of cut 103 mm (+ or - 5%); (c) planer/thicknesser blade maximum width 410 mm (+ or - 5%); (d) capable of ALL of the following functions: (i) moulding; (ii) morticing; (iii) tenoning; (iv) edge or bevel trimming Op. 30.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03</p>
<p>- TC 9706650</p>	
<p>8465.91.00 BAND SAW MILLS, computer and/or programmable logic controlled, having ALL of the following: (a) conveyors; (b) log turning machine; (c) log aligning machine; (d) twin band headrig saws; (e) capacity of NOT less than 34 cubic metres per hour Op. 16.05.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 10.11.03</p>
<p>- TC 0104142</p>	
<p>8474.20.00 PULVERISERS, FUEL COAL, vertical, having ALL of the following: (a) 730 kW motor; (b) 70.6 t/h capacity; (c) reduction gear; (d) reduction gear forced lubricator; (e) hydraulic roller tensioner; (f) remotely controlled variable angle vane</p>	<p>50 10.11.03</p>

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Op. 19.01.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0100583
8474.80.00 BLOCK MAKERS, CONCRETE, capacity NOT less than 9 600 blocks/h Op. 10.09.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 9906872 10.11.03
8474.90.00 PART KITS, CONCRETE PIPE MOULDING MACHINE, comprising ALL the following: (a) bi-directional rollerhead with rollers and longbottom; (b) turning and vibrating plate; (c) full bottom centering pallet; (d) three piece strip moulds; (e) oscillating tongue former; (f) socket curing pallets; (g) inside and outside shaping rings Op. 03.05.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 0103710
8477.80.00 EXTRUSION AND MOULDING LINES, POLYETHYLENE FILM Op. 11.03.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 9901792 10.11.03
8477.80.00 EXTRUSION LINE, THERMOPLASTIC, single screw, comprising ALL of the following: (a) vented bimetallic steel barrel; (b) 5 heating and/or cooling zones; (c) thermo adjusting control board at 5 heating and/or cooling zones; (d) screen changer; (e) gear pump; (f) static mixer; (g) calliper gauging with feed back loops; (h) chill roll and pull polishing stacks Op. 14.02.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 0002421
8477.80.00 RUBBER UNWINDING AND SLITTING MACHINES Op. 16.02.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 0101690 10.11.03
8479.82 GRINDING MACHINES, grain, hand operated, domestic Op. 29.01.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 9001930 10.11.03
8479.89 APPLICATING MACHINES, tear or recloseable seal tape Op. 22.06.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8904394 10.11.03
8479.89 CUTTING ATTACHMENTS, industrial sewing machine, for cutting thread chain or tape Op. 08.05.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8438831 10.11.03
8479.89 GENERATORS, lens Op. 31.03.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8733186 10.11.03

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8479.89 SPLICERS, continuous, paper or paperboard Op. 09.10.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8807467 50 10.11.03
8479.89.90 ACCUMULATORS, hydraulic, button type, having a capacity of either 0.71 or 1.51 conforming to AS1210 having a pressure rating of 33mPa for an unlimited number of cycles Op. 11.09.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9510422 50 10.11.03
8479.89.90 CLEANING SYSTEM, ON-LINE, HEAT EXCHANGER AND/OR CONDENSER TUBES, having ALL of the following: (a) strainer screens; (b) ball recirculation pump; (c) ball collector Op. 02.06.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9804694 50 10.11.03
8479.89.90 CONVERSION KITS, power window, converting manual operation to power system comprising ALL of the following: (a) 2 electric window mechanisms; (b) 2 power window switches; (c) wiring harness; (d) 2 round caps to cover hole in door trim; (e) 4 grommets, 2 plastic tubes each 25 cm long Op. 01.04.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9309035 50 10.11.03
8479.89.90 FEEDER, POLYCARBONATE PELLET, COMPACT DISC MANUFACTURING SYSTEM, incorporating a drying hopper Op. 14.12.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9910156 50 10.11.03
8479.89.90 FEEDERS, fish, being automatic feed regulators, comprising ALL of the following: (a) electronic digital clock; (b) food reservoir with a flake capacity of 28.34 g (1 oz) Op. 16.03.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9403686 50 10.11.03
8479.89.90 SCREWDRIVING MACHINES, SPECTACLE FRAME Op. 25.10.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0008947 50 10.11.03
8479.89.90 SPLIT FILE PRODUCTION LINES, comprising ALL of the following: (a) shaping plant; (b) drying plant; (c) tunnel kiln; (d) computer control centre Op. 11.04.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0103178 50 10.11.03
8479.89.90 TANK CLEANING AND FILTRATION SYSTEMS, self contained, diesel powered, trailer mounted, centrifugal, having ALL of the following: (a) 15 kW 240 V/60 cycle - 3 phase power generation; (b) two process centrifuges, operating at a maximum of 1400 rpm (c) four progressive cavity pumps; (d) two vibrating screen separators Op. 28.03.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0102755 50 10.11.03

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8479.89.90 TANK CLEANING SYSTEMS, self contained, diesel powered, hydraulically driven, trailer mounted, having ALL of the following: (a) 15 kW 240 V/60 cycle - 3 phase power generation; (b) single stage centrifugal wash pump; (c) two variable speed removal pumps; (d) vibrating screen separator not exceeding 152 cm (60 inch) diameter	50 10.11.03
Op. 28.03.01	- TC 0102754
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8479.89.90 UNWINDERS, DOUBLE OFF-LINE, DIAPER MAKING	50 10.11.03
Op. 23.12.99	- TC 9910582
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8479.90.90 PARTS OF CABLE AND/OR PIPE LAYING PLOUGH, being ANY of the following: (a) cable drum brake; (b) cable drum axle; (c) cable drum cones; (d) cable drum lifting and carrying set; (e) cable drum drive; (f) marker tape dispenser; (g) cable laying sword; (h) cable sword shoes; (i) cable tunnel; (j) cable guidance plates; (k) anchor plate; (l) displacement plates	50 10.11.03
Op. 01.07.97	- TC 9703622
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8481.30 VALVES, CHECK, steam, autoclave, incorporating a neoprene poppet and having an operating temperature of 107.2 degrees C	50 10.11.03
Op. 26.06.84	- TC 8438761
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8481.40 REGULATORS, flow control, steam boiler, incorporating graduated sized orifices to predetermine continuous blow off	50 10.11.03
Op. 12.06.84	- TC 8437971
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8481.40.00 VALVES, THREE WAY PRESSURE, having ALL of the following: (a) cage plug with multiple drilled holes; (b) outlet pressure 1 800 kPa; (c) inlet pressure 10 300 kPa; (d) inlet temperature 520 degrees C; (e) outlet temperature 275 degrees C; (f) noise limitation to 75 dBA; (g) adjustable valve shaft	50 10.11.03
Op. 15.01.96	- TC 9601655
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8481.80 BALL VALVE, all welded body, with a bore in excess of 400 mm, fitting the following description: (a) top works to suit mounting of manual, air or hydraulic operator; (b) secondary sealant ports on main body to ball seals; (c) block and bleed valve to vent body cavity of valve in closed position; (d) 90 degrees actuation closed to fully open	50 10.11.03

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Op. 17.10.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9009082
8481.80 VALVES, DUMMY, down-hole isolation, wire line retrievable Op. 01.07.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8334727 10.11.03
8481.80.90 VALVES, diaphragm, manually operated, flow through weir type, having ALL of the following: (a) flanged connections sizes 15-250 mm inclusive; (b) working pressure up to 1 000 kPa at temperatures from - 20 degree C to 90 degree C inclusive; (c) body wholly of polypropylene or poly vinylidene fluoride; (d) diaphragm material of polytetrafluoroethylene or ethylene propylene tri polymer Op. 17.02.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9402296
8481.80.90 VALVES, SIX WAY BACKWASH, having ALL of the following: (a) bolt down flange OR moulded buttress thread; (b) maximum operating pressure 8 bar; (c) air release Op. 14.05.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9804130
8481.90.90 PARTS, BLAST FURNACE BACKDRAFT GATE VALVE, being ANY of the following: (a) valve housings; (b) valve slide discs; (c) gate housings; (d) linings; (e) wedges; (f) cooling water tubes Op. 16.07.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 0105820
8485.90 RETURN LINE DIFFUSERS, hydraulic fluid Op. 06.12.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8342215 10.11.03
8501.40.00 MOTORS, electric, low centre, LC 63 frame, single phase, 240 V, 2.2 kW, 50 Hz, IP55, duty rating S6 40%, 3 HP., capacitor start and capacitor run Op. 28.05.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9305085
8501.53.00 MOTORS, AC, synchronous, 3 phase, 6 pole, having ALL of the following: (a) power output of 2900 kW OR greater; (b) voltage of 6 kV OR greater; (c) frequency of 50 Hz Op. 09.07.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 0105554
8501.53.00 MOTORS, AC, synchronous, 3 phase, 6 pole, having ALL of the following: (a) power output up to 730 kW; (b) voltage in excess of 6 kV; (c) frequency of 50 Hz Op. 10.05.01	50 10.11.03 - TC 0104001

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8504.40.90 MINE LIGHTING SYSTEM CONVERTER BOXES, conforming to IP 65 or greater rating Op. 01.07.96	50 10.11.03 - TC 9601469
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8504.50 INDUCTORS, reference standard, having an inductance stability of 0.00% + or - 0.01%/year Op. 13.03.84	50 10.11.03 - TC 8342991
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8507.20.00 ACCUMULATORS/BATTERIES, absorbed electrolyte lead acid, rechargeable, having ALL of the following: (a) 12 V nominal; (b) nominal capacity 31 Ah @ 20 hr rate; (c) leakproof moulded case; (d) operable in any position; (e) nominal dimensions +/- 1.5 mm: (i) height to top of terminals 184.5 mm; (ii) width (including cover) 197.6 mm; (iii) depth (including cover) 132.6 mm Op. 13.02.95	50 10.11.03 - TC 9501727
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8516.60.00 GRILLER-WOK COMBINED, DOMESTIC, electric Op. 09.10.00	50 10.11.03 - TC 0008417
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8525.10 AMPLIFIERS (GENERATORS), special effects, television Op. 17.04.84	50 10.11.03 - TC 8437999
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8525.10 GENERATORS, video pointer display Op. 17.04.84	50 10.11.03 - TC 8438046
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8527.29.00 SIGNAL BOOSTERS, MOTOR VEHICLE RADIO, FM, 12 V DC, but NOT including signal boosters when imported with aerials or antennae Op. 17.06.97	50 10.11.03 - TC 9705146
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8535.10 FUSES, cartridge, 3.3 kV, conforming to BS 2692/1959 Specification, having a rupturing capacity of 150 mVA (A.S.T.A. certified or its equivalent) Op. 22.05.84	50 10.11.03 - TC 8438456
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8536.30.00 THERMAL OVERLOAD DEVICE, having ALL of the following: (a) single pole circuit, 10 A, 250 V; (b) bi-metallic thermal sensing element; (c) width NOT exceeding 30 mm; (d) length NOT exceeding 40 mm, NOT being DIN rail mount type Op. 06.08.97	50 10.11.03 - TC 9706876
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8543.90.90 PARTS OF DIGITAL VIDEO COLOUR MONITORS AND CORRECTORS Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9704377
8544.41.90 CABLES, COMPUTER, having ALL of the following: (a) cable of 34 conductor configuration, gauge 28 AWG (American Wire Gauge), tinned PVC ribbon with 1.27 pitch; (b) fitted with NOT less than four connectors of the 34-position type; (c) length NOT exceeding 725.0 mm; (d) distance between connectors NOT less than 121.9 mm (+ or - 5 mm) and NOT exceeding 310.6 mm (+ or - 5 mm) Op. 30.12.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9711319
8547.90 RINGS, tangential grain type, of synthetic resin treated laminated compressed wood Op. 26.03.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 8431121
8907.90.00 AQUACULTURE PLANT, FISH REARING Op. 10.11.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9908617
9405.40.00 LAMP FITTINGS, oven, incorporating a 230 - 240 V, 15 W or 25 W filament lamp with 1/2 edison screw connection Op. 05.01.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9300907
9503.41 COMFORTERS, infant bedtime, illuminating with soft body and vinyl animal caricature head, battery operated, activated by squeeze with automatic cut off Op. 19.03.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9203333
9503.70.00 ACTIVITY TOYS, being ANY of the following: (a) cartoon drawing kits, comprising paper sheets, six coloured pencils, plastic frame and printed cartoon character strips; (b) string creativity kit comprising string, paper shapes and plastic pegboard; (c) stencil drawing kit comprising plastic stencils, paper sheets and eight coloured pencils Op. 02.11.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9209361
9503.90.99 TOYS, SWIMMING POOL, being underwater gliders representing rockets Op. 11.09.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 0007844
9506.91.00 THERAPY POOLS, aquatic, having ALL of the following: (a) maximum water resistance 6.5 MPH; (b) eight workstations; (c) paddlewheel water propulsion system; (d) running platform Op. 06.09.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 10.11.03 - TC 9407387

NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of determinations applying to goods of a kind specified in the table below.

In the table:

- (i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the Determination reference number;
- (ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods.

THE TABLE

Description of Goods Dates of Effect		Prescribed Item Number
One (1) only driving aid, being an aid and appliance for the disabled. 01.10.03 to 31.12.03	- MD 347012	12
Plastic bottle manufacturing machinery and components therefore, for use in a major bottle manufacturing project 05.09.02 to 31.12.03	- MD 346979	71
Plastic bottle manufacturing equipment to be used in a major bottle manufacturing project 16.06.03 to 31.12.03	- MD 346980	71

NOTICE OF REVOCATION OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the revocation of determinations made under section 273 of the Customs Act 1901, which applied to goods of a kind specified in the table below.

In the table:

- (i) the first column specifies the kind of goods to which the determination applied, any conditions specified in the determination, the original commencement date of the determination and the Determination reference number;
- (ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applied to the specified goods.
- (iii) the third column specifies the date of revocation, being the date on which the determination ceases to have effect.

THE TABLE

Description of Goods Commencement Date	Prescribed Item Number	Revocation Date
Bottle manufacturing machinery for use in a PET bottle project, as follows: (a) four (4) only injection and plasticising machines; (b) four (4) only high-cavitation retrofits; (c) four (4) only preform assembly injection moulding machines; (d) five (5) only preform cooling machines; and (e) three (3) only blow moulding lines. Op. 05.09.02 Dec. date 17.07.03	71 - MD 346837	06.11.03
Bottle manufacturing machinery for use in a PET bottle project, as follows: (a) one (1) only preform machine; (b) one (1) only cavity mould, with take off plate and spares; (c) one (1) only cavity hot runner and spares; and (d) one (1) only cavity retrofit. Op. 16.06.03 Dec. date 17.07.03	71 - MD 346838	06.11.03