



CONTENTS

Applications for TCOs.....	2
TCOs Made.....	4
Customs Initiated - TCOs Revoked - Unused for over two years.....	5
Notification of Review of Applications.....	31
Determinations Made.....	32
Notice of Intention to Revoke – Item 57 Determinations.....	33

FREE Customs Tariff Concessions Gazettes available at: <http://www.customs.gov.au>

Select “media, publications and forms”, then “tariff concessions gazette”. Select from the list of Adobe Portable Document Format (PDF) files.

General Inquiries:	(02) 6275 6483
Facsimile:	(02) 6275 6376
SUBSCRIPTIONS Telephone:	1300 889 873
Facsimile:	(02) 6293 8333

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Submission forms are available from Custom Houses throughout Australia or on the Customs web site www.customs.gov.au

For guidance on the required description style contact Glen Beatty on phone 02 6275 6489, fax 02 6275 6376 or email glen.beatty@customs.gov.au.

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number
<p>8414.51.00 DISPENSERS, LIQUID FRAGRANCE, fan operated, battery powered Op. 18.03.04</p> <p>Stated Use: Domestic, restaurant, toilet area etc</p> <p>Applicant: S C JOHNSON & SON PTY LTD LANE COVE, NSW, 2066</p>	- TC 0402901 50
<p>8418.99.00 PARTS, ICE CONFECTIONERY MACHINERY, stainless steel, being EITHER of the following: (a) mould straps; (b) rings Op. 16.03.04</p> <p>Stated Use: Moulding ice confectionery</p> <p>Applicant: DANITA PTY LTD BURWOOD, VIC, 3125</p>	- TC 0402744 50
<p>8438.10.90 BREAD STICK LINE, stainless steel, comprising ALL of the following: (a) dough roller and cutter; (b) dough sheeter; (c) continuous tray return Op. 16.03.04</p> <p>Stated Use: Making Grissini breadsticks</p> <p>Applicant: C.B.M. PTY LTD VIRGINIA, QLD, 4014</p>	- TC 0402743 50
<p>8438.20.00 TEMPERING AND MOULDING MACHINES, CHOCOLATE, comprising BOTH of the following: (a) vibrating table; (b) trolley Op. 17.03.04</p> <p>Stated Use: To temper chocolate and to fill moulds</p> <p>Applicant: CHOCOLATE MILL MOUNT FRANKLIN, VIC, 3461</p>	- TC 0402809 50
<p>8479.89.90 PORT CLEANING SYSTEM, CHEMICAL RECOVERY BOILER, comprising ALL of the following: (a) cleaning rods; (b) air cylinder drive; (c) indexing clutches; (d) PLC controlled Op. 18.03.04</p> <p>Stated Use: To automatically clean the air ports of a chemical recovery boiler in the manufacture of kraft paper pulp</p> <p>Applicant: AUSTRALIAN PAPER MT WAVERLEY, VIC, 3149</p>	- TC 0402845 50

Description of goods including the Customs Tariff Classification	Prescribed Item Number
--	------------------------

8518.22.00 LOUDSPEAKERS, LENS, 2 independent active loudspeakers with 2 double balanced passive radiators in 1 chassis, comprising ALL of the following: (a) magnetic shielded drivers with dedicated integrated digital class amplifiers; (b) 3 way selector switches; (c) adaptive bass linearization Op. 16.03.04	50
--	----

- TC 0402732

Stated Use:
Audio distribution

Applicant: BANG & OLUFSEN UNIT TRUST
HAWTHORN EAST, VIC, 3123

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference no. follow the description of goods.

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number
6305.32.00 CONTAINERS, FLEXIBLE INTERMEDIATE BULK, compliant with AS 3668-1989 comprising ALL of the following: (a) single point lift equipped with a double sewn protective sleeve; (b) U.V. treated circular woven polypropylene body; (c) open top; (d) bottom fitted discharge spout with a pyjama draw cord type closure and dust cover; (e) plastic liner with cable tie; (f) safe working load of 1 000 kg OR greater Op. 27.01.04	50 - TC 0401188
8419.89.90 FLAME SPRAYERS, PLASTIC OR METALLIC POWDER Op. 14.01.04	50 - TC 0400631
8433.59.90 HARVESTERS, PECAN NUT Op. 20.01.04	50 - TC 0400854
8481.80.90 VALVES, BLAST FURNACE, being ANY of the following: (a) feed valves; (b) seal valves, lower OR upper material gate; (c) pressure equalisation valves Op. 21.01.04	50 - TC 0401205
8481.90.90 PARTS, BLAST FURNACE VALVES, being EITHER of the following: (a) seal valve chambers; (b) lower OR upper material gates Op. 21.01.04	50 - TC 0401204
8483.60.90 DRIVE COUPLINGS, STEEL STRIP MILL, having an outside diameter greater than 1 metre Op. 15.01.04	50 - TC 0400652
8501.52.00 MOTORS, AC, comprising ALL of the following: (a) 3 phase; (b) voltage NOT greater than 420 volts; (c) TEFC (totally enclosed fan cooled); (d) sensor less vector control Op. 20.01.04	50 - TC 0400979
8503.00.00 MOTOR FRAMES AND MAGNET FRAMES, STEEL STRIP MILL ELECTRIC MOTOR Op. 20.01.04	50 - TC 0400978
8503.00.00 PARTS, STEEL STRIP MILL ELECTRIC MOTOR, being ANY of the following: (a) field windings and field poles; (b) coil and pole, either commutating OR main; (c) cases and case coverings; (d) armature bars; (e) mainpole coils; (f) auxiliary compole coils Op. 20.01.04	50 - TC 0400850
8516.79.00 LABORATORY HEATERS AND BLOWERS, having an electronically controlled temperature Op. 16.01.04	50 - TC 0400760

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDERS AND COMMERCIAL TARIFF CONCESSION ORDERS
REVOCAION AT THE INITIATIVE OF CUSTOMS

The Tariff Concession Orders or Commercial Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these Orders was notified in Gazette TC 04/10 dated 17 March 2004.

Order 0109279 notified in that Gazette has NOT been revoked at the request of an importer on this occasion.

Contact: Mr Geoff Hollins, phone 02 6275 6385, fax 02 6275 6376 or email geoff.hollins@customs.gov.au

THE TABLE

COLUMN 1		COLUMN 2	
Description of Goods including the Customs Tariff Classification		Prescribed Item No. Date	
2917.33.00	DIDECYL PHTHALATE Op. 27.02.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9701729	50 14.04.04
2921.19	DIBUTYL AMINE PYROPHOSPHATE Op. 17.05.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8804678	50 14.04.04
3005.10.00	DRESSINGS, hydrocolloid, hypo-allergenic, non-sterile Op. 25.11.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9710407	50 14.04.04
3005.90	DRESSINGS, biological and antiseptic, post-dental, post-dental surgery or pathological dental treatment Op. 11.10.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8340526	50 14.04.04
3206.11.00	DISPERSION, concentrated, granular form, synthetic inorganic colouring matter, dispersed in polybutylene terephthalate, having ALL of the following: (a) a density at 23 degrees C for 1.78 +/- 0.02 for white; (b) a water content of less than 0.05%; (c) resistance against usual hydrocarbon or silicone based filling compounds; (d) 5%/95% by weight mixtures of the dispersion in granular form referred to above with polybutylene terephthalate natural resin as specified in point (d) (3), having ALL of the following: (i) a water content of less than 0.05%; (ii) resistance against usual hydrocarbon or silicone based filling compounds; (iii) polybutylene terephthalate having ALL of the following: (a) a density at 23 degrees C of 1.31 g/cu cm; (b) a melt flow index (MVI 250 degrees C/2, 16 kg) in the range 8.5-9.5 cm cubed/10 min; (c) a modulus of elasticity (tensile test) of 2 600 N/sq mm; (d) a water absorption (saturation) of 0.45%; (e) a coefficient of linear expansion from 23 degrees C to 80 degrees C of 13 000/K Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9606054	50 14.04.04
3206.49.00	PIGMENTS, yellow 164, but NOT including preparations based thereon Op. 04.03.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9801904	50 14.04.04
3402.20.00	CARBON CLEANING PREPARATIONS, with a flash point of greater than 37.75 degrees C (100 degrees F) Op. 27.08.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9310015	50 14.04.04

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3506.91.00 RETAINING COMPOUND, ANAEROBIC, METHACRYLATE Op. 14.12.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9910035 50 14.04.04
3602.00.00 CYCLOMETHYLENETRINITRAMINE Op. 05.02.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9900932 50 14.04.04
3702.43 FILM, red sensitive scanner, high speed, high contrast, red sensitive, coated polyester Op. 27.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8801937 50 14.04.04
3703.90 PAPER, photosensitive, black and white reversal, waterproof, unexposed, in rolls having a width NOT exceeding 53 mm Op. 16.09.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8534737 50 14.04.04
3808.10.90 BAIT STATIONS, COCKROACH, non-repellant, non-aerosol, having an active ingredient of hydramethylnon Op. 18.10.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9511356 50 14.04.04
3808.10.90 INSECTICIDES, being or having a basis of bacillus thuringiensis tenebrionis Op. 02.01.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9500555 50 14.04.04
3808.20.00 FUNGICIDES, having a basis of tetrachloroisophthalonitrile Op. 18.11.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9908807 50 14.04.04
3808.30 DICHLOBENIL, in granular form, containing NOT less than 65 g/kg of dichlobenil Op. 11.06.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8532380 50 14.04.04
3808.90.00 PRESERVATIVES, having a basis of (((1-Methyl-2-(5-methyl-3- oxazolidinyl)-ethoxy)methoxy)methoxy)methanol Op. 18.11.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9908803 50 14.04.04
3814.00 SOLVENTS, having a basis of trichlorotrifluoroethane Op. 03.09.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8735463 50 14.04.04
3824.90 ALUMINA COMPOUND for mixing hydrocarbon fuels to form a combustible gel solution Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9602230 50 14.04.04
3824.90.90 ESTERS, POLYGLYCEROL with a basis of mono-, di and trimer acids Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9605969 50 14.04.04

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3906.90 COPOLYMER SOLUTION OF VINYLPIRROLIDONE, tertiary butyl acrylate and methacrylic acid Op. 15.05.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9004581
3909.40.00 PHENOL FORMALDEHYDE RESIN, flake or pastille form, having ALL of the following: (a) melting point of 58 degrees C; (b) viscosity of 1 260 centistokes at 140 degrees C measured as centipoises; (c) free of methanol and hexamethylenetetramine For the purposes of this ORDER "flake form" means an irregular platelet sized at 1-2 square centimetres area and 1 mm thickness and "pastille form" means spherical beads having a diameter between 3 mm and 15 mm Op. 17.01.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0000903
3909.50.90 ADHESIVES, lamination, aqueous dispersion of amine terminated polyurethane, chemical and heat resistant Op. 28.12.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9310703
3910.00.00 SILICONE POLYMER BLEND, comprising ALL of the following: (a) 40% dimethicone gum; (b) 60% polydimethylsiloxane fluid Op. 03.11.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9511753
3917.29 TUBING, ferrite powder impregnated, fibreglass reinforced Op. 30.04.91 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9104183
3920.20.00 POLYPROPYLENE, PLANAR FORM, having ALL of the following: (a) embossed on at least one side; (b) tensile strength 31N/sq m machine direction and 28N/sq m transverse direction; (c) weight 0.09 g/sq cm; (d) cold crack 0 degrees C; (e) in widths NOT less than 900 mm and NOT exceeding 1 250 mm; (f) in roll form in lengths NOT less than 900 m Op. 07.10.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9407995
3920.43.00 VINYL PLANAR FORMS, thickness 0.762 mm, width 1 574.8 mm, non-slip type, incorporating an in-built natural curve which is retained, unaided, when the sheet is flexed in either direction Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0105335
3920.49.00 POLYVINYL CHLORIDE SHEETS, unplasticised, calendered and embossed, having ALL of the following: (a) opaque; (b) static free; (c) sheet size NOT exceeding 700 mm x 920 mm; (d) gauge of 0.13 mm, 0.14 mm or 0.20 mm; (e) Vicat softening point (5 kg air) 76 degrees C to ASTM D-1525 Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0105319

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3920.49.00 RIGID POLY VINYL CHLORIDE PHOTO LUMINESCENT SHEETS Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0107316
3920.99.00 MICROWAVE RESONANT ABSORBER SHEETS Op. 07.11.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0110109
3921.14.00 REGENERATED CELLULOSE VEGETAL MATERIAL, absorbent fine core construction, wafer thin with reinforcing scrim and honeycomb pattern on one side, size 310 mm x 270 mm x 4 mm + or - 15% Op. 07.04.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9309125
3921.19.00 POLYETHYLENE SYNTHETIC PRINTING SHEET, cellular, having ALL of the following characteristics: (a) high density polyethylene 6% to 32%; (b) ultra high molecular weight polyethylene 6% to 32%; (c) filler 50% to 75%; (d) greater than 60% void by volume and greater than 60% silica by weight Op. 08.04.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9404056
3921.19.00 SHEETING, consisting of core and substrate and surface materials fused together under heat and pressure, having ALL of the following: (a) core material of expanded ABS (acrylonitrile-butadiene- styrene copolymer); (b) substrate material of non-expanded ABS; (c) surface material being a mix of PVC, nitrile rubber, non-expanded ABS and urethane; (d) total sheet thickness NOT exceeding 2 cm Op. 06.08.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0106801
3923.10.00 PALLETS OR BASKETS, VAPOUR HEAT FUMIGATOR Op. 12.10.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0109374
3926.90.90 BELTS, INKJET OR LASER PRINTER OR PRINTER-PLOTTER Op. 13.03.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0002645
3926.90.90 CHEESE LINING MATERIAL, being a polymeric expanded net Op. 02.08.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9307246
3926.90.90 SUN HOOD, 8 mm video camera recorder Op. 22.07.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9406291
4008.11 TAPE, stretch, closed cell foam, coated with hypo-allergenic adhesive Op. 02.02.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 8806741

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect																
4009.21.90 HOSE, aircraft, Military Specification MIL-H-83797 Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0105448 50 14.04.04																
4009.21.90 HOSE, hydraulic, flame resistant, capable of operating in temperatures of - 40 degrees C to + 93 degrees C (both inclusive) with peaks up to + 120 degrees C, having ALL of the characteristics listed in THE TABLE <table border="1" data-bbox="239 470 925 627"> <thead> <tr> <th colspan="4" data-bbox="523 477 628 495">THE TABLE</th> </tr> <tr> <th data-bbox="309 499 414 537">ID NOT less than</th> <th data-bbox="491 499 596 537">ID NOT exceeding</th> <th data-bbox="671 499 777 537">OD NOT exceeding</th> <th data-bbox="826 499 920 560">Minimum burst pressure</th> </tr> </thead> <tbody> <tr> <td data-bbox="268 582 405 600">(a) 7.7 mm</td> <td data-bbox="501 582 587 600">8.5 mm</td> <td data-bbox="671 582 758 600">15.7 mm</td> <td data-bbox="831 582 917 600">150 MPa;</td> </tr> <tr> <td data-bbox="268 602 405 620">(b) 31.4 mm</td> <td data-bbox="491 602 577 620">33.0 mm</td> <td data-bbox="671 602 758 620">44.8 mm</td> <td data-bbox="831 602 901 620">65 MPa</td> </tr> </tbody> </table> Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	THE TABLE				ID NOT less than	ID NOT exceeding	OD NOT exceeding	Minimum burst pressure	(a) 7.7 mm	8.5 mm	15.7 mm	150 MPa;	(b) 31.4 mm	33.0 mm	44.8 mm	65 MPa	- TC 0105433 50 14.04.04
THE TABLE																	
ID NOT less than	ID NOT exceeding	OD NOT exceeding	Minimum burst pressure														
(a) 7.7 mm	8.5 mm	15.7 mm	150 MPa;														
(b) 31.4 mm	33.0 mm	44.8 mm	65 MPa														
4009.21.90 HOSE, hydraulic, pulsating pressure, without fittings, having ALL of the following characteristics: (a) reinforced with a combination of spiral and braided steel wire; (b) ID of 6.5 mm or greater but NOT exceeding 25.0 mm; (c) complies with pressure rating requirement of SAE 100R9; (d) exceeding 1 000 000 impulse cycles when tested at 133% of rated working pressure Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0105449 50 14.04.04																
4009.22.90 HOSES, PNEUMATIC, rubber, fitted with connectors, having ALL of the following: (a) at least 2 layers of spiral steel wire reinforcement; (b) styrene butadiene rubber lining; (c) burst pressure of at least 90 bar; (d) inner diameter of 60 mm OR greater but NOT exceeding 300 mm Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0110075 50 14.04.04																
4009.41.10 HOSE, to EITHER of the following Specifications: (a) SAE J1402B Type E or Type F; (b) SAE J1402 Type D Class II Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0105780 50 14.04.04																
4009.41.90 HOSE, to EITHER of the following Specifications: (a) SAE J1402B Type E or Type F; (b) SAE J1402 Type D Class II Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0105835 50 14.04.04																
4010.32.00 BELTS, vee, having vee on BOTH inner and outer driving edges of the belt (double sided) Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0105888 50 14.04.04																
4010.34.00 BELTS, vee, having vee on BOTH inner and outer driving edges of the belt (double sided) Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0105903 50 14.04.04																

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>4010.34.00 TRANSMISSION BELTS, AUTOMOTIVE, endless, polyester or aramid fibre, flex bonded tensile members Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 0107320</p>
<p>4010.34.00 TRANSMISSION BELTS, AUTOMOTIVE, endless, of raw edge construction Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 0107322</p>
<p>4010.39.00 BELTING, endless rubber, having BOTH of the following: (a) nominal ID 396 cm; (b) thickness NOT less than 6.5 cm Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 0107417</p>
<p>4011.63.00 TYRES, pneumatic, having BOTH of the following: (a) a rating NOT exceeding 16 ply; (b) a section width NOT less than the rim dia, NOT being tyres of a kind used for motor racing or on aircraft Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 0200363</p>
<p>4011.94.00 TYRES, pneumatic, having BOTH of the following: (a) a rating NOT exceeding 16 ply; (b) a section width NOT less than the rim dia, NOT being tyres of a kind used for motor racing or on aircraft Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 0200295</p>
<p>4015.19 GLOVES, industrial, made from fluoroelastomers based on the copolymer of vinylidene fluoride and hexafluoropropylene Op. 03.09.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 8534139</p>
<p>4016.93.00 GASKETS, cathode and anode, having ALL of the following: (a) peroxide cured ethylene/propylene rubber construction; (b) rectangular external dimensions between 1 120 mm and 1 450 mm, +/- 10%; (c) being parts of chlorine manufacturing machinery Op. 03.01.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9500583</p>
<p>4202.12.10 SUITCASES, having NOT less than 2 non detachable type wheels, having the following dimensions: (a) length 36 cm; (b) height 55 cm; (c) width 21 cm Op. 14.10.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9310963</p>
<p>4202.12.10 SUITCASES, having two (2) fixed non detachable wheels, a telescopic handle and the following external dimensions: (a) length 58 cm; (b) height 37 cm; (c) width 23 cm Op. 18.08.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9406887</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
4802.20.29 PAPER, uncoated, diazo (dylone) woodfree base, in reels, having a width NOT less than 500mm and NOT exceeding 1215mm, a diameter NOT exceeding 850mm, with a weight NOT less than 70gsm and NOT exceeding 150gsm Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04
- TC 0107617	
4803.00.90 BLEACHED HIGH WET STRENGTH TISSUE STOCK (not creped, embossed or perforated) in roll form, not exceeding 25 gsm, caliper thickness 4.2UMS. Op. 27.07.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04
- TC 9307185	
4810.13.90 KRAFT PAPER, BLEACHED, fluorchemically treated, coated one side, having BOTH of the following: (a) weight NOT less than 76 gsm and NOT exceeding 86 gsm; (b) grease resistance level of NOT less than KIT 7.0 (TAPPI T-559) Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04
- TC 0107623	
4810.14.90 LABEL BASE PAPER, WET STRENGTH, pigment coated one side, in sheet form, having BOTH of the following: (a) weight 55 g/sq m OR greater but NOT exceeding 72 g/sq m; (b) wet tensile strength values (Newton/15 mm): (i) M.D. min 14.0 at 55 g/sq m; min 16. at 72 g/sq m; (ii) C.D. min 8.0 at 55 g/sq m; min 9.5 at 72 g/sq m; Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04
- TC 0107625	
4810.14.90 WET STRENGTH LABEL BASE PAPER, pigment coated one side, in sheet form Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04
- TC 0107626	
4810.19.90 CLAY COATED EMBOSSED PAPERBOARD, coated by a cast coating process, having a grammage exceeding 205 g/sq m, NOT adhesive coated, printed or calendered Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04
- TC 0108497	
4810.29.90 PAPER, clay coated one side, having ALL the following: (a) weight between 43 g/sq m and 47 g/sq m; (b) smoothness (Bekk) NOT less than 3000 seconds; (c) brightness NOT less than 82%; (d) opacity NOT less than 72%; (e) moisture NOT exceeding 5%; (f) cobb not exceeding 26 g/sq m; (g) stretch (machine direction) NOT less than 1.5%; (h) stretch (cross direction) NOT less than 3.8% Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04
- TC 0109068	
4810.29.90 WET STRENGTH LABEL BASE PAPER, being paper pigment coated on one side, having ALL of the following: (a) grammage 55 g/sq m or greater but NOT exceeding 72 g/sq m; (b) wet tensile strength values (Newton/15 mm) M.D. min 14.0 at 55 g/sq m min 16.0 at 72 g/sq m C.D. min 8.0 at 55 g/sq m min 9.5 at 72 g/sq m; (c) in rolls exceeding 1 000 mm OD	50 14.04.04

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0108500
4811.49.10 TAPE, consisting of top and bottom sheets of natural unbleached or white kraft paper having a weight of not less than 40gsm, having BOTH of the following: (a) a cross directional diagonal pattern of continuous glass yarn with a minimum 260N/25mm tensile strength; (b) coated with a water activated adhesive on one side	50 14.04.04
Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0108335
4811.51.00 PAPER BOARD, bleached, in rolls, having ALL of the following: (a) a polyester coating on both sides, with a weight of 48 gsm or less; (b) a total weight of 335 to 510 gsm (inclusive); (c) brightness level, when tested with a General Electric Reflectance Meter (GE brightness), of NOT less than 82%; (d) caliper, 0.601 mm or greater, but NOT exceeding 0.660 mm; (e) stiffness, when measured with a Taber V5 Stiffness Gauge, of NOT less than 460 units when measured in the machine direction (MD) and NOT less than 200 units when measured in the cross machine direction (CD)	50 14.04.04
Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0107597
4811.59.90 MOUNTING BOARDS, being polyurethane foam blocks covered on one or both sides with plastic coated paper strengthened with aluminium foil	50 14.04.04
Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0106176
4811.60.00 PAPERBOARD, manilla tympan, oil coated	50 14.04.04
Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0106439
4823.20.00 FILTER PAPER, in rolls, having a minimum linear length of 500 m, having ALL of the following: (a) impregnated with natural or synthetic resins; (b) thickness 0.3 mm or greater but NOT exceeding 2.5 mm; (c) grammage 100 g/sq m or greater but NOT exceeding 220 g/sq m; (d) permeability by the Frazier method 5 CFM or greater but NOT exceeding 110 CFM	50 14.04.04
Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0201607
4823.90 PAPER, diamond wrapping, consisting of 3 assembled layers, the outer being a bleached paper, the middle a plain glassine and the inner layer coloured glassine, and having BOTH of the following: (a) cut to rectangular shape of which NO side exceeds 190 mm; (b) a combined grammage of 82 g/sq m or greater but NOT exceeding 96 g/sq m	50 14.04.04
Op. 22.08.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8333857
4911.99.00 PROOFS OF FILM SEPARATIONS, magazine page	50 14.04.04
Op. 07.11.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9408766

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>5111.30.00 WOVEN FABRIC, having ALL the following: (a) composition 78% wool and 22% nylon staple fibre; (b) mass NOT less than 968 gsm; (c) width NOT less than 137 cm Op. 25.01.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 0100666</p>	
<p>5407.52.00 FABRIC, woven and dyed 100% polyester, anti static, pre-treated and heat set to form permanent pleats of a height of 25 mm, with controlled variations in pleat height of + or - 0.05mm and produced in seamless widths of from 1.8 metres to 2.4 metres and having on the Blue Scale of from one to seven (1-7) colour fast results of six plus (6+) being in accordance with AS 2001.4.21. Op. 25.03.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9403828</p>	
<p>5509.69.00 YARN, single ply, 80% acrylic, 20% nylon, worsted spun in a style known as 'Sunday Angora', waxed, tex counts between 27 and 36 inclusive Op. 09.08.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9509542</p>	
<p>5603.12 FABRIC, non woven polyester, impregnated with colour, whether or not laminated with polyester film, having ALL of the following: (a) thickness less than 0.035 mm, but NOT less than 0.050 mm when laminated; (b) weight 25 - 35 gsm when not laminated, 30 - 35 gsm laminated; (c) shrinkage 1% - 3% at application temperature in both machine direction and transverse direction Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9604380</p>	
<p>5603.14.00 NON WOVEN MATERIAL, in a roll, having ALL of the following features: (a) an inner blend of viscose fibres; (b) coated on both sides with synthetic resin; (c) weight 300 gsm, (+ or - 3%); (d) width 30 cm; (e) length 300 metres Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9604376</p>	
<p>5608.19.90 NETS, HAIL, knitted, having ALL of the following: (a) constructed from UV stabilised high density polyethylene monofilament; (b) width exceeding 6.5 metres; (c) weight within range of 60 to 70 grams per square metre; Op. 11.07.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 0105732</p>	
<p>5806.32.00 RIBBONS, having ALL of the following characteristics: (a) polyamide combined with metallised yarn; (b) four yarn colours; (c) tartan pattern; (d) width NOT less than 23 mm and NOT greater than 51 mm; (e) NOT printed Op. 23.10.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9610356</p>	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>5903.20.10 CONVEYOR BELTING, LUGGAGE OR PARCEL HANDLING, having ALL of the following: (a) two ply polyester carcass; (b) urethane impregnated under side; (c) polyvinyl chloride top surface; (d) belt thickness in the range from 2 mm to 9.5 mm; (e) belt weight in the range from 2.5 kg/m² to 5.5 kg/m² Op. 02.02.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9800962</p>	
<p>5903.90 FABRIC, PYROXOLIN COATED COTTON, with embossing or overprint, capable of withstanding 160 degrees C heat AND coated on the reverse side to a thickness of 0.2 mm with a heat activated adhesive reactivated at temperatures of LESS than 50 degrees C Op. 21.11.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9009925</p>	
<p>5907.00.00 HESSIAN FABRIC, bitumen impregnated, having ALL the following: (a) weight NOT less than 481 g/sq m but NOT more than 589 g/sq m; (b) thickness NOT less than 0.75 mm but NOT more than 0.85 mm; (c) tensile strength - warp greater than 600 newtons per 50 mm; (d) bitumen penetration point NOT less than 70 degrees C but NOT more than 80 degrees C; (e) in widths NOT exceeding 100 mm Op. 30.03.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9308979</p>	
<p>6001.10.00 FUR, ARTIFICIAL, coloured, length NOT exceeding 20 m, knitted four way stretch uncoated spandex backing, having a pile composition consisting of ANY of the following fibres: (a) 100% synthetic; (b) synthetic and wool, but containing NOT more than 33.3% wool; (c) 100% yak fibres Op. 04.12.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 0111006</p>	
<p>6002.40.00 FABRIC, elastomeric, having a width less than 60 mm, manufactured on a crochet knitting machine, having a crochet lace pattern, made from nylon and spandex yarns, coated on one side with two silicone strips Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 0107663</p>	
<p>6005.33.00 FABRIC, high tenacity polyester, weft insert, warp knit, having ALL of the following: (a) 9 threads x 9 threads per 2.54 cm; (b) 1 100 decitex yarn in both warp and weft with a 78 decitex tie yarn; (c) a width of 1 800 mm or more but NOT greater than 2 000 mm; (d) a weight NOT less than 90 gsm and NOT greater than 98 gsm Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 0108343</p>	
<p>6006.32.00 FABRIC, 100% polyester, pre-formed blanket in cellular form or laid flat, layered, assembled by means of welding and consisting of three knitted layers Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 0108462</p>	
<p>6006.33.00 INTERLINING, synthetic haircloth, knitted Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 0106438</p>	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>6307.90.99 ARTICLES, textile, heart shaped, with lace fringe, padded within, with ribbons attached Op. 23.10.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9610660</p>
<p>6307.90.99 HAMPERS OR TIDIES, CKD, dyed woven polyester laminated to PVC Op. 23.10.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9610644</p>
<p>6307.90.99 HAMPERS OR TIDIES, CKD, of design printed woven polyester laminated to polyvinyl chloride Op. 23.10.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9610669</p>
<p>6902.10.00 REFRACTORY BRICKS AND SHAPES, STEEL MAKING VACUUM DEGASSER, based on fused magnesia and chrome, fired, having ALL of the following: (a) magnesia (MgO) content 56% OR greater; (b) chromium oxide (Cr2O3) content 23% OR greater; (c) silica (SiO2) content 2% OR less; (d) bulk density 3.25 grams/cubic centimetre OR greater; (e) apparent porosity 17% OR less; (f) cold crushing strength 45 newton/square millimetre (N/mm2) OR greater Op. 23.08.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 0107392</p>
<p>6902.20 REFRACTORIES, glass furnace feeder expendable shapes Op. 03.08.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 8807238</p>
<p>6902.20.00 REFRACTORIES, GLASS FURNACE, alumina chrome, having a content of NOT less than 60% by weight of non fibrous aluminium oxide Op. 24.10.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9511454</p>
<p>6903.20 KILN FURNITURE, being square or rectangular kiln batts, having ALL of the following: (a) one or more edges greater than 650 mm in length; (b) a thickness of 50 mm or less; (c) alumina content - 35% to 45%; (d) silica content - 45% to 55%; (e) magnesium oxide content NOT less than 4.52% Op. 28.06.91 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9106164</p>
<p>7013.39.00 COFFEE PLUNGERS, having ALL of the following: (a) glass container; (b) plunger with mesh filter; (c) electric hotplate; (d) with or without drinking cups Op. 28.02.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9603924</p>
<p>7019.52 PRE-PREG, being woven glass fibre fabrics impregnated with a preparation based on diallyl isophthalate prepolymer resin, having BOTH of the following: (a) a nominal width NOT exceeding 1 m; (b) a nominal warp to weft ratio of 75:25 or 90:10 Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9607623</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>7212.60 PLATES OR SHEETS, steel, clad with titanium Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 - TC 8734799 14.04.04</p>
<p>7216.50.00 ANGLES, SHAPES AND SECTIONS, hot extruded, high tensile strength steel, comprising ALL of the following: (a) having a chemical composition by weight of ALL of the following: (i) carbon 0.20% maximum; (ii) nitrogen 0.04% maximum; (iii) phosphorus 0.04% maximum; (iv) sulphur 0.04% maximum; (v) manganese 1.6% maximum; (vi) silicon 0.55% maximum; (vii) aluminium 0.15% maximum, (b) yield strength of 545 - 600 N/mm (inclusive); (c) a minimum mass of 12 kg per metre through to 100 kg per metre (inclusive) Op. 01.12.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9409449</p>
<p>7223.00 WIRE, stainless steel, fine drawn, having a dia of 0.09 mm or greater but NOT exceeding 0.14 mm in accordance with Specification AISI 304 or AISI 434A, in a bright or soft annealed condition Op. 18.12.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 8530906</p>
<p>7226.99.00 PLATES, SHEETS AND FLATS, high alloy steel, to specification DIN X155CrVMo12 1, BS BD2 or AISI D2 Op. 14.02.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9504091</p>
<p>7228.10.00 MACHINE KNIFE BLANKS, high speed steel, serrated back, hardened and tempered to specification AISI-M2 and AISI-T1, having ALL of the following: (a) rough bevelled to 1.56 mm (1/16") and; (b) 45 degree back chamfer; (c) 60 degree or 90 degree pitch serrations across back face; (d) minimum length 600 mm; (e) minimum width 40 mm; (f) minimum thickness 6 mm Op. 16.11.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9512630</p>
<p>7229.90 WELDING WIRE, having a chemical composition by weight of ALL of the following: (a) carbon - 0.07% to 0.12% (both inclusive); (b) manganese - 1.75% to 2.10% (both inclusive); (c) molybdenum - 0.4% to 0.6% (both inclusive); (d) silicon - 0.5% to 0.8% (both inclusive); and, if containing ANY of the following elements: (a) nickel - NOT exceeding 0.15%; (b) phosphorus - NOT exceeding 0.025%; (c) sulphur - NOT exceeding 0.025% Op. 21.02.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 8341704</p>
<p>7304.10.00 LINE PIPES, HYDROCARBON, having ALL of the following: (a) seamless steel pipe; (b) outside diameter NOT less than 350 mm but NOT exceeding 360 mm; (c) wall thickness NOT less than 12 mm but NOT exceeding 18.5 mm; (d) compliant with DNV (Det Norske Veritas) offshore standard F101 2000 Op. 18.09.01 (continued on next page)</p>	<p>50 14.04.04 - TC 0108367</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7304.10.00 LINE PIPES, seamless, having BOTH of the following: (a) 1.2% or less of carbon; (b) 10.5% or more of chromium Op. 05.04.01	50 14.04.04
- TC 0102926	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7305.12.00 LINE PIPE, GAS, ERW, having ALL of the following: (a) bare pipe grade API 5L X65; (b) outside diameter of NOT less than 400 mm and NOT exceeding 530 mm; (c) wall thickness of NOT less than 45 mm and NOT exceeding 100 mm; (d) concrete and FBE (fusion bond epoxy) coated OR lined For the purposes of this instrument all measurements include any coatings and linings Op. 14.05.01	50 14.04.04
- TC 0103988	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7306.20.00 TUBING, electric resistance welded, coiled or in spools, having ALL of the following: (a) minimum length of 3 000 m; (b) OD 38.1 mm (+/- .31mm); (c) wall thickness 2.77 mm (+/- .13mm). (d) minimum yield strength 482 MPa (e) minimum ultimate strength 551 MPa Op. 21.03.95	50 14.04.04
- TC 9504436	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7306.40 TUBING, stainless steel, drawn annealed, having ALL of the following dimensions: (a) coiled lengths of 30 m or greater, but NOT exceeding 5 000 m; (b) an OD of 3.175 mm or greater but NOT exceeding 19.05 mm; (c) a WT of 0.7 mm or greater but NOT exceeding 1.65 mm Op. 01.01.88	50 14.04.04
- TC 8802161	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7307.23.00 FITTINGS, forged butt weld, stainless steel, welded or seamless, to specifications ASTM A 312-304, 304L, 316, 316L OR 316Ti, being transition pieces having full flow characteristics, ranging in size from 150 mm to 300 mm nominal bore, round at one end and oval at the other, with wall thickness ranging from 2.41 mm to 21.44 mm Op. 05.05.93	50 14.04.04
- TC 9305532	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7307.99 FITTINGS, pipe (but NOT including fittings of stainless steel), being couplings, elbows, tees, crosses or unions, which require a hydraulic or hydro-pneumatic swaging tool for installation onto the pipe and which by virtue of incorporating synthetic sealing rings or a similar design feature, are incapable of operation at temperatures exceeding 200 degrees C Op. 24.10.84	50 14.04.04
- TC 8433921	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7312.10.00 STRANDS, 7 wire, super grade, low relaxation, to AS 1311 - 1987, greased and sheathed in high density polyethylene Op. 29.03.96	50 14.04.04
- TC 9605034	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>7315.11.00 CHAIN, heat treated alloy steel fabricated bushed roller chain of cotter key construction with carbon steel attachments and wear bars, having ALL of the following: (a) pitch 300 mm; (b) average ultimate strength 106 000 kg; (c) flattened pin and bush ends; (d) pin diameter 35 mm; (e) roller diameter 70 mm; (f) inside width 77 mm Op. 22.11.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9313313</p>
<p>7315.89 CHAINS, conveyor, pressed steel, of the bi-planar type, having a pitch of 41.4 mm or greater but NOT exceeding 42.7 mm Op. 09.10.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 8636272</p>
<p>7326.90 ACCESSORIES, PHOTOGRAPHIC DARKROOM, being EITHER of the following: (a) drying racks; (b) film clips Op. 13.04.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 8803706</p>
<p>7326.90 INDICATORS, overload, which detect when a chain exceeds its accepted load capacity Op. 29.05.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 8633583</p>
<p>7326.90.90 BURNISHING MEDIA, steel OR stainless steel Op. 18.05.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9404772</p>
<p>7409.40 SHEET, nickel silver, width exceeding 579 mm and thickness exceeding 1.9 mm, Alloy 757 or equivalent non-lead alloy Op. 20.03.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 8437025</p>
<p>7415.33.00 SCREWS, WOOD, square drive, silicon bronze or brass Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 0108409</p>
<p>7608.20.00 TUBE, ALUMINIUM DRAWN, seamless OR porthole extruded, in coils, mill out ends and mill finish, aluminium alloy 3003, having BOTH of the following: (a) wall thickness limits of size 1.0 mm + OR - 0.08 mm and 1.20 mm + OR - 0.08 mm; (b) eccentricity NOT to exceed 0.03 mm Op. 01.10.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9808908</p>
<p>7612.90.00 CONTAINERS, AEROSOL MEDICAMENT, aluminium alloy, having ALL of the following: (a) 12.5 mL; (b) one piece construction; (c) weight 5.05 g + or - 0.05 g; but NOT including containers imported with caps or valves Op. 11.05.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9803969</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
7616.99 CRASH CUSHIONS, truck mounted, portable, energy absorbing, meeting NCHRP 230 Test tolerances Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9602587
7616.99.00 SUNDIALS, PEDESTAL, having a metal stand and aluminium sundial Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9602637
8203.10 FILES, commutator slotting Op. 06.12.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 8341695
8205.59 ACCESSORIES, PHOTOGRAPHIC DARKROOM, being film tongs Op. 13.04.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 8803705
8205.59.00 TOOL, CORING, cable dielectric Op. 26.04.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9606344
8205.70.00 CLAMPS, earthing, drop forged bronze, rated in non destructive testing to 20 kA/second, fitted with cutting type jaws for effective grounding on painted metallic structures Op. 06.04.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9309106
8207.50 BITS for braces, square taper shanked, NOT being auger bits with scotch pattern noses or jennings pattern noses Op. 07.02.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 8341887
8310.00 TABS, poultry, incorporating a closure device which allows single use ONLY Op. 27.07.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 8432765
8413.50.90 PUMPS, DIAPHRAGM, positive displacement, modular, single OR multi head, having ALL of the following: (a) to API standard 675; (b) flow rate of 5 litres per minute OR greater; (c) operating pressure of 30 000 kPa OR greater Op. 29.05.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0104412
8413.70.90 PUMPS, liquid refrigerant, magnetic coupling drive, seal-less, having ALL of the following: (a) close coupled motor pump; (b) fractional horse power motor (ranging from .15 to .56 kW); (c) pressure rating NOT exceeding 5 170 kPa; (d) temperature rating to 121 degrees C Op. 09.08.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9307318

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8413.81.10 PUMPING UNITS, SUCKER ROD, crank balanced, with ALL of the following features: (a) peak torque rating of 24 800 N.m OR greater; (b) polished rod load rating of 6 400 kgs OR greater; (c) polished rod stroke length of 31.5 cm OR greater; (d) double reduction gear reducer; (e) counter weights; (f) conventional, crank balanced Op. 07.06.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8419.39.90 DRYERS, BALL, having BOTH the following: (a) air throughput 10 000 cubic newton metres per hour OR greater; (b) total drying area 250 square metres OR greater Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8419.39.90 DRYERS, COPPER CONCENTRATE, having ALL of the following: (a) minimum feed rate (wet) 55 t/h; (b) product concentrate (dry) 50 t/h; (c) rated for steam pressure up to 1 900 kPa; (d) multi coil with indirect heat steam; (e) drier shell; (f) drier feed chute; (g) drier discharge chute; (h) drive system comprising: (i) main gear reducer; (ii) hydraulic coupling; (iii) main drive motor; (iv) protective covers and guards; (i) electricals; (j) instrumentation and controls Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8419.39.90 DRYERS, YELLOW CAKE, continuous, indirect oil heating, incorporating a heat exchanger Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8419.50 HEAT EXCHANGERS, gas flow cooling sections, stainless steel, 32 and 24 corrugations capable of chilling fluids from 30 degrees C to 1 degree C Op. 20.06.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8419.89.90 EVAPORATORS, WATER EXTRACTION, LIQUID FOOD, LIQUID SUGAR OR LIQUID PHARMACEUTICAL, continuous process, product concentration, having ANY of the following: (a) centrifugal action; (b) plate based action; (c) scraped surface action Op. 27.10.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8419.89.90 FUMIGATORS, VAPOUR HEAT Op. 12.10.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8419.89.90 GNOCCHI COOLER, having a cooling capacity of NOT less than 600 kg/h Op. 10.09.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8419.89.90 PASTEURISERS, SEWAGE OR WASTE WATER SLUDGE Op. 01.09.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9906648 50 14.04.04
8421.29.00 FILTERS, hydraulic, working pressure of 10 000 kPa OR greater Op. 31.05.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9608423 50 14.04.04
8421.39 PURIFIERS, compressed air, capable of BOTH of the following: (a) removal of ALL particulate matter down to 0.01 microns; (b) converting carbon monoxide to carbon dioxide and subsequently removing the carbon dioxide from the air stream Op. 01.05.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8633563 50 14.04.04
8421.39.00 FILTERS, PARTICULATE, POSITIVE PRESSURE POWERED RESPIRATOR, complying with Section 4 of AS/NZS 1716-1994 Op. 16.01.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9800412 50 14.04.04
8421.99.00 FILTRATION ELEMENTS, ultra osmosis, whey, casein, milk or milk product Op. 19.01.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9401406 50 14.04.04
8422.20.00 WASHING MACHINES, pot, having BOTH of the following: (a) granule style, using plastic pellets; (b) double wall insulated external body Op. 02.03.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9308612 50 14.04.04
8422.30 FILLING AND SEALING MACHINES (but NOT including manually operated bench types), ampoule or vial, having ALL of the following: (a) capability to fill ampoules or vials with liquids or powders; (b) burners for flame sealing of ampoules; (c) capability to insert rubber stoppers in vials Op. 23.03.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8530972 50 14.04.04
8422.30 FILLING MACHINES, can, pet food, continuous Op. 16.05.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8431617 50 14.04.04
8422.30 PACKING MACHINES, fish, capable of BOTH measuring and packing in metal containers, with or without sealing function Op. 16.02.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8430511 50 14.04.04
8422.30.90 BAGGING AND CONVEYING MACHINES, cotton bale Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0108772 50 14.04.04

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8422.30.90 BAGGING MACHINE, SLICED BREAD, having ALL of the following features: (a) a bagging capacity of 4 800 OR greater loaves/h; (b) reciprocating motion; (c) capability of using preformed bags only; (d) dual bag magazine with top mounted bag inflator jet, and capable of BOTH of the following: (a) opening the preformed bags and pulling the bag over the loaf while the loaf is being held and protected by a stainless steel scoop; (b) filling Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8422.30.90 BAGGING MACHINES, DIAPER OR SANITARY NAPKIN OR PANTY SHIELD, minimum output 60 packs/min Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8422.30.90 BOTTLING LINES, comprising ALL of the following: (a) washer; (b) rinser; (c) pressure filler and capper; (d) wash tank heaters; (e) built-in clean room; (f) cap-warmer blower with air filter; (g) electric eye bottle sensors; (h) programmable controller Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8422.30.90 DEPOSITING AND FILLING PROCESSING LINE, LASAGNE Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8422.30.90 DOSING AND WEIGHING PRODUCTION LINES, FOODSTUFF, portion volume NOT exceeding 3.5 L, weighing range 10 g to 1000 g, weighing speed NOT exceeding 140 portions per minute, comprising ALL of the following: (a) centre distributors; (b) vibrator chutes; (c) charge buckets; (d) weighing buckets; (e) discharge chutes; (f) discharge cones; (g) mobile bin tipper and weigher frames; (h) food accumulators and distributors; (i) depositing chutes Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8422.30.90 DOSING/TRIGGER PUMP PLACEMENT SYSTEM, comprising of ALL of the following: (a) dump hopper; (b) unscrambler/orienter; (c) rotary inserter and tightener Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>8422.30.90 FILLERS, CAN, NON-CARBONATED VISCOUS LIQUID, comprising BOTH of the following: (a) weigh filler, incorporating strain gauge weighing pads having an accuracy of + or - 2 g per 1 800 g container; (b) multiple head seamer Op. 01.01.02 NOTE:</p>	<p>50 14.04.04</p>

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8422.30.90 FILLING MACHINES, PREFORMED FLAT BAG, PET FOOD, having ALL of the following: (a) two infeed belts for preformed bags within range 100 - 190 mm width and 150 - 450 mm height; (b) filling a minimum of 50 pouches/minute with a measured quantity of between 50 - 1 500 g (both inclusive), but NOT including form fill seal machines Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0110076
8422.30.90 FORM, FILL AND SEAL MACHINES, SACHET, ten lane, having BOTH of the following: (a) volumetric dosing; (b) maximum output of 1 000 sachets per minute Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0108956
8422.30.90 NAIL AND/OR BRAD PACKERS Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0109033
8422.30.90 PACKAGING AND CLIPPING LINE, MEAT, having ALL the following: (a) twin piston food pump, having ALL the following: (i) vacuumising hopper; (ii) continuous product flow; (iii) constant pressure control; (b) volumetric portioner; (c) vacuumising packaging and clipping machine Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0109320
8422.30.90 PACKAGING MACHINES, CONDIMENT AND/OR CUTLERY, comprising ANY of the following: (a) packet make and place machines; (b) straw placing machines; (c) packet placing machines; (d) cross-feed conveyors Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0109322
8422.30.90 PACKING MACHINES, TOBACCO, POUCH, programmable logic controlled, having an output capacity of NOT less than 65 but NOT exceeding 90 pouches per minute Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0109336
8422.30.90 WINE BOTTLING EQUIPMENT, whether or not incorporating cleaning in place (CIP) equipment, having ALL of the following: (a) rinser; (b) corker; (c) filler; (d) minimum filling rate of 15 000 bottles per hour Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0109341

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8424.30.90 CUTTING SYSTEM, JET, using water or water based mixtures as the cutting media, having ALL of the following: (a) a hydraulic oil pressure system; (b) a fluid discharge rate NOT exceeding 12 L/min/pump; (c) a rated pressure capability of 75 000 kPa OR greater Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 0109343</p>	
<p>8424.81 MISTING MACHINES, motorised, knapsack, having BOTH of the following: (a) engine capacity of 35 cu cm or greater but NOT exceeding 70 cu cm; (b) chemical formula tank NOT exceeding 16 L Op. 14.06.91 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9105632</p>	
<p>8424.89.90 CLEANING SYSTEMS, HOUSEHOLD, consisting of ALL of the following: (a) manually operated trigger pump sprayer, plastic, having provision for simultaneous attachment of two reservoirs AND incorporating facilities to meter and mix a concentrated cleaning agent with a diluting agent; (b) three reservoirs, each containing NOT more than 250 mL of a different concentrated cleaning solution; (c) one empty reservoir Op. 08.09.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9510381</p>	
<p>8424.89.90 DIE COATING SYSTEMS, SILICONE COATING AND LAMINATING LINE, having ALL of the following: (a) die station; (b) back up rollers; (c) pulsating spray dampener; (d) web cleaners; (e) temperature control unit Op. 31.08.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 0107714</p>	
<p>8424.89.90 SMOKE GENERATORS, theatrical special effects, having ALL of the following: (a) auto timer with variable settings; (b) ability to accept 0-10 V DC proportional analogue signals from external devices; (c) remote control capabilities Op. 22.04.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9404355</p>	
<p>8425.11 HOISTS, overhead, electrically powered, but NOT including hoists when imported with supporting frames or track and parts therefor, having ALL of the following: (a) complying with Standards Association of Australia Code AS 1418 Part 2; (b) having a maximum load lifting and lowering capability NOT exceeding 100 kg; (c) self balancing with the load in ANY position Op. 31.07.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 8533608</p>	
<p>8426.91.00 CRANES, COLLAPSIBLE, computer controlled, having ALL of the following: (a) four section boom articulated in three axes; (b) double hydraulic extension on main boom section; (c) hydraulic outreach NOT exceeding 7.2 m; (d) lifting capacity NOT exceeding 4 500 kg at 1.8 m extension Op. 20.06.01 NOTE:</p>	<p>50 14.04.04</p>
<p>- TC 0104954</p>	

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8428.33.00 CONVEYORS, BELT, TELESCOPIC, collapsible, having ALL of the following: (a) two section telescopic boom; (b) two section hydraulic feed conveyor with 360 degree rotation; (c) self contained feeder hopper; (d) independent controls for feed and main conveyor Op. 24.08.01	50 14.04.04
	- TC 0107488
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8428.90.00 PALLETISERS, PRE-PACKED CASES, output capacity NOT less than 170 cases per minute Op. 20.03.01	50 14.04.04
	- TC 0102510
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8428.90.00 UNSCRAMBLING AND ORIENTATION MACHINES, PLASTIC CAP, minimum continuous capacity of 320 caps per minute Op. 14.08.01	50 14.04.04
	- TC 0107091
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8430.49.00 DRILLING RIGS, UNDERGROUND GAS PIPELINE, having ALL of the following: (a) horizontal directional drill; (b) maximum drilling reamer diameter of 1.32 m; (c) transportation trailer Op. 16.11.01	50 14.04.04
	- TC 0110367
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8430.50 SOIL STABILIZER, self-propelled, road construction, but NOT including soil compaction machines Op. 22.06.96	50 14.04.04
	- TC 9606447
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8431.31.00 PARTS, MOVING WALKS conforming to Australian Standard AS 1735 Part 6, being ANY of the following: (a) metal pallets; (b) pallet chain; (c) chain tensioner; (d) rollers; (e) guards; (f) handrail and guides; (g) handrail tensioner; (h) sheaves; (i) track Op. 06.11.95	50 14.04.04
	- TC 9511786
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8433.59.90 HARVESTERS, BLUEBERRY AND RASPBERRY Op. 24.11.00	50 14.04.04
	- TC 0009710
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8438.10 MIXERS, BATTER, batch type, having ALL of the following: (a) capacity between 120 L and 1 400 L per batch; (b) capability of mixing whole fruit products or whole nuts into the batter; (c) bowl sealing to form a pressure whisk when compressed air is programmed Op. 15.08.90	50 14.04.04
	- TC 9007145
NOTE:	

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8438.10.90 FORMING AND DEPOSITING LINES, DOUGH, computer controlled, having a capacity exceeding 1 750 kg per hour and comprising ALL of the following: (a) sheeter; (b) gauge rolls; (c) rotary cutter; (d) depositor; (e) rotary moulder; (f) scrap pick up and transferer Op. 12.10.01	50 14.04.04
- TC 0109280	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8438.40.00 MEMBRANE OXYGENATORS, BREWING YEAST Op. 16.08.01	50 14.04.04
- TC 0107177	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8438.60 SIZER/HALVERS, potato Op. 14.08.84	50 14.04.04
- TC 8434400	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8438.80 DEPOSITING, FILLING AND DECORATING MACHINES, automatic Op. 01.01.88	50 14.04.04
- TC 8735550	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8441.80.10 REWINDING MACHINES, PAPER ROLL OR PLASTIC ROLL OR METAL FOIL ROLL, comprising the following:	50 14.04.04
(a) shrink film over-wrapper; (b) roll labeller	
Op. 04.12.01	- TC 0110893
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8450.20 WASHING MACHINES, but NOT including washing machines having a maximum dry linen capacity of less than 200 kg Op. 25.09.90	50 14.04.04
- TC 9003941	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8451.80.00 SHRINKING MACHINES, TEXTILE FABRIC Op. 31.03.00	50 14.04.04
- TC 0003384	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8464.90.90 CLAY MILLING MACHINES, PORTABLE, having BOTH of the following:	50 14.04.04
(a) 5 axis; (b) computer numeric controlled	
Op. 27.12.01	- TC 0111568
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8467.22.00 HACKSAWS, having cutting capacities to EITHER of the following:	50 14.04.04
(a) for metal pipes, dia NOT exceeding 325 mm; (b) for metal profile shapes, height NOT exceeding 270 mm	
Op. 01.01.02	- TC 0106625
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8467.29.00 ERASERS, but NOT including such erasers imported with EITHER of the following: (a) battery charging devices; (b) power adaptors Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0106680
8467.29.00 SCRAPERS, metal Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0106893
8474.10.00 ROLLER SCREEN CLASSIFIER, ROASTING FURNACE, IRON ORE PELLET Op. 28.11.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0110734
8474.20.00 MILLS, CERAMIC COLOUR, hydraulic, three roll Op. 07.11.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0110107
8474.80.00 CONCRETE PIPE PRODUCTION MACHINES, bi-directional packerhead Op. 01.12.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9710592
8475.29 MICROPIPETTE PULLERS Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9607132
8477.51.00 PRESSES, TYRE CURING, complete with programmable logic controller, green tyre loader, green tyre holder and pressed tyre unloader Op. 03.01.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9700048
8477.59.00 MOULDING MACHINES, RUBBER, tilthead, vacuum compression Op. 18.08.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 9707243
8477.80.00 CORRUGATION LINES, AGRICULTURAL PIPE, comprising ALL of the following: (a) corrugator; (b) spray cooler and water tank; (c) perforator; (d) guillotine Op. 09.08.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0106929
8477.80.00 EXTRUSION LINES, high density polyethylene (HDPE), linear low density polyethylene (LLDPE) and low density polyethylene (LDPE) blown film, comprising ALL of the following: (a) single screw, air cooled extruder; (b) dual lip cooling ring; (c) internal bubble stabiliser Op. 25.03.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0002420

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8479.82 SIEVES, laboratory, dry air jet type Op. 05.06.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8439130 14.04.04
8479.89 LAMINATORS, extrusion Op. 31.08.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8333804 14.04.04
8479.89.90 EXPANDED GRID BATTERY PLATE MANUFACTURING LINES, having a capacity exceeding 140 plates per minute Op. 17.08.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 0107240 14.04.04
8479.89.90 SPRUE RUNNER REMOVING MACHINES (metal) Op. 14.03.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 9702634 14.04.04
8479.89.90 THREADERS, ELECTRIC MOTOR AND COMPRESSED AIR CYLINDER OPERATED, programmable logic controlled Op. 07.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 0200153 14.04.04
8480.71.90 MOULDING DIE, HEADLAMP REFLECTOR Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 9703655 14.04.04
8481.80.90 VALVES, START UP THROTTLE, TWIN SCREW EXTRUDER Op. 10.12.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 0111137 14.04.04
8501.53.00 MOTORS, AC, synchronous, 3 phase, 4 pole, having ALL of the following: (a) power output of 1200 kW OR greater; (b) voltage of 6 kV OR greater; (c) frequency of 50 Hz Op. 09.07.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 0105553 14.04.04
8505.11 BEARINGS, suspension ring, magnetic Op. 01.07.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8334856 14.04.04
8507.20 ACCUMULATORS, aircraft, but NOT including 24 V accumulators having a rating of 36 A h at the 5 h rate Op. 01.01.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 8532518 14.04.04
8515.31.90 WELDERS, TUBE AND PIPE, GAS TUNGSTEN ARC, ORBITAL, comprising BOTH of the following: (a) power supply; (b) welding heads Op. 07.05.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 - TC 9803952 14.04.04

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8516.79.00 MUFFIN MAKERS, DOMESTIC, electric Op. 28.08.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 - TC 0007451 14.04.04</p>
<p>8527.90.90 RADIO DIRECTIONAL FINDERS, SPECIFIC TARGET, land based, having ALL of the following: (a) target interception and analysis; (b) demodulation and recording of signal audio content; (c) target position map display; (d) data distribution and communication Op. 23.06.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 0005714</p>
<p>8529.90.30 WAVE GUIDES, flexible, microwave system, having a frequency range of 13.2 GHz or greater but NOT exceeding 26.5 GHz Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 - TC 9703824 14.04.04</p>
<p>8543.20 OSCILLATORS, crystal, having a frequency range from 80 MHz to 1 000 MHz (both inclusive) for FM, and a frequency range from 80 MHz to 400 MHz (both inclusive) for AM Op. 14.08.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 8434309</p>
<p>8543.20 OSCILLATORS, level, having an output frequency range of 200 Hz to 6 MHz (both inclusive) Op. 14.08.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 - TC 8439764 14.04.04</p>
<p>8544.59.00 WIRE AND CABLE, electrical, insulated with a modified polyester or an irradiated cross-linked modified polyester to the following specifications: (a)DEF-STAN-61-12 Part 18 Issue 3; OR (b)VG 95218 Op. 22.12.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9501029</p>
<p>8544.60.90 CABLES, ELECTRICAL, SUBMARINE, insulated, having ALL of the following: (a) 10 kV OR greater; (b) 3 core construction; (c) core conductor cross section NOT less than 145 square mm but NOT exceeding 155 square mm; (d) cable diameter NOT less than 75 mm; (e) continuous length 4 500 metres OR greater Op. 06.11.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 0110045</p>
<p>8716.90.00 RIMS AND ASSEMBLIES, WHEEL, in ANY of the following sizes: (a) 6.5 x 16"; (b) 10 x 20"; (c) 8.5 x 24"; (d) 10 x 15"; (e) 8 x 24"; (f) 10 x 24" Op. 26.01.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04 - TC 9501159</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8903.92.10 MOTOR YACHTS, having BOTH of the following: (a) length NOT exceeding 25 meters; (b) gross construction tons exceeding 140 but NOT exceeding 150 tons Op. 24.08.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 0107491</p>	
<p>9001.10 CABLE, optical fibre, image transmission, length NOT exceeding 14 m, being a bundle of glass fibres having a dia NOT exceeding 50 microns m in a fixed position relative to each other throughout the cable length, plastic and/or metal covered with a metal ferrule or lens at one end and a lens, eyepiece or camera and/or video mount at the other Op. 11.11.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 8535368</p>	
<p>9029.10 HUBODOMETERS Op. 17.06.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9205794</p>	
<p>9502.10.00 DOLLS, height 33 cm (+/- 1 cm), imported with ALL of the following: (a) toy milk bottle; (b) toy baby formula container; (c) spoon; (d) cherry scented jar but NOT including stuffed dolls Op. 06.06.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9405018</p>	
<p>9504.90.90 KITS, INTERACTIVE AMUSEMENT ATTRACTION, MOTOR RACING GAME, comprising ALL of the following: (a) provision for up to 8 players in separately enclosed moveable modules; (b) individual simulated racing car bodies; (c) audio controller; (d) individual computer controlled interactive 3-D graphics display Op. 06.12.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9612866</p>	
<p>9506.39.00 GOLF BALL FINDERS, having ALL of the following: (a) foldable, telescopic, swinging antenna; (b) non-powered; (c) high density carbon plastic body; (d) textured surfaces; (e) moulded finger grips; (f) length 16 cm, width 4.5 cm and depth 2 cm Op. 21.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9706330</p>	
<p>9506.91.00 EXERCISE EQUIPMENT, dual motion cross trainer comprising ALL of the following: (a) motorised treadmill, variable speed with automatic incline adjustment and safety start system; (b) adjustable resistance moveable arms, for back, arm and shoulder workouts; (c) motivational fitness monitor which displays workout time, speed, distance covered calorie calculator and pulse information; (d) personal use safety key Op. 09.06.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 14.04.04</p>
<p>- TC 9304409</p>	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
9506.99.90 SHUTTLECOCK GAME SETS, comprising ALL of the following: (a) adjustable height hoop with collapsible stand; (b) bats; (c) shuttlecocks Op. 28.09.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0108814
9508.90.00 MOTION SIMULATED THEATRES, electrically operated, having ALL of the following features: (a) a seating capacity of NOT less than eighteen (18) persons made up of two (2) or four (4) person open pods; (b) a hydraulic motion system; (c) film based projection system; (d) multi channel sound system, with the source originating from disk interlocked with the film; (e) a pre-programmed control module Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 14.04.04 - TC 0109437

CUSTOMS ACT 1901 - NOTIFICATION OF REQUEST FOR REVIEW OF DECISIONS

Requests have been received for review by the ACS of decisions made on applications for Tariff Concession Orders for goods described in the following TABLE.

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number Date of Lodgement of Request	Initial Decision
8427.10.00 FORKLIFT TRUCKS, battery powered, rider standing OR seated, as defined in Australian Standard 2359 Part 7 1995, having ALL of the following: (a) operator positioned at right angles to direction of travel; (b) retractable mast; (c) load capacity of NOT less than 1000 kg and NOT greater than 1 850 kg at 600 mm load centre, at a maximum lift height greater than 4 950 mm; (d) wheel base NOT less than 1 050 mm but NOT greater than 1 375 mm; (e) operator protection overhead guard; (f) travel speed at lift heights above 4 950 mm, greater than 3 km per hour; (g) electric drive motor output greater than 3.5 kilowatts Op. 15.08.03	50 22.03.04 - TC 0310243	Refused
8427.20.00 FORKLIFT TRUCKS, counter balanced, rider seated, as defined in Australian Standard 2359, comprising ALL of the following: (a) internal combustion engine having a capacity NOT less than 1.4 litres; (b) wheel base NOT less than 1 300 mm and NOT greater than 1 500 mm; (c) load capacity NOT less than 1 100 kg and NOT greater than 1 800 kg at 600 mm load centre; (d) wide profile pneumatic, puncture proof or cushion tyres; (e) torque converter transmission with low gearing; (f) hydraulically operated steering; (g) operator protection overhead guard; (h) travel speed at lift heights above 5 meters, greater than 3 kms/h Op. 05.09.03	50 05.04.04 - TC 0310548	Refused
8483.40.90 GEARHEADS, comprising ALL of the following: (a) gear case; (b) helical gears, with a gear centre NOT greater than 165 mm; (c) output shaft Op. 23.09.03	50 05.04.04 - TC 0312123	Refused

NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of determinations applying to goods of a kind specified in the table below.

In the table:

- (i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the Determination reference number;
- (ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods.

THE TABLE

Description of Goods Dates of Effect		Prescribed Item Number
One (1) only Stair Elevator, being an aid and appliance for the disabled. 01.03.04 to 30.06.04	- MD 347245	12
One (1) only Stair Elevator, being an aid and appliance for the disabled. 01.03.04 to 30.06.04	- MD 347246	12
Dump truck tyres for use in open cut mine upgrade project. 01.03.04 to 31.01.05	- MD 347231	71
Dump truck tyres for use in open cut mine upgrade project. 01.03.04 to 31.01.05	- MD 347232	71
Dump trucks for use in open cut mine upgrade project. 01.03.04 to 31.01.05	- MD 347233	71
Drilling equipment, for use in a gold mining project. 13.11.02 to 30.06.03	- MD 347235	71
Mobile equipment, for use in a gold mining project. 13.11.02 to 30.06.03	- MD 347236	71

**AUSINDUSTRY, A DIVISION OF
THE DEPARTMENT OF INDUSTRY TOURISM AND RESOURCES**

**NOTICE OF INTENTION TO REVOKE
ITEM 57 (Certain Inputs to Manufacture) DETERMINATIONS**

AusIndustry, a Division of the Department of Industry Tourism and Resources that is responsible for the administration of Item 57 to Schedule 4 of the Customs Tariff Act 1995, declares its intention to make an order on the 31 May 2004 revoking the following Determinations listed in the Schedule:

Schedule - Item 57 Determinations

342708
342732
342994

The proposed revocation of these Determinations is necessary because of changes to the Customs Commercial System and the administrative mechanisms that regulate the use of Item 57. Current and intending users of these determinations affected by their revocation are invited to contact AusIndustry and make submissions for replacement determinations which will be issued under the terms of the Guidelines issued on 26 February 2001.

The Guidelines which set out the policy as well as the operation and administration of Item 57 regarding 'Certain Inputs to Manufacture' are available on: www.ausindustry.gov.au

AusIndustry Contact:

The Product Manager
Policy By-laws
AusIndustry
Department of Industry Tourism and Resources
GPO Box 9839, Canberra ACT 2601
Telephone 02 62137802; Facsimile 02 62137801
Email: pevans@industry.gov.au