



**Commonwealth  
of Australia**

# Gazette

**No. TC 15/31, Wednesday, 12 August 2015**  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCO Application Reworded.....	5
TCO Application Refused.....	6
TCOs Made.....	7
TCOs Revoked - Unused for over 2 years .....	10
Customs Review of an TCO Application Notification .....	12
Intention to Revoke TCOs not used in over 2 years.....	13

The Department of Immigration and Border Protection publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the internet site at: <http://www.border.gov.au>

Please note that the Industry Assistance Section has changed address.  
We are now located at 5 Chan Street Belconnen ACT 2617.

Contact numbers are listed below:

General Email Inquiries: ..... [tarcon@border.gov.au](mailto:tarcon@border.gov.au)  
General Inquiries: .....(02) 6198 7289  
Facsimile: .....(02) 6198 7203  
TAPIN help desk: ..... (02) 6275 6534

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at  
<http://www.border.gov.au/Tariffclassificationofgoods/Documents/typableb4442001.pdf>

For guidance on the required description style, phone 02 6198 7289, fax 02 6198 7203 or email  
[tarcon@border.gov.au](mailto:tarcon@border.gov.au).

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3915.30.00 TRIMMINGS, polyvinyl chloride (PVC) Op. 16.07.15  Stated Use: PVC cut-offs from the manufacture of intravenous bags are recycled to manufacture bags and other PVC goods  Applicant: BAXTER HEALTHCARE PTY LTD	- TC 1527992     50  5%
3920.62.00 SHEETING, recycled polyethylene terephthalate (rPET), in rolls, complying with Australian Standard AS 2070-1999, 4.1 OR 4.2, having ALL of the following: (a) width NOT less than 400 mm and NOT greater than 800 mm; (b) sheet thickness NOT less than 400 microns and NOT greater than 700 microns; (c) sheet laminate thickness NOT less than 20 microns; (d) heavy metal content NOT greater than 100 ppm Op. 15.07.15  Stated Use: For manufacturing food trays  Applicant: LINPAC PACKAGING AUSTRALIA PTY LTD	- TC 1527837     50     5%
8424.89.90 LIQUID ADDITIVE SYSTEM, CONTINUOUS INJECTION, OIL AND/OR GAS WELL, programmable logic controlled, whether OR not assembled, including ALL of the following: (a) NOT less than six positive displacement pumps, including variable speed motors AND gear reducers; (b) remote actuated valves with position feedback AND pneumatic backup control; (c) flowmeters; (d) variable frequency drive cabinet; (e) human machine interface Op. 10.07.15  Stated Use: Inline injection of up to six different additives into a cement mixer base fluid for oil and/or gas wells  Applicant: SCHLUMBERGER AUSTRALIA PTY LTD	- TC 1527244     50     5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8425.49.00 JACKS, worm gear drive, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) housing material, stainless steel BS EN 10088-1:2014 grade 1.4305;</li> <li>(b) steel worm drive shaft, stainless steel BS EN 10088-1:2014 grade 1.4305;</li> <li>(c) roll formed trapezoidal lifting screws, stainless steel BS EN 10088-1:2014 grade 1.4404</li> </ul> <p>Op. 20.07.15</p> <p>Stated Use: Part of portable trailers to remove and/or replace jet engines in aircraft</p> <p>Applicant: MOTION TECHNOLOGIES PTY LTD</p>	<p>50</p> <p>- TC 1528341</p> <p>5%</p>
<p>8428.90.00 MARINE LOADING ARM SYSTEM, LIQUID AND GAS TRANSFER, whether OR not assembled, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) ship AND/OR drain pipe connectors;</li> <li>(b) loading arms;</li> <li>(c) wind bracing beams;</li> <li>(d) supporting loading arm joint;</li> <li>(e) loading arm riser;</li> <li>(f) loading arm counterweight;</li> <li>(g) loading arm support frame;</li> <li>(h) hydraulic cylinders;</li> <li>(i) control system, including ALL of the following: <ul style="list-style-type: none"> <li>(i) alarm;</li> <li>(ii) jetty control AND operating panel;</li> <li>(iii) hydraulic power supply pack;</li> <li>(iv) remote control pendant, with cable;</li> <li>(v) wireless remote control unit;</li> <li>(vi) tubing AND/OR cables</li> </ul> </li> </ul> <p>Op. 08.07.15</p> <p>Stated Use: For the transfer of liquids and gases from and to bulk vessels in marine ports</p> <p>Applicant: PORT BONYTHON FUELS PTY LTD</p>	<p>50</p> <p>- TC 1526669</p> <p>5%</p>
<p>8433.60.00 GARLIC BRUSHERS, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) drive motor;</li> <li>(b) offset brushes;</li> <li>(c) hopper</li> </ul> <p>Op. 23.07.15</p> <p>Stated Use: Removal of soil and husks from a garlic bulb</p> <p>Applicant: SERAFIN MACHINERY</p>	<p>50</p> <p>- TC 1528798</p> <p>5%</p>
<p>8474.31.00 CEMENT MIXING AND PUMPING MACHINERY, OIL AND/OR GAS WELL, skid mounted, whether OR not assembled, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) NOT less than two triplex pumps;</li> <li>(b) cement slurry mixer;</li> <li>(c) densitometer;</li> <li>(d) NOT less than two diesel engines;</li> <li>(e) NOT less than two transmissions;</li> <li>(f) NOT less than two radiators;</li> <li>(g) NOT less than two displacement tanks;</li> <li>(h) surge tank;</li> <li>(i) control systems incorporating BOTH of the following: <ul style="list-style-type: none"> <li>(i) data acquisition;</li> <li>(ii) data monitoring</li> </ul> </li> </ul> <p>Op. 10.07.15</p> <p>Stated Use: For mixing and pumping cement slurry in offshore oil and gas operations</p> <p>Applicant: SCHLUMBERGER AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1527246</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number	General Duty Rate
8479.89.90	CLAMPS AND INSTALLATION TOOLS, PIPELINE REPAIR, SUBSEA Op. 21.07.15	- TC 1528464	50
	Stated Use: Rapid response sealing of pin hole type leaks in subsea pipelines		
	Applicant: WOODSIDE ENERGY LTD		5%
8544.60.90	CABLES, DOWNHOLE LOGGING, OIL AND/OR GAS WELL, insulated AND armoured, spool OR reel mounted, including ALL of the following: (a) NOT less than 7 conductors; (b) inner AND outer galvanised steel armour wire layers; (c) voltage current rating NOT less than 1 000 V DC and NOT greater than 1 100 V DC; (d) breaking strength NOT less than 30 kN and NOT greater than 50 kN Op. 20.07.15	- TC 1528339	50
	Stated Use: For wireline logging applications in oil and/or gas wells		
	Applicant: SCHLUMBERGER AUSTRALIA PTY LTD		5%
8701.90.90	LOG SKIDDER, diesel engine, self-propelled, articulated chassis, 4 OR 6 wheel drive, having BOTH of the following: (a) single OR dual function arch AND grapple; (b) front mounted blade; Op. 09.07.15	- TC 1527242	50
	Stated Use: Hauling of tree logs in forestry operations		
	Applicant: ONETRAK PTY LTD		5%
8705.30.00	FIRE AND RESCUE AERIAL PLATFORM VEHICLES, including ALL of the following: (a) hydraulic articulated telescopic boom being turntable mounted; (b) cage floor height NOT less than 42 m; (c) platform water outlet capacity NOT less than 3 800 l/min; (d) 8 x 4 wheel chassis; (e) stabilising system consisting of 4 hydraulic outriggers Op. 14.07.15	- TC 1527424	50
	Stated Use: Water tower, observation tower, rescue platform specifically for fire and rescue emergency operations		
	Applicant: GLOBAL FIRE SOLUTIONS PTY LTD		5%
9603.30.00	COSMETIC DISPENSER AND APPLICATOR, brush tipped, click twist mechanism Op. 09.07.15	- TC 1527241	50
	Stated Use: Application of cosmetics		
	Applicant: QUADPACK AUSTRALIA PTY LTD		5%

**CUSTOMS ACT 1901****NOTICE PURSUANT TO SECTION PARAGRAPH 269L(4B) (b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN  
OBJECTION SUBMISSION**

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

7309.00.00	SILOS, bolted modules, steel, whether OR not assembled, with OR without stairs, having ALL of the following: (a) piping AND/OR hoses with OR without connectors; (b) flow control valves; (c) level measurement microwave sensor including display; (d) capacity NOT less than 155 cubic metres and NOT greater than 4 500 cubic metres Op. 21.04.15	50          - TC 1515310
------------	--	--

Stated Use:  
To store and dispense under gravity cementitious materials

Applicant: CORTEX ENGINEERING RESOURCES PTY LTD



**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods.

Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
4805.25.11 WHITE TOP LINER BOARD, uncoated, multi-ply, in rolls, having ALL of the following: (a) bleached pulp top ply; (b) grammage NOT less than 150 g/m2 and NOT greater than 205 g/m2; (c) roughness NOT exceeding 1 000 ml/min; (d) dirt count NOT exceeding 50 ppm; (e) brightness NOT less than 70%	50
Op. 07.05.15	Dec. date 04.08.15 - TC 1517420
7306.19.00 LINE PIPE, High Frequency Welded (HFW), dual layer fusion bonded epoxy coated, complying with American Petroleum Institute Standard Specification 5L (API 5L), having ALL of the following: (a) steel AND pipe grade X65M; (b) product specification PSL2; (c) diameter being EITHER of the following: (i) NOT exceeding 55 mm; (ii) exceeding 168.3 mm	50
Op. 22.05.15	Dec. date 10.08.15 - TC 1519289
8302.41.00 PRIVACY LOCKS, turn OR slide bolt, surface OR mortice, with OR without indicator AND/OR safety release	50
Op. 05.05.15	Dec. date 04.08.15 - TC 1517023
8412.21.00 CYLINDERS, KNUCKLE BOOM CRANE, being ANY of the following: (a) hydraulic telescoping boom cylinders; (b) hydraulic knuckle boom cylinders; (c) hydraulic main boom cylinders	50
Op. 20.05.15	Dec. date 10.08.15 - TC 1519128
8419.50.90 HEAT EXCHANGERS, fluid cooled, having BOTH of the following: (a) stainless steel coiled tubing; (b) insulated stainless steel body	50
Op. 14.05.15	Dec. date 10.08.15 - TC 1518442
8421.29.00 ELEMENTS, NANOFILTRATION, MULTIVALENT ANION REMOVAL, being spiral wound nanofiltration membranes	50
Op. 19.05.15	Dec. date 10.08.15 - TC 1518981
8421.39.00 AIR FILTERS, desktop OR tabletop mountable, with OR without LED lighting, incorporating a Universal Serial Bus (USB) charging port, having ALL of the following: (a) fan; (b) dual stage activated carbon AND High-Efficiency Particulate Arrestance (HEPA) filter; (c) weight NOT greater than 1.50 kg; (d) coverage area NOT greater than 10 m2; (e) with OR without ANY of the following accessories: (i) AC adapters; (ii) Universal Serial Bus (USB) cables; (iii) sponges; (iv) aroma cups; (v) aromatic oil	50
Op. 07.05.15	Dec. date 04.08.15 - TC 1517414

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8427.10.00	LIFTING AND CARRYING TRUCKS, battery powered, ride on, having ALL of the following: (a) maximum lift height NOT greater than 120 mm; (b) hydraulic material grabbers; (c) maximum lifting capacity of NOT less than 5 000 kg Op. 21.05.15	50     Dec. date 10.08.15 - TC 1519154
8428.90.00	MATERIAL LIFTING AND TIPPING MACHINES, electric motor, incorporating lifting forks Op. 19.05.15	50  Dec. date 10.08.15 - TC 1518874
8465.91.00	CROSS CUT TIMBER SAWING MACHINES, programmable logic controlled, whether OR not assembled, having ALL of the following: (a) timber infeed speed capacity of 55 metres per minute; (b) cross cut length accuracy of + OR - 0.8 mm for timber lengths less than 1 metre; (c) cross cut length accuracy of + or - 1% for timber lengths of NOT less than 1 metre; (d) timber infeed maximum acceleration capacity NOT less than 54 metres per second squared; (e) maximum saw blade stroke speed NOT less than 0.08 seconds per metre, with OR without EITHER of the following: (i) scanners; (ii) saw infeed roller conveyors Op. 14.05.15	50           Dec. date 10.08.15 - TC 1518525
8479.89.90	PLASTIC BOTTLE ORIENTATION MACHINES, having ALL of the following: (a) production speed of NOT greater than 13 800 bottles per hour; (b) bottle size NOT greater than 1 litre; (c) air driven conveyor Op. 14.05.15	50    Dec. date 10.08.15 - TC 1518524
8479.89.90	MULTI-REEL CANTILEVER WINDING SYSTEM, PLASTIC FILM, having ALL of the following: (a) single OR multiple winding shaft; (b) cutting unit; (c) haul-off unit; (d) ejection reel support cradles with pneumatic lifting platform Op. 20.05.15	50     Dec. date 10.08.15 - TC 1518983
8537.10.90	MANAGEMENT AND SAFETY SYSTEM, ELECTROLYSER, having ALL of the following: (a) data acquisition unit with enclosure; (b) electrolyser communication AND alarm module with enclosure; (c) external power pack; (d) fibre optic cable AND connectors; (e) cell connection wires AND connection hardware; (f) software Op. 13.05.15	50      Dec. date 10.08.15 - TC 1518250
8716.90.00	DISK WHEELS OR DEMOUNTABLE RIMS, steel, with OR without valves, being EITHER of the following: (a) demountable rims in EITHER of the following sizes: (i) 8.25 in x 22.5 in; (ii) 6.00 in x 17.5 in, (b) disk wheels in ANY of the following sizes: (i) 8.25 in x 22.5 in; (ii) 7.50 in x 19.5 in; (iii) 6.00 in x 17.5 in; (iv) 6.75 in x 17.5 in Op. 11.05.15	50           Dec. date 10.08.15 - TC 1517629



---

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
9403.90.00 PARTS, DRAWER SLIDE SYSTEM, metal, being ALL of the following: (a) metal drawer sides; (b) self closing, full extension drawer runners; (c) back brackets; (d) front fixing brackets; (e) gallery rails; (f) gallery rail fixings Op. 07.05.15	50           Dec. date 06.08.15 - TC 1530890

---

**CUSTOMS ACT 1901****NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF CUSTOMS**

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 15/26 dated 8 July 2015.

Contact: Phone 02 6275 6534, fax 02 6275 6376 or email [tarcon@customs.gov.au](mailto:tarcon@customs.gov.au).

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7208.53.00 STEEL SHEETS, grade Tu15D3, having ALL of the following: (a) thickness NOT greater than 3.25 mm; (b) width NOT less than 1 475 mm and NOT greater than 1 525 mm; (c) length NOT less than 5 750 mm and NOT greater than 5 850 mm Op. 23.09.05 Dec. date 16.12.05 - TC 0512721  Revoked: 2 years non-use. In-transit provisions apply.	50 04.08.15
7210.49.00 STEEL, COIL, hot dip zinc coated, complying with Japanese Industrial Standard JIS G 3302:2007, having ALL of the following: (a) yield strength NOT less than 275 N/mm2 and NOT greater than 380 N/mm2; (b) tensile strength NOT less than 440 N/mm2; (c) elongation NOT less than 29% and NOT greater than 41%; (d) coating mass NOT less than 45 g/m2 and NOT greater than 65 g/m2; (e) thickness NOT less than 1.14 mm and NOT greater than 1.26 mm; (f) width NOT less than 1 590 mm and NOT greater than 1 605 mm Op. 21.10.09 Dec. date 08.01.10 - TC 0939596  Revoked: 2 years non-use. In-transit provisions apply.	50 04.08.15
7210.70.00 SHEETS AND/OR STRIPS, STEEL, NON-ORIENTATED ELECTRICAL, as described in ANY of the following international standards: (a) Japanese Industrial Standard C 2552; (b) American Society for Testing and Materials Standard A 677-05; (c) European Standard EN 10106 Op. 23.03.06 Dec. date 16.06.06 - TC 0605624  Revoked: 2 years non-use. In-transit provisions apply.	50 04.08.15

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

<p>7210.70.00 STEEL, high polymer polyester coated, complying with Japan Industrial Standard G3312/SGCD1 (JIS G3312/SGCD1) AND European Union Directive 2002/95/EC on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS), having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) epoxy reverse coating adhering to polyurethane;</li> <li>(b) specular gloss level NOT less than 80 units at 60 degrees;</li> <li>(c) distinction of image NOT less than 60 units;</li> <li>(d) surface having ALL of the following: <ul style="list-style-type: none"> <li>(i) inclusions NOT greater than 0.2 mm over 1 square metre and having proximity NOT less than 400 mm;</li> <li>(ii) dents NOT greater than 0.3 mm over 1 square metre and having proximity NOT less than 400 mm;</li> <li>(iii) leveller bite NOT greater than 20 mm,</li> </ul> </li> <li>(e) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) width 607 mm and gauge 0.5 mm;</li> <li>(ii) width 672 mm and gauge 0.5 mm;</li> <li>(iii) width 729 mm and gauge 0.5 mm;</li> <li>(iv) width 732 mm and gauge 0.5 mm;</li> <li>(v) width 774 mm and gauge 0.5 mm;</li> <li>(vi) width 824 mm and gauge 0.5 mm;</li> <li>(vii) width 924 mm and gauge 0.5 mm</li> </ul> </li> </ul>	<p>50 04.08.15</p>
---	------------------------

For the purposes of this order, tolerances allowable for specification (e) are:

- (a) width +2 mm;
- (b) gauge + or - 0.02 mm

Op. 26.09.06

Dec. date 05.02.07

- TC 0615052

Revoked: 2 years non-use. In-transit provisions apply.

**CUSTOMS ACT 1901 - NOTIFICATION OF REQUEST FOR REVIEW OF AN APPLICATION DECISION**

A request has been received for review by DIBP of a decision made on the application for the Tariff Concession Orders for goods described in the following TABLE.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Date of Lodgement of Request	Initial Decision
8419.90.00 PARTS, ANAEROBIC DRY MECHANICAL BIOLOGICAL WASTE TREATMENT DRUM, being ANY of the following: (a) non-stainless steel OR normalised OR normalised rolled steel, unassembled cylindrical drums having a length NOT less than 50 m with OR without ANY of the following: (i) supporting frames; (ii) machined path rings; (iii) tangential plates; (iv) electric rail AND brush mounting, (b) inlet shield housings with hopper; (c) outlet housings with OR without access gangway; (d) perforated shell OR pierced trommel output; (e) cylindrical drum components being ANY of the following: (i) machined path rings; (ii) tangential plates; (iii) electric rail AND brush mounting Op. 12.01.15	50 05.08.15	REFUSE

- TC 1501699

**TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS**

The Comptroller-General of Customs is satisfied the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 10 September 2015, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in-transit provisions shall apply. If revoked, the expected date of effect will be 09 September 2015.

Interested parties are invited to provide, by close of business, Wednesday, 09 September 2015, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email [tarcon@border.gov.au](mailto:tarcon@border.gov.au), fax 02 6198 7203 or phone 02 6275 6534.

## THE TABLE

Tariff Classification	Description	Concession Number
7228.30.10	BARS OR RODS, high alloy steel, hot rolled, grade 30 MnVS, having BOTH of the following: (a) diameter NOT less than 25 mm and NOT greater than 65 mm; (b) length NOT greater than 5.9 m	
	Op. 12.01.09	Dec. date 03.04.09 - TC 0900456
7228.50.00	BARS AND RODS, round, annealed and peeled, high alloy steel, complying with AMS (Aerospace Material Specification) 6418F	
	Op. 03.04.02	Dec. date 21.06.02 - TC 0202716
7228.60.10	BARS, rolled to grade 8620H (modified), sulphur content 0.02% to 0.05%, diameter NOT less than 52 mm and NOT greater than 56 mm, hardenability values at specified points restricted to having ALL of the following: (a) J5: 35 to 40 HRC; (b) J9: 25 to 31 HRC; (c) cleanliness complying with Australian Standard AS1171; (d) microstructure NOT less than 80% spheroidized pearlite	
	Op. 07.12.07	Dec. date 29.02.08 - TC 0720892
7228.60.10	BARS, alloy steel, round, diameter NOT exceeding 500 mm, to ANY of the following specifications: (a) AISI-01; (b) AISI-B.01; (c) AISI-B.D2; (d) AISI-B.D3; (e) AISI-B.A6; (f) AISI-D.K4	
	Op. 16.06.93	Dec. date 01.10.93 - TC 9304546

Tariff Classification	Description	Concession Number												
7228.60.10	BARS, flat, to specification AISI-01, having a thickness NOT exceeding 100 mm or a width NOT exceeding 300 mm													
	Op. 11.03.93	Dec. date 21.06.93 - TC 9308728												
7228.60.10	BARS AND RODS, high alloy steel, to specification DIN X40CrMoV51, BS BH13 or AISI H13, in either of the following sizes: (a) less than 200 mm diameter; (b) greater than 710 mm diameter													
	Op. 14.02.95	Dec. date 05.06.95 - TC 9504040												
7228.60.10	BARS AND RODS, high alloy steel, to specification DIN 54NiCrMoV6 or 56NiCrMoV7, annealed to maximum 249HB													
	Op. 14.02.95	Dec. date 01.06.95 - TC 9504063												
7228.60.10	BARS OR RODS, high alloy steel, to DIN specification 1.2436, (X210CrW12)													
	Op. 10.04.96	Dec. date 12.07.96 - TC 9605580												
7228.60.90	BARS AND RODS, low alloy, to specification DIN 62SiMnCr4													
	Op. 14.02.95	Dec. date 31.05.95 - TC 9504045												
7306.61.00	TUBES, cold drawn, carbon steel, hollow frame profile, having ANY of the following sectional dimensions: <table border="1" data-bbox="335 963 1037 1075"> <thead> <tr> <th>Length</th> <th>Width</th> <th>Wall Thickness</th> </tr> </thead> <tbody> <tr> <td>(a) 90 mm</td> <td>41 mm</td> <td>2.0 mm;</td> </tr> <tr> <td>(b) 104 mm</td> <td>43 mm</td> <td>2.5 mm;</td> </tr> <tr> <td>(c) 104 mm</td> <td>43 mm</td> <td>3.0 mm</td> </tr> </tbody> </table>	Length	Width	Wall Thickness	(a) 90 mm	41 mm	2.0 mm;	(b) 104 mm	43 mm	2.5 mm;	(c) 104 mm	43 mm	3.0 mm	
Length	Width	Wall Thickness												
(a) 90 mm	41 mm	2.0 mm;												
(b) 104 mm	43 mm	2.5 mm;												
(c) 104 mm	43 mm	3.0 mm												
	Op. 01.01.07	Dec. date 08.05.07 - TC 0705890												