



**Commonwealth
of Australia**

Gazette

No. TC16/42, Wednesday, 2 November 2016

Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Application Refused	6
Comptroller-General of Customs Initiated - Intention to Revoke Inadequate Description	7
Local Manufacturer Initiated - TCO Revocation Requests	8
Local Manufacturer Initiated - TCOs Revoked	12
Comptroller-General of Customs TCOs Revoked - Unused for over 2 years	13
Comptroller-General of Customs Review of TCO Application Result.....	17
Website Update	18

The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the DIBP
internet site at: <http://www.border.gov.au>

The Tariff Concessions Administration Section is located at
5 Constitution Ave Canberra City 2601

Contact details:

General Email Inquiries:.....tarcon@border.gov.au

General Inquiries:(02) 6229 3567

TAPIN help desk:(02) 6275 6534

Facsimile:.....(02) 6223 8180

Cat. No.

ISSN 0813-8389

©Commonwealth of Australia, 2016

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<http://www.border.gov.au/Forms/Documents/b444.pdf>

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3808.93.00 HERBICIDES, having an active ingredient of propanil Op. 05.10.16 Stated Use: For the control of barnyard grass in rice crops Applicant: UPL AUSTRALIA LTD	- TC 1657328 5%
3923.10.00 BINS, polypropylene, stackable, being ALL of the following: (a) bin height NOT less than 220 mm and NOT greater than 330 mm; (b) maximum stackable weight NOT greater than 825 kg; (c) bin load carrying capacity NOT greater than 30 kg Op. 06.10.16 Stated Use: For the storage of goods within multi layered grid compartments where robots pick up and replace these bins Applicant: BASTIAN AUSTRALIA PTY LTD	50 - TC 1657435 5%
3926.90.90 BEND RESTRICTORS, UMBILICAL, SUBSEA OIL AND GAS PRODUCTION Op. 30.09.16 Stated Use: Attached to the subsea umbilical to prevent the over bending of the umbilical Applicant: QUADRANT ENERGY AUSTRALIA LTD	50 - TC 1656238 5%
7326.90.90 SHUTTERING EXTENSIONS, PRE-CAST CONCRETE AUTOMATION PLANT, having screw mountable adapters with chamfer strip Op. 28.09.16 Stated Use: Extensions to form moulds for concrete pre cast panels Applicant: CONCRETE PRECAST SYSTEMS	50 - TC 1655747 5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8403.10.00 BOILERS, HOT WATER, BIOMASS SOLID FUEL, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) conveyors; (b) furnace; (c) fans; (d) ash auger; (e) emissions controller; (f) fire tube boiler <p>Op. 28.09.16</p> <p>Stated Use: Produce hot water for heating and treatment purposes in industries such as abattoirs and greenhouses</p> <p>Applicant: JAVELIN POWER</p>	<p>50</p> <p>- TC 1655744</p> <p>5%</p>
<p>8422.20.00 BIN WASHING LINE, programmable logic controlled, having ALL of the following:</p> <ul style="list-style-type: none"> (a) water sprayers; (b) water pumps; (c) washing capacity NOT greater than 150 bins per hour, with OR without ANY of the following: <ul style="list-style-type: none"> (i) water heaters; (ii) brushes; (iii) conveyors <p>Op. 30.09.16</p> <p>Stated Use: For cleaning bins such as bins used for carrying fruit and vegetables in food processing plants</p> <p>Applicant: COMPAC SORTING EQUIPMENT LTD</p>	<p>50</p> <p>- TC 1656233</p> <p>5%</p>
<p>8424.89.90 OILERS, CONCRETE PRE-CAST AUTOMATION PLANT</p> <p>Op. 30.09.16</p> <p>Stated Use: Oiling of cleaned shutters</p> <p>Applicant: CONCRETE PRECAST SYSTEMS</p>	<p>50</p> <p>- TC 1656782</p> <p>5%</p>
<p>8428.39.00 EXTRUSION HANDLING SYSTEM, programmable logic controlled, having EITHER of the following,</p> <ul style="list-style-type: none"> (a) lateral roller conveyors with hydraulic height adjustment; (b) longitudinal roller conveyor <p>Op. 07.10.16</p> <p>Stated Use: Movement, placement and cooling of aluminium extrusions during manufacture</p> <p>Applicant: G JAMES AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1658284</p> <p>5%</p>
<p>8428.90.00 ROBOTS, CONCRETE PRE CAST PLANT, being ANY of the following:</p> <ul style="list-style-type: none"> (a) shuttering robot with an integrated plotter spraying unit; (b) de-shuttering robot with a laser optical scanner; (c) shutter storage robot <p>Op. 29.09.16</p> <p>Stated Use: Control the placing of shutters and fittings on the surface of a carousel production pallet</p> <p>Applicant: CONCRETE PRECAST SYSTEMS</p>	<p>50</p> <p>- TC 1655820</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
8428.90.00 OVERHEAD CARTON TRANSPORTERS, electric powered, programmable logic controlled, including ceiling mountable rails Op. 30.09.16	50 - TC 1656237
Stated Use: For the delivery of empty cartons to fruit and vegetable packers	
Applicant: COMPAC SORTING EQUIPMENT LTD	5%
8428.90.00 CONVEYORS, programmable logic controlled, being ANY of the following: (a) conveyors, poly-para-phenylene terephthalamide belted, having a working maximum temperature NOT less than 450 degrees Celsius; (b) conveyors, steel belted; (c) conveyors, polyester belted; (d) conveyors, having BOTH of the following: (i) maximum working temperature resistance NOT less than 160 degrees Celsius; (ii) convex belt pulleys Op. 04.10.16	50 - TC 1656922
Stated Use: For the movement, placement and cooling of materials such as aluminium extrusions	
Applicant: G JAMES AUSTRALIA PTY LTD	5%
8433.60.00 FRUIT AND/OR VEGETABLE CLEANING MACHINES, programmable logic controlled, including BOTH of the following: (a) bin tipplers; (b) rotating cleaning brushes OR water pressure washers, with OR without ANY of the following: (i) conveyors; (ii) pneumatic actuators; (iii) drying fans AND/OR heaters Op. 30.09.16	50 - TC 1656236
Stated Use: For cleaning fruit and vegetables such as avocados, apples and potatoes	
Applicant: COMPAC SORTING EQUIPMENT LTD	5%
8479.89.90 SHUTTERING CLEANERS, PRE-CAST CONCRETE AUTOMATION PLANT, having an automated through feed mechanism AND steel brushes Op. 28.09.16	50 - TC 1655751
Stated Use: Cleaning of solid-wall shutter profiles in a concrete pre cast automation plant	
Applicant: CONCRETE PRECAST SYSTEMS	5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8479.89.90	CASTING TABLE AND/OR BED CLEANING MACHINES, PRE-CAST CONCRETE AUTOMATION PLANT, having ALL of the following: (a) scraper; (b) rotating roll brush AND sideways rotating round brush; (c) dirt collection box Op. 28.09.16	50 - TC 1655754
	Stated Use: Cleaning concrete casting equipment in a concrete pre-cast automation plant	
	Applicant: CONCRETE PRECAST SYSTEMS	5%
8483.40.90	GEARBOXES, WORM, METAL ROLLING MILL COOLING BED, having ALL of the following: (a) input shaft; (b) output shafts; (c) pneumatic brakes Op. 06.10.16	50 - TC 1657432
	Stated Use: As transmission gearboxes for metal rolling mill cooling beds	
	Applicant: ONESTEEL NSW PTY LTD	5%
8716.20.00	TRAILERS, SELF LOADING AND SELF UNLOADING, ROUND BALE, driver operated, having ALL of the following: (a) braking mechanism; (b) NOT less than 8 bale adjustable load space; (c) length NOT less than 8 metres Op. 23.09.16	50 - TC 1654897
	Stated Use: Loading, unloading and transport of round hay bales of varying sizes	
	Applicant: FITZPATRICK GROUP TRUST	5%

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDER REFUSED**

The application for the Tariff Concession Order for the goods described in the following TABLE has been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3920.59.00 FILM, multilayered, having ALL of the following: (a) NOT less than one layer of polymethyl methacrylate (PMMA); (b) NOT less than one layer of acrylonitrile butadiene styrene (ABS); (c) thickness NOT less than 0.5 mm and NOT greater than 1.2 mm; (d) corona treated acrylonitrile butadiene styrene (ABS) layer; (e) density NOT less than 1.05 g/cubic centimetre and NOT greater than 1.15g/cubic centimetre using test method International Organization for Standardization (ISO) 1183-1; (f) NOT less than one layer of high cross-linked polyacrylate; (g) scratch resistant to a loss of less than 20% gloss using test method A contained in IHD-W-466 Op. 23.05.16 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Oakmoore Pty Ltd (t/as EGR), Salisbury, Qld.	50

- TC 1618738

TARIFF CONCESSION ORDER (TCO) - INTENTION TO REVOKE AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

Under subsection 269SD(1AA) of the Customs Act 1901, the Comptroller-General of Customs declares his intention, subject to subsection (1AB), to make an order revoking the Tariff Concession Orders for the goods listed in the following TABLE from the intended revocation day shown, and invites any person who might be affected by the revocation to give a written submission to the Comptroller-General of Customs within 28 days of this Notice.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

3808.92.00	FUNGICIDES, being imidazole, isothiazole and alkylamide based compounds	50
Op. 01.01.07	Dec. date 02.11.06	- TC 0614073

Comptroller-General of Customs initiated revocation pending due
to the TCO goods having an inadequate description.

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
4016.91.00 PAVERS, rubber, imitation masonry powder coating, chamfered top edging, having BOTH of the following: (a) length NOT greater than 550mm; (b) thickness NOT greater than 20 mm Op. 22.03.12 Dec. date 15.06.12 - TC 1209546	50 26.10.16
4016.91.00 PAVERS, RUBBER, powder coated, including ALL of the following: (a) length NOT greater than 1 050 mm; (b) thickness NOT greater than 20 mm; (c) bevelled edges Op. 07.08.13 Dec. date 04.11.13 - TC 1326547	50 26.10.16
7208.26.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHD OR SPHE, having ALL of the following: (a) tensile strength NOT less than 270 MPa; (b) elongation NOT less than 32%; (c) in ANY of the following sizes: (i) thickness 3.00 mm and width 760 mm; (ii) thickness 3.00 mm and width 1 119 mm; (iii) thickness 3.50 mm and width 1 145 mm; (iv) thickness 4.00 mm and width 875 mm; (v) thickness 4.00 mm and width 970 mm; (vi) thickness 4.00 mm and width 1 070 mm For the purposes of this Order, tolerances allowable for specification (c) are: (a) thickness +/- 10% (b) width +/- 1% Op. 04.04.13 Dec. date 24.06.13 - TC 1311527	50 24.10.16
7208.26.00 STEEL, flat-rolled, non alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3113 (JIS G3113), grade SAPH440, having ALL of the following: (a) yield strength NOT less than 305 MPa; (b) tensile strength NOT less than 440 MPa; (c) elongation NOT less than 29%; (d) in ANY of the following sizes: (i) thickness 3.40 mm and width 985 mm; (ii) thickness 3.50 mm and width 805 mm; (iii) thickness 4.00 mm and width 1 210 mm For the purposes of this Order, tolerances allowable for specification (d) are: (a) thickness +/- 10% (b) width +/- 1% Op. 04.04.13 Dec. date 24.06.13 - TC 1311719	50 24.10.16

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
---	--

<p>7208.27.00 STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHC OR SPHD OR SPHE, having ALL of the following:</p> <p>(a) tensile strength NOT less than 270 MPa; (b) total elongation NOT less than 27%; (c) in ANY of the following sizes:</p> <ul style="list-style-type: none"> (i) thickness 1.20 mm and width 610 mm; (ii) thickness 1.20 mm and width 820 mm; (iii) thickness 1.20 mm and width 838 mm; (iv) thickness 1.40 mm and width 690 mm; (v) thickness 1.40 mm and width 1 050 mm; (vi) thickness 1.40 mm and width 1 080 mm; (vii) thickness 1.40 mm and width 1 150 mm; (viii) thickness 1.40 mm and width 1 390 mm; (ix) thickness 1.60 mm and width 1 010 mm; (x) thickness 1.90 mm and width 1 110 mm; (xi) thickness 1.90 mm and width 1 340 mm; (xii) thickness 1.90 mm and width 1 360 mm 	<p>50 24.10.16</p>
--	------------------------

For the purposes of this Order, tolerances allowable for specification (d) are:

(a) thickness +/- 10%

(b) width +/- 1%

Op. 14.03.13

Dec. date 03.06.13

- TC 1309208

<p>7208.27.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHD OR SPHE, having ALL of the following:</p> <p>(a) tensile strength NOT less than 270 MPa; (b) elongation NOT less than 32%; (c) in ANY of the following sizes:</p> <ul style="list-style-type: none"> (i) thickness 1.60 mm and width 620 mm; (ii) thickness 1.60 mm and width 658 mm; (iii) thickness 1.60 mm and width 710 mm; (iv) thickness 1.60 mm and width 929 mm; (v) thickness 1.60 mm and width 930 mm; (vi) thickness 1.60 mm and width 950 mm; (vii) thickness 1.60 mm and width 1 030 mm; (viii) thickness 1.60 mm and width 1 035 mm; (ix) thickness 1.60 mm and width 1 090 mm; (x) thickness 1.60 mm and width 1 110 mm; (xi) thickness 1.80 mm and width 1 000 mm; (xii) thickness 1.90 mm and width 730 mm; (xiii) thickness 1.90 mm and width 760 mm; (xiv) thickness 1.90 mm and width 825 mm; (xv) thickness 1.90 mm and width 905 mm; (xvi) thickness 1.90 mm and width 940 mm; (xvii) thickness 1.90 mm and width 955 mm; (xviii) thickness 1.90 mm and width 1 010 mm; (xix) thickness 1.90 mm and width 1 030 mm; (xx) thickness 1.90 mm and width 1 050 mm; (xxi) thickness 1.90 mm and width 1 060 mm; (xxii) thickness 1.90 mm and width 1 110 mm; (xxiii) thickness 1.90 mm and width 1 125 mm; (xxiv) thickness 1.90 mm and width 1 190 mm; (xxv) thickness 2.00 mm and width 607 mm; (xxvi) thickness 2.00 mm and width 1 024 mm; (xxvii) thickness 2.00 mm and width 1 140 mm; (xxviii) thickness 2.00 mm and width 1 210 mm; (xxix) thickness 2.20 mm and width 785 mm; (xxx) thickness 2.20 mm and width 970 mm; (xxxi) thickness 2.20 mm and width 1 155 mm; (xxxii) thickness 2.20 mm and width 1 175 mm; (xxxiii) thickness 2.50 mm and width 1 020 mm; (xxxiv) thickness 2.50 mm and width 1 160 mm 	<p>50 24.10.16</p>
---	------------------------

(Continued on next page)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
---	--

(Continued from previous page)

For the purposes of this Order, tolerances allowable for specification (c) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.04.13

Dec. date 24.06.13

- TC 1311524

7208.27.00

STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3113 (JIS G3113), grade SAPH440, having ALL of the following:

50
24.10.16

- (a) yield strength NOT less than 305 MPa;
- (b) tensile strength NOT less than 440 MPa;
- (c) elongation NOT less than 29%;
- (d) in ANY of the following sizes:
 - (i) thickness 1.60 mm and width 655 mm;
 - (ii) thickness 1.60 mm and width 740 mm;
 - (iii) thickness 1.60 mm and width 762 mm;
 - (iv) thickness 1.60 mm and width 780 mm;
 - (v) thickness 1.60 mm and width 800 mm;
 - (vi) thickness 1.60 mm and width 825 mm;
 - (vii) thickness 1.60 mm and width 860 mm;
 - (viii) thickness 1.60 mm and width 930 mm;
 - (ix) thickness 1.60 mm and width 1 009 mm;
 - (x) thickness 1.60 mm and width 1 058 mm;
 - (xi) thickness 1.70 mm and width 950 mm;
 - (xii) thickness 1.70 mm and width 959 mm;
 - (xiii) thickness 1.95 mm and width 950 mm;
 - (xiv) thickness 1.95 mm and width 1 185 mm;
 - (xv) thickness 2.00 mm and width 760 mm;
 - (xvi) thickness 2.00 mm and width 766 mm;
 - (xvii) thickness 2.00 mm and width 860 mm;
 - (xviii) thickness 2.00 mm and width 955 mm;
 - (xix) thickness 2.00 mm and width 1 090 mm;
 - (xx) thickness 2.50 mm and width 1 135 mm

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.04.13

Dec. date 24.06.13

- TC 1311717

7209.16.00

STEEL, flat rolled, non-alloy, cold rolled, not coated, in coils, having ALL of the following:

50
24.10.16

- (a) yield strength NOT greater than 250 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) elongation NOT less than 35%;
- (d) thickness 1.20 mm and width 1 748 mm

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 27.03.13

Dec. date 17.06.13

- TC 1310748

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
---	--

<p>7209.16.00 STEEL, flat rolled, non-alloy, cold rolled, not coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT greater than 250 MPa; (b) tensile strength NOT less than 250 MPa; (c) elongation NOT less than 35%; (d) in ANY of the following sizes: <ul style="list-style-type: none"> (i) thickness 1.15 mm and width 715 mm; (ii) thickness 1.15 mm and width 740 mm; (iii) thickness 1.15 mm and width 780 mm; (iv) thickness 1.15 mm and width 890 mm; (v) thickness 1.15 mm and width 1 089mm; (vi) thickness 1.15 mm and width 1 110 mm; (vii) thickness 1.15 mm and width 1 190 mm; (viii) thickness 1.20 mm and width 870 mm; (ix) thickness 1.20 mm and width 1 175 mm; (x) thickness 1.20 mm and width 1 230 mm; (xi) thickness 1.35 mm and width 1 020 mm; (xii) thickness 1.35 mm and width 1 185 mm; (xiii) thickness 1.35 mm and width 1 525 mm; (xiv) thickness 1.40 mm and width 770 mm; (xv) thickness 1.40 mm and width 870 mm; (xvi) thickness 1.40 mm and width 955 mm; (xvii) thickness 1.55 mm and width 800 mm; (xviii) thickness 1.55 mm and width 801 mm; (xix) thickness 1.55 mm and width 1 380 mm; (xx) thickness 1.60 mm and width 790 mm; (xxi) thickness 1.60 mm and width 1 060 mm; (xxii) thickness 1.80 mm and width 910 mm; (xxiii) thickness 1.80 mm and width 1 080 mm; (xxiv) thickness 1.80 mm and width 1 090 mm; (xxv) thickness 1.80 mm and width 1 135 mm; (xxvi) thickness 1.95 mm and width 770 mm; (xxvii) thickness 1.95 mm and width 1 200 mm 	<p>50 24.10.16</p>
---	------------------------

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 09.04.13

Dec. date 24.06.13

- TC 1312160

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1) - AUSTRALIAN INDUSTRY INITIATED - TARIFF CONCESSION
ORDERS REVOKED**

The Tariff Concession Orders for the goods described in the following TABLE have been revoked.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
4003.00	RUBBER, reclaimed Op. 25.10.83 Substitutable goods produced in Australia in the ordinary course of business by A1 Rubber Pty Ltd, Yatala, Qld. In transit provisions apply.	Dec. date 25.10.83	- TC 8340152 50 27.09.16
4008.11.00	FLOORING AND/OR UNDERLAY, ATHLETICS AND SPORTS Op. 15.10.08 Substitutable goods produced in Australia in the ordinary course of business by A1 Rubber Pty Ltd, Yatala, Qld. In transit provisions apply.	Dec. date 14.01.09	- TC 0835681 50 06.10.16
4008.21.90	RUBBER, recycled, in rolls having ALL of the following: (a) length 25m OR greater; (b) width 1200mm OR greater; (c) thickness 4mm OR greater Op. 28.10.94 Substitutable goods produced in Australia in the ordinary course of business by A1 Rubber Pty Ltd, Yatala, Qld. In transit provisions apply.	Dec. date 30.01.95	50 13.09.16 - TC 9408569
5407.20.00	FABRIC, POLYPROPYLENE OR POLYETHYLENE, having a weight of NOT less than 120 gsm and width NOT greater than 280 cm Op. 12.02.03 Substitutable goods produced in Australia in the ordinary course of business by Pro-Knit Industries Pty Ltd, Capalabe, Qld. In transit provisions apply.	Dec. date 28.04.03	50 16.09.16 - TC 0301415

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATION OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 16/36 dated 21 September 2016.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
6302.93.00 SETS, TRAVEL, consisting of ALL of the following: (a) make-up pads; (b) facial wipes; (c) hand lotions; (d) cotton tips; (e) exfoliating gloves Op. 04.01.11 Dec. date 28.03.11 - TC 1100243	50 18.10.16
Revoked for 2 years non use. In transit provisions apply	
6306.90.00 LINERS, SLEEPING BAG, thermal, hooded Op. 01.01.12 Dec. date 11.01.12 - TC 1200804	50 18.10.16
Revoked for 2 years non use. In transit provisions apply	
6307.90.10 COATS, SHEEP Op. 16.05.03 Dec. date 25.07.03 - TC 0305842	50 18.10.16
Revoked for 2 years non use. In transit provisions apply	
6307.90.40 SCRUBBING PADS comprising a non woven, non abrasive, nylon pad of dimensions 150 mm x 95 mm x 22 mm +/- 15% attached to a rigid plastic backing and handle Op. 02.12.93 Dec. date 15.03.94 - TC 9400301	50 18.10.16
Revoked for 2 years non use. In transit provisions apply	
6307.90.99 GAUZE, BALL, surgical, being x-ray detectable Op. 19.12.06 Dec. date 09.03.07 - TC 0619977	50 18.10.16
Revoked for 2 years non use. In transit provisions apply	
6307.90.99 SHEETS, consisting of NOT less than 50% cotton with remainder polyester, having ALL of the following: (a) length NOT greater than 265 mm; (b) width NOT greater than 220 mm; (c) carry bag Op. 25.11.11 Dec. date 13.02.12 - TC 1139265	50 18.10.16
Revoked for 2 years non use. In transit provisions apply	
6307.90.99 BAGS, clothes peg, having ALL of the following: (a) textile bag length NOT exceeding 30 cm; (b) bag width NOT greater than 24 cm at the base; (c) wire hanging frame Op. 23.10.97 Dec. date 09.01.98 - TC 9610670	50 18.10.16
Revoked for 2 years non use. In transit provisions apply	
6307.90.99 CHEESE LINING MATERIAL, woven cotton, tubular Op. 12.06.98 Dec. date 21.08.98 - TC 9805046	50 18.10.16
Revoked for 2 years non use. In transit provisions apply	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
6402.19.00 CRICKET SHOES, synthetic leather upper, rubber outer sole, having spikes moulded or attached to the sole Op. 09.09.11 Dec. date 05.12.11 Revoked for 2 years non use. In transit provisions apply	50 18.10.16 - TC 1130844
6806.90.90 TILES, SOUND ABSORBING, consisting of granulated minerals, air cavities and polyurethane Op. 10.07.09 Dec. date 25.09.09 Revoked for 2 years non use. In transit provisions apply	50 18.10.16 - TC 0924324
6902.10.00 SNORKELS, VACUUM DEGASSER, REFRACTORY Op. 05.08.05 Dec. date 21.10.05 Revoked for 2 years non use. In transit provisions apply	50 18.10.16 - TC 0510289
6902.90.00 REFRACTORY BRICKS AND SHAPES, BLAST FURNACE BOSH ZONE OR TUYERE ZONE OR LOWER STACK ZONE OR HOT FACE LINING, having ALL of the following: (a) silicon carbide (SiC) content NOT less than 65%; (b) bulk density NOT less than 2 400 kg per cubic metre; (c) apparent porosity NOT greater than 22%; (d) cold crushing strength NOT less than 90 N/mm2; (e) thermal conductivity NOT less than 13 W/mK at 20 degrees Celsius Op. 07.01.11 Dec. date 04.04.11 Revoked for 2 years non use. In transit provisions apply	50 18.10.16 - TC 1100793
6903.10.00 REFRACTORY GOODS, FIRED, being ANY of the following: (a) casting cones; (b) nozzles; (c) stoppers; (d) protection tubes; (e) seats; (f) shrouds; (g) starter tubes; (h) sensor covers; (i) entry rings Op. 18.01.01 Dec. date 30.03.01 Revoked for 2 years non use. In transit provisions apply	50 18.10.16 - TC 0100545
6903.90 KILN FURNITURE, being recrystallised silicon carbide beams and setters Op. 14.01.91 Dec. date 07.01.92 Revoked for 2 years non use. In transit provisions apply	50 18.10.16 - TC 9109130
6912.00.00 SETS, PIZZA MAKING, including ALL of the following: (a) ceramic pizza stones; (b) wire pizza stacker; (c) pizza cutter; (d) wooden pizza paddle Op. 18.06.12 Dec. date 12.09.12 Revoked for 2 years non use. In transit provisions apply	50 18.10.16 - TC 1220574
6914.90.00 LAUNDRY BALLS, plastic, incorporating ceramic pellets Op. 30.04.09 Dec. date 17.07.09 Revoked for 2 years non use. In transit provisions apply	50 18.10.16 - TC 0914307
7007.11.90 DOORS AND/OR WINDOWS, MOTOR VESSEL, having ALL of the following: (a) stainless steel frames; (b) toughened glass panes; (c) ceramic band fittings Op. 20.11.08 Dec. date 27.02.09 Revoked for 2 years non use. In transit provisions apply	50 18.10.16 - TC 0840469

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7013.42.00 INFUSERS, COFFEE, having BOTH of the following: (a) borosilicate glass jar or container; (b) hand plunger filter or strainer Op. 01.01.07 Dec. date 14.11.06 - TC 0614190 Revoked for 2 years non use. In transit provisions apply	50 18.10.16
7410.21.00 LAMINATES, COPPER CLAD, copper thickness (excluding any backing) NOT exceeding 0.15 mm, having maximum operating temperatures in excess of 129 degrees C Op. 24.02.97 Dec. date 09.05.97 - TC 9701624 Revoked for 2 years non use. In transit provisions apply	50 18.10.16
7412.10.00 FITTINGS, ROOF DRAINAGE, refined copper, being ANY of the following: (a) inclined outlets; (b) gutter outlets; (c) hoppers; (d) downpipe connectors; (e) downpipe reduction; (f) elbows; (g) s-curves; (h) hinged outlets; (i) downpipe angles; (j) downpipe junctions; (k) rainwater pipe flaps; (l) sliding collars; (m) ventilation caps including sets of 2 or more of the above Op. 14.10.08 Dec. date 14.01.09 - TC 0835295 Revoked for 2 years non use. In transit provisions apply	50 18.10.16
7419.99.00 PARTS, SPIRIT STOVE, being ANY of the following: (a) single burners, weight NOT exceeding 300 g; (b) screw caps; (c) simmer rings Op. 01.01.07 Dec. date 13.11.06 - TC 0614227 Revoked for 2 years non use. In transit provisions apply	50 18.10.16
7419.99.00 FITTINGS, ROOF DRAINAGE, refined copper, being ANY of the following: (a) gutter connectors; (b) stop ends; (c) gutter sieves; (d) continuous bead; (e) pipe covers; (f) pipe brackets; (g) wall holders including sets of 2 or more of the above Op. 14.10.08 Dec. date 14.01.09 - TC 0835296 Revoked for 2 years non use. In transit provisions apply	50 18.10.16
7419.99.00 WOVEN METAL FABRIC, whether OR not in rolls, having BOTH of the following: (a) bronze rods, having a diameter NOT greater than 8 mm; (b) stainless steel rope, having a diameter NOT greater than 4 mm Op. 07.03.13 Dec. date 27.05.13 - TC 1308540 Revoked for 2 years non use. In transit provisions apply	50 18.10.16

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8205.51.00 SHARPENERS, KNIFE AND HAND TOOL, having concave composite steel blade with two sharpening edges bonded into an aluminium handle Op. 14.05.03 Dec. date 01.08.03 - TC 0305685 Revoked for 2 years non use. In transit provisions apply	50 18.10.16
8205.59.00 TOOLS, fastening, explosive charge operated with disc magazine, but NOT including the following: (a) accessories; (b) tool boxes Op. 03.05.94 Dec. date 05.08.94 - TC 9404498 Revoked for 2 years non use. In transit provisions apply	50 18.10.16

CUSTOMS ACT 1901 - RESULT OF REQUEST FOR REVIEW OF AN APPLICATION DECISION

The Comptroller-General of Customs internal review result made on the Tariff Concession Order application for goods described in the following TABLE has been finalised:

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect	Review Decision
8438.80.00 CHEESE SHREDDING LINES, programmable logic controlled, having a capacity of 5 500 kg per hour, including ALL of the following: (a) cubing AND pushing machine; (b) shredder; (c) dicer; (d) powder doser; (e) mixing drum; (f) vibration sieve; (g) conveyors; (h) structural platform Op. 17.02.16 Comptroller-General of Customs Decision: Refusal to make TCO affirmed	50	REFUSE

- TC 1607263

WEBSITE UPDATE

The Department has modernised its website with a new searchable online format for tariff-related information for importers.

The fresh, new look applies to:

The Working Tariff: This is an online version of the Combined Australian Customs Tariff Nomenclature and Statistical Classification. It incorporates the Harmonized Commodity Description and Coding System, which define internationally-accepted tariff classifications for traded goods. It also records Australian rates of customs duties for imported goods, and related statistical codes from the Australian Bureau of Statistics.

<http://www.border.gov.au/Busi/cargo-support-trade-and-goods/importing-goods/tariff-classification-of-goods/current-tariff-classification-online-version>

Tariff Concession Orders (TCOs): More than 15,000 TCOs are now easily searchable, and more accessible for importers and manufacturers. <http://www.border.gov.au/Busi/domestic-manufacturers-and-importers/list-of-tariff-concession-orders>

The website changes include, for the first time, a page dedicated to the interests of domestic manufacturers and importers, who are key stakeholders of the Tariff Concession System. <http://www.border.gov.au/Domesticmanufacturersandproducers/>

Any feedback would be welcome to tarcon@border.gov.au