



**Commonwealth
of Australia**

Gazette

No. TC16/21, Wednesday, 8 June 2016
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
Comptroller-General of Customs Initiated - Intention to Revoke Cancelled	6
Local Manufacturer Initiated - TCO Revoked	7
Comptroller-General of Customs Initiated - TCO Revoked	7
Intention to Revoke TCOs not used in over 2 years	8

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the DIBP internet site at:

<http://www.border.gov.au>

The Tariff Concessions Administration Section is located at
5 Constitution Ave Canberra City 2601

Contact numbers are listed below:

General Email Inquiries.....tarcon@border.gov.au

General Inquiries:(02) 6229 3567

TAPIN help desk(02) 6275 6534

Facsimile(02) 6198 7203

Cat. No.

ISSN 0813-8389

©Commonwealth of Australia, 2016

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<http://www.border.gov.au/Forms/Documents/b444.pdf>

For guidance on the required description style, phone 02 6229 3567.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3919.90.00 FILM, polyvinyl chloride, adhesive coated, having a width greater than 20 cm Op. 06.05.16	50 - TC 1616415
Stated Use: Adhesive packaging and labelling tape	5%
Applicant: PRINTATAPE PTY LTD	
3923.10.00 TRAYS, polypropylene, having BOTH of the following: (a) floating interior layer insert; (b) maximum load carrying capacity NOT greater than 34 kg Op. 11.05.16	50 - TC 1617305
Stated Use: For loading and unloading grocery products including through the use of robotic handling systems	
Applicant: VANDERLANDE INDUSTRIES AUSTRALIA PTY LTD	5%
3926.90.90 PARTS, CABLE TRUNKING, plastic, being ANY of the following: (a) cable mounting covers; (b) wall AND/OR ceiling mounting frames; (c) cabling mounting enclosures; (d) joining covers; (e) end caps; (f) base cable holders; (g) internal shelving cable holders Op. 10.05.16	50 - TC 1617009
Stated Use: For the transfer of power and data through secured cables	
Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8438.20.00 CHOCOLATE MANUFACTURING SYSTEM, having ALL of the following:</p> <ul style="list-style-type: none"> (a) chocolate bead mill, having a maximum volume capacity NOT less than 30 L and NOT greater than 105 L; (b) chocolate conching machine, programmable logic controlled, having a maximum load carrying capacity NOT less than 400 kg and NOT greater than 800 kg; (c) mixer, having a maximum load carrying capacity NOT less than 400 kg and NOT greater than 800 kg <p>Op. 10.05.16</p> <p>Stated Use: For manufacturing chocolate</p> <p>Applicant: GANTON PTY LTD</p>	<p>50</p> <p>- TC 1616974</p> <p>5%</p>
<p>8474.31.00 CEMENT MIXING AND PUMPING MACHINES, OIL AND/OR GAS WELL, skid mounted, whether OR not assembled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) NOT less than two triplex pumps; (b) cement slurry mixer; (c) densitometer; (d) NOT less than two diesel engines; (e) NOT less than two transmissions; (f) NOT less than two radiators; (g) NOT less than two displacement tanks; (h) control systems incorporating BOTH of the following: <ul style="list-style-type: none"> (i) data acquisition; (ii) data monitoring <p>Op. 13.05.16</p> <p>Stated Use: Mixing and pumping cement slurry in offshore oil and gas operations</p> <p>Applicant: SCHLUMBERGER AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1617598</p> <p>5%</p>
<p>8479.89.90 PHARMACEUTICAL STORAGE AND DISPENSING MACHINES, programmable logic controlled, whether OR not assembled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) storage racks AND/OR containers; (b) pickers; (c) barcode reader; (d) control panel; (e) conveyor system, including ALL of the following: <ul style="list-style-type: none"> (i) conveyor belt; (ii) lifts; (iii) spiral chute, (f) input system, including BOTH of the following: <ul style="list-style-type: none"> (i) record keeping software; (ii) sensors, (g) bulk box dispenser, with OR without boxes <p>Op. 03.05.16</p> <p>Stated Use: Store and dispense pharmaceutical goods</p> <p>Applicant: CAREFUSION AUSTRALIA 316 PTY LTD</p>	<p>50</p> <p>- TC 1615546</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8481.80.90 SHUT-OFF AND REGULATING VALVES, including ALL of the following: (a) cast OR non-alloy steel housing; (b) nominal size (DN) NOT less than 6 and NOT greater than 200; (c) temperature range NOT less than minus 60 degrees Celsius and NOT greater than plus 150 degrees Celsius Op. 05.05.16</p> <p>Stated Use: Refrigerant, air conditioning, chemical or petro-chemical applications</p> <p>Applicant: DANFOSS (AUSTRALIA) PTD LTD</p>	<p>50</p> <p>- TC 1616221</p> <p>5%</p>
<p>8481.80.90 VALVES, DIAPHRAGM, having ALL of the following: (a) nominal size (DN) NOT greater than 150; (b) forged AND/OR machined stainless steel grade EN 1.4435 (AISI 316L) body; (c) manual AND/OR motorised AND/OR pneumatic actuation Op. 06.05.16</p> <p>Stated Use: In sterile environments, such as in the production of food, medicines and pharmacological products</p> <p>Applicant: GEMU AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1616413</p> <p>5%</p>
<p>8537.10.90 POLES, aluminium, anodized, hollow, incorporating a plastic covering, including ANY two of the following: (a) earth clamps; (b) earth terminal; (c) flexible plastic conduit; (d) earth cable Op. 10.05.16</p> <p>Stated Use: For the transfer of power and data through secured cables</p> <p>Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LTD</p>	<p>50</p> <p>- TC 1617005</p> <p>5%</p>
<p>8537.10.90 OUTLETS, POWER AND/OR DATA, pre-wired, table surface AND/OR below table surface mountable, including ANY of the following: (a) flip-up outlet lid; (b) manual pull-up column OR box; (c) gas spring pop-up column OR box Op. 10.05.16</p> <p>Stated Use: To enable the transfer of power and data through table tops</p> <p>Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LTD</p>	<p>50</p> <p>- TC 1617008</p> <p>5%</p>

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1) - AUSTRALIAN INDUSTRY INITIATED - TARIFF CONCESSION
ORDERS REVOKED**

The Tariff Concession Order for the goods described in the following TABLE has been revoked.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8424.30.90 ABRASIVE SHOT BLASTING MACHINES, incorporating a continuous loop belt conveyor feeder Op. 23.12.10 Dec. date 21.03.11 - TC 1055901	50 10.05.16
Substitutable goods produced in Australia in the ordinary course of business by W. Granowski Pty Ltd, Kilsyth, Vic. In transit provisions apply	

CUSTOMS ACT 1901

TARIFF CONCESSION ORDER REVOCATION BY THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Order listed in THE TABLE below has been revoked.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8428.90.00 STACKERS, programmable logic controlled Op. 01.09.06 Dec. date 24.11.06 - TC 0616373	50 03.05.16
Order revoked following advertised intention to revoke by the Comptroller-General of Customs in Tariff Concessions Gazette TC 16/16 of 4 May 2016. In transit provisions apply	

COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 07 July 2016, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 06 July 2016.

Interested parties are invited to provide, by close of business, Wednesday 06 July 2016, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email tarcon@border.gov.au, fax 02 6198 7203 or phone 02 6229 3567.

THE TABLE

Tariff Classification	Description	Concession Number
7211.19	HOOP AND STRIP, hardened and tempered Op. 01.01.88 Dec. date 01.01.88	- TC 8735682
7225.40	STEEL, to Specification AS 1239-1973, Types D2A, D3A, D4A or D5A Op. 30.12.87 Dec. date 27.04.88	- TC 8800908
8501.40.00	MOTORS, frameless, induction, 4 pole, reversing, having ALL of the following: (a) breakdown torque NOT less than 2.70 Nm; (b) motor stator lamination width NOT greater than 145 mm; (c) temperature rise within the appliance complying with Australian/New Zealand Standard AS/NZS 3350.2.11:2001 Op. 23.05.06 Dec. date 11.08.06	- TC 0608906
8501.51.00	ACTUATORS, SCRAPER ARM, SINTER PLANT SHUTTLE, linear, electric Op. 03.04.12 Dec. date 26.06.12	- TC 1211069
8501.53.00	MOTORS, ASYNCHRONOUS, having BOTH of the following: (a) maximum applied power rating of 1 230 kW at 750 rpm; (b) voltage NOT less than 1 400 V Op. 20.11.07 Dec. date 01.02.08	- TC 0719749
8501.53.00	DRIVES, frequency controlled, including ALL of the following: (a) modular control system; (b) AC electric motors having a power output NOT less than 110 kW and NOT greater than 315 kW; (c) operator touch panel Op. 21.11.12 Dec. date 11.02.13	- TC 1244518
8503.00.00	PARTS, ROLLING MILL MAIN DRIVE, being AC motor stators Op. 15.11.11 Dec. date 06.02.12	- TC 1138151
8504.40.90	PLUGS, power saver Op. 18.03.08 Dec. date 30.05.08	- TC 0804366
8515.21	WELDING MACHINES, butt, bandsaw, capacity exceeding 2.5 kVA Op. 03.04.84 Dec. date 03.04.84	- TC 8437745
8516.31.00	HAIR DRYER SETS, consisting of All of the following: (a) handheld dryers with volume diffuser; (b) styling wands, comb, brush AND mirror Op. 28.01.99 Dec. date 16.04.99	- TC 9900669
8516.79.00	STERILISERS, STEAM, FEEDING BOTTLE, 8 bottle capacity Op. 28.10.97 Dec. date 16.01.98	- TC 9709515
8516.80.00	CABLES, UNDERFLOOR HEATING, cross linked polyethylene (pex) insulated Op. 25.05.06 Dec. date 11.08.06	- TC 0609028

8519.81.20	DECKS, cassette, basic, automatic reverse For the purposes of TC 8534022 "basic" means decks which do NOT incorporate audio preamplification OR amplification components	Op. 01.01.07	Dec. date 15.11.06	- TC 0614382
8525.50.00	TRANSMITTERS, radio broadcast, having a frequency range of 531 kHz or greater but NOT exceeding 1 620 kHz and an output greater than 1 500 W	Op. 01.01.07	Dec. date 21.11.06	- TC 0614700
8528.72.00	RECEIVERS, colour television, incorporating a liquid crystal display screen with a diagonal measurement NOT exceeding 75 mm, contained in the same housing with a radio broadcast receiver	Op. 01.01.07	Dec. date 22.11.06	- TC 0614440
8528.72.00	RECEIVERS, COLOUR TELEVISION, capable of both AC and DC operation, with screen size NOT exceeding 23 cm	Op. 01.01.07	Dec. date 22.11.06	- TC 0614453
8536.49	RELAYS, mercury wetted, contact type	Op. 01.01.88	Dec. date 01.01.88	- TC 8633637
8536.50	SWITCHES, rotary, waveguide, having a frequency range of 10.0 GHz or greater but NOT exceeding 15.0 GHz	Op. 22.10.87	Dec. date 02.05.88	- TC 8735396
8537.10.90	MODULES, FAN CONTROL, ENGINE COOLING, having ALL of the following: (a) continuously adjustable voltage; (b) microcontrollers; (c) pulse width modulation signals	Op. 30.06.08	Dec. date 19.09.08	- TC 0815259
8537.20.90	SWITCHGEAR, INDOOR, enclosed cabinet, incorporating vacuum circuit breakers having a rated voltage NOT less than 1 000 V, having ALL of the following: (a) voltage NOT less than 11 kV; (b) short circuit current rating NOT less than 63 kA/sec; (c) busbar current NOT less than 4 000 A; (d) circuit breaker, conforming to Institute of Electrical and Electronics Engineers Standard C37.013 (IEEE C37.013); (e) motorised racking; (f) motorised earth switch	Op. 14.03.13	Dec. date 18.06.13	- TC 1309331
8543.20.00	SIGNAL GENERATORS AND TESTERS, single channel emulation, including ALL of the following: (a) bandwidth generation capacity NOT less than 490 MHz and NOT greater than 610 MHz; (b) operating frequency generation capacity NOT less than 290 MHz and NOT greater than 2 360 MHz; (c) input AND output connection ports	Op. 28.11.13	Dec. date 03.03.14	- TC 1339018
8543.30.00	CHROMIUM PLATING MACHINES, programmable logic controlled, including ALL off the following: (a) heating AND cooling water supply line; (b) plating line; (c) plating module; (d) driving modules; (e) contact modules; (f) loading AND/OR unloading magazines; (g) touch screen monitor; (h) storage tank	Op. 06.09.13	Dec. date 26.11.13	- TC 1330353
8544.42.19	PENETRATORS, HULL, maximum operating depth 455 m	Op. 20.08.08	Dec. date 14.11.08	- TC 0827271
8544.42.29	FLYING LEADS, SUBSEA, electrical, having BOTH of the following: (a) dielectric oil filled thermoplastic conduit; (b) 4-way connectors at each end	Op. 01.09.09	Dec. date 20.11.09	- TC 0932257

8544.49.19	CABLES, ELECTRO-HYDRAULIC, OIL AND/OR GAS WELL, flatpack, including BOTH of the following: (a) electric conductors; (b) hydraulic tubes Op. 01.07.13	Dec. date 23.09.13	- TC 1322218
8544.49.20	CABLES, electromechanical, steel armour layered, fluorinated ethylene propylene AND polytetrafluoroethylene insulated, having ALL of the following: (a) NOT less than 7 conductors; (b) operating voltage exceeding 80 V but NOT exceeding 1 000 V; (c) melting point temperature NOT less than 260 degrees Celsius Op. 15.03.13	Dec. date 27.05.13	- TC 1309469
8544.60.90	COPPER STRIP, TRANSFORMER WINDING, paper covered Op. 27.09.05	Dec. date 16.12.05	- TC 0512940
8544.60	ELECTRODES, ignition, having a ceramic barrel of less than 10 mm outside diameter Op. 25.04.90	Dec. date 07.01.91	- TC 9004161