



**Commonwealth
of Australia**

Gazette

No. TC 16/29, Wednesday, 3 August 2016
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Application Reworded.....	6
TCOs Made.....	7
TCOs Revoked - Unused for over 2 years	10
Intention to Revoke TCOs not used in over 2 years.....	15
Comptroller-General of Customs Initiated - TCO Revoked	19
Comptroller-General of Customs Review of TCO Application Notification	20
Comptroller-General of Customs Review of TCO Application Results	21
Cheese Quota Transfers.....	22

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the DIBP internet site at:
<http://www.border.gov.au>

The Tariff Concessions Administration Section is located at
5 Constitution Ave Canberra City 2601

Contact numbers are listed below:

General Email Inquiries.....tarcon@border.gov.au

General Inquiries:(02) 6229 3567

TAPIN help desk(02) 6275 6534

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3926.90.90 SWITCHBOARD ENCLOSURES, single row, surface OR flush mountable, having an electrical device AND/OR module capacity NOT less than eight and NOT greater than 18 Op. 30.06.16 Stated Use: Containment of switchboard gear	50 - TC 1630489
Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LIMITED	5%
3926.90.90 PENDANT CONTROL STATION ENCLOSURES, having ALL of the following: (a) internal mounting plate; (b) protective cable sleeve; (c) internal cable clamp; (d) suspension ring; (e) cable tie; (f) NOT greater than 12 switch apertures Op. 30.06.16 Stated Use: Containment of control circuits	50 - TC 1630598
Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LIMITED	5%
5703.90.90 BATH MATS, having BOTH of the following: (a) surface pile being tufted cotton AND microfibre; (b) woven cotton base Op. 06.07.16 Stated Use: Floor covering	50 - TC 1632567
Applicant: MCALOON ENTERPRISES PTY. LIMITED	5%
7326.90.90 METER AND/OR SWITCHBOARD ENCLOSURES, having ALL of the following: (a) height NOT greater than 1 m; (b) width NOT greater than 600 mm; (c) depth NOT greater than 300 mm with OR without knockouts Op. 30.06.16 Stated Use: Containment of electrical components	50 - TC 1630597
Applicant: SCHNEIDER ELECTRIC (AUSTRALIA) PTY LIMITED	5%
8424.89.90 DECONTAMINATION AND STERILISATION SYSTEM, hydrogen peroxide vaporisation, including ALL of the following: (a) vapourising unit; (b) analyser; (c) monitor; (d) ventilation cap; (e) fire detector cap; (f) telescopic pole; (g) operator key Op. 04.07.16	50 - TC 1631582
Stated Use: Bio-decontaminating enclosed spaces by way of spraying a mist of hydrogen peroxide into the area	
Applicant: SAFESMART AUSTRALIA	5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3917.40.00 COUPLINGS, PIPE, axial compression, polyphenylsulfone (PPSU), injection moulded, having a coupling connection inner diameter NOT less than 8 mm and NOT greater than 22 mm Op. 28.04.16 Dec. date 27.07.16	50 - TC 1615322
3919.90.00 FILM, polyvinyl chloride, adhesive coated, having a width greater than 20 cm Op. 06.05.16 Dec. date 01.08.16	50 - TC 1616415
3923.10.00 TRAYS, polypropylene, having BOTH of the following: (a) floating interior layer insert; (b) maximum load carrying capacity NOT greater than 34 kg Op. 11.05.16 Dec. date 01.08.16	50 - TC 1617305
5602.10.00 FABRICS, NEEDLED LOOM FELT, having BOTH of the following: (a) weight NOT less than 500 gm2 and NOT greater than 4 000 gm2; (b) width NOT less than 320 cm and NOT greater than 430 cm Op. 04.05.16 Dec. date 27.07.16	50 - TC 1615724
5705.00.90 CARPET FLOOR TILES, having ALL of the following: (a) NOT less than 70% goat hair fibre; (b) NOT less than 30% nylon fibre; (c) continuous corrugations of carded fibres; (d) bonded with 100% natural latex; (e) polyester felt backing; (f) size NOT greater than 500 mm on ANY side Op. 06.05.16 Dec. date 27.07.16	50 - TC 1616227
6806.10.00 SHEETS, MINERAL WOOL OR ROCK WOOL, in rolls, with OR without EITHER of the following: (a) metal intermeshing AND/OR stitching; (b) aluminium foil layer Op. 12.05.16 Dec. date 01.08.16	50 - TC 1617562
7616.99.00 POLES, aluminium, anodized, hollow, with front plastic coverings Op. 10.05.16 Dec. date 01.08.16	50 - TC 1617006
7616.99.00 COLUMNS, POWER AND DATA DISTRIBUTION, aluminium, hollow, including ALL of the following: (a) plastic coverings; (b) earth clamps; (c) mounting instructions Op. 10.05.16 Dec. date 01.08.16	50 - TC 1617007
8419.90.00 SILENCERS, HEAT EXCHANGER STEAM OUTLET PIPE, including ALL of the following: (a) thermal expansion vertical stuffing box; (b) steam expansion module; (c) noise attenuator AND absorber; (d) drain pipes; (e) plates; (f) silencer casing Op. 10.05.16 Dec. date 01.08.16	50 - TC 1616976
8431.39.00 PARTS, ARMoured FACE CONVEYOR AND/OR BEAM STAGE LOADER, being forged flight straps Op. 06.05.16 Dec. date 01.08.16	50 - TC 1616414

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
8438.20.00 CHOCOLATE MANUFACTURING SYSTEM, having ALL of the following: (a) chocolate bead mill, having a maximum volume capacity NOT less than 30 L and NOT greater than 105 L; (b) chocolate conching machine, programmable logic controlled, having a maximum load carrying capacity NOT less than 400 kg and NOT greater than 800 kg; (c) mixer, having a maximum load carrying capacity NOT less than 400 kg and NOT greater than 800 kg Op. 10.05.16 Dec. date 01.08.16 - TC 1616974	50
8474.31.00 CEMENT MIXING AND PUMPING MACHINES, OIL AND/OR GAS WELL, skid mounted, whether OR not assembled, including ALL of the following: (a) NOT less than two triplex pumps; (b) cement slurry mixer; (c) densitometer; (d) NOT less than two diesel engines; (e) NOT less than two transmissions; (f) NOT less than two radiators; (g) NOT less than two displacement tanks; (h) control systems incorporating BOTH of the following: (i) data acquisition; (ii) data monitoring Op. 13.05.16 Dec. date 01.08.16 - TC 1617598	50
8474.80.00 PRESSES, CEMENT TILE, rotating, touch screen controlled, including ALL of the following: (a) moulds; (b) doser; (c) cement spreader; (d) vacuum pump with tanks Op. 04.05.16 Dec. date 27.07.16 - TC 1615703	50
8537.10.90 POLES, aluminium, anodized, hollow, incorporating a plastic covering, including ANY two of the following: (a) earth clamps; (b) earth terminal; (c) flexible plastic conduit; (d) earth cable Op. 10.05.16 Dec. date 01.08.16 - TC 1617005	50
8537.10.90 OUTLETS, POWER AND/OR DATA, pre-wired, table surface AND/OR below table surface mountable, including ANY of the following: (a) flip-up outlet lid; (b) manual pull-up column OR box; (c) gas spring pop-up column OR box Op. 10.05.16 Dec. date 01.08.16 - TC 1617008	50
8716.20.00 TRAILERS, spreader, including ALL of the following: (a) hydraulic load distribution; (b) hydrostatic suspension; (c) two sided scraper floor drive, having one OR more gearbox; (d) electromagnetic scraper floor adjustment; (e) gross loaded weight NOT less than 16 tonnes and NOT greater than 34 tonnes; (f) discharge load capacity NOT less than 16 cubic metres and NOT greater than 34 cubic metres, with OR without ANY of the following: (i) integrated weighing system; (ii) roller chain milling drive unit; (iii) cardan drive shaft Op. 10.05.16 Dec. date 01.08.16 - TC 1616977	50

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

9405.10.00 LED LIGHTS, CEILING AND/OR OUTDOOR, with OR without reflector accessory, having ALL of the following: (a) aluminium body; (b) mounting bracket; (c) transformer; (d) input power NOT less than 100 W and NOT greater than 200 W	50
---	----

Op. 29.04.16 Dec. date 27.07.16 - TC 1615374

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below has not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette 16/23 dated 22 June 2016.

Contact: Phone 02 6275 6475, or email tarcon@border.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3808.91.90 ANT BAIT, having an active ingredient of methoprene Op. 01.01.07 Dec. date 08.11.06 Revoked for 2 years non use. In transit provisions apply	- TC 0614063 50 19.07.16
3808.91.90 INSECTICIDES, MOSQUITO REPELLENT, being an adhesive backed patch having a basis of citronella oil AND eucalyptus citriodora oil Op. 22.06.11 Dec. date 12.09.11 Revoked for 2 years non use. In transit provisions apply	- TC 1120060 50 19.07.16
3808.92.00 FUNGICIDES, having a basis of furalaxyl Op. 01.01.07 Dec. date 02.11.06 Revoked for 2 years non use. In transit provisions apply	- TC 0614072 50 19.07.16
3808.93.00 ENDOTHAL, formulated into a water miscible concentrate containing 175 g/l of endothal base Op. 01.01.07 Dec. date 06.11.06 Revoked for 2 years non use. In transit provisions apply	- TC 0614102 50 19.07.16
3808.99.00 PRESERVATIVES, having a basis of 4,4 - Dimethyloxazolidine Op. 01.01.07 Dec. date 06.11.06 Revoked for 2 years non use. In transit provisions apply	- TC 0614145 50 19.07.16
3808.99.00 PRESERVATIVES, having a basis of 5-Hydroxymethoxymethyl-1-aza-3, 7-dioxabicyclo(3.3.0)octane Op. 01.01.07 Dec. date 06.11.06 Revoked for 2 years non use. In transit provisions apply	- TC 0614146 50 19.07.16
3808.99.00 MITICIDES, having a basis of diafenthiuron Op. 03.12.09 Dec. date 26.02.10 Revoked for 2 years non use. In transit provisions apply	- TC 0946989 50 19.07.16
3808.99.00 BIOCIDES FUMIGANTS, having a basis of ethanedinitrile(EDN) Op. 02.03.10 Dec. date 21.05.10 Revoked for 2 years non use. In transit provisions apply	- TC 1010608 50 19.07.16
3812.30.00 GRANULES AND/OR POWDER, ANTIOXIDANT, POLYAMIDE, having a basis of copper iodine triphenylphosphine Op. 28.09.10 Dec. date 20.12.10 Revoked for 2 years non use. In transit provisions apply	- TC 1044225 50 19.07.16
3812.30.00 ANTIOXIDANTS, RUBBER, hindered phenol, polymeric Op. 11.12.97 Dec. date 27.02.98 Revoked for 2 years non use. In transit provisions apply	- TC 9710955 50 19.07.16

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3815.19.00 CATALYSTS, having BOTH of the following: (a) magnesium chloride; (b) titanium chloride Op. 15.05.06 Dec. date 28.07.06 - TC 0606806 Revoked for 2 years non use. In transit provisions apply	50 19.07.16
3815.90.00 CATALYSTS, comprising BOTH of the following: (a) oxides of iron, calcium, cerium, molybdenum; (b) potassium ferrite compounds Op. 21.01.04 Dec. date 02.04.04 - TC 0401009 Revoked for 2 years non use. In transit provisions apply	50 19.07.16
3816.00.00 MORTARS, REFRACTORY, TAPHOLE, BLAST FURNACE, resin bonded, having an alumina content (AL2O3) NOT less than 59% Op. 30.01.09 Dec. date 24.04.09 - TC 0903182 Revoked for 2 years non use. In transit provisions apply	50 19.07.16
3816.00.00 MORTARS, REFRACTORY, CERAMIC PLUG, BLAST FURNACE, resin bonded, having an alumina content (AL2O3) NOT less than 59% Op. 30.01.09 Dec. date 24.04.09 - TC 0903186 Revoked for 2 years non use. In transit provisions apply	50 19.07.16
3816.00.00 CASTABLE MIXTURES, REFRACTORY, BLAST FURNACE HOT BLAST MAINS, having an alumina (AL2O3) content NOT less than 4% and NOT greater than 12% Op. 11.03.09 Dec. date 29.05.09 - TC 0908196 Revoked for 2 years non use. In transit provisions apply	50 19.07.16
3816.00.00 CASTABLE MIXTURES, REFRACTORY, INSULATING, BLAST FURNACE, having ALL of the following: (a) silicon dioxide (SiO2) content NOT less than 40%; (b) alumina (Al2O3) content NOT less than 35%; (c) calcium oxide (CaO) content NOT less than 8%; (d) ferrous oxide (Fe2O3) content NOT less than 1% Op. 11.03.09 Dec. date 29.05.09 - TC 0908209 Revoked for 2 years non use. In transit provisions apply	50 19.07.16
3816.00.00 HOT REPAIR MIXTURE, REFRACTORY, fused magnesia-based, having ALL of the following: (a) magnesium oxide (MgO) content NOT less than 65%; (b) calcium oxide (CaO) content NOT less than 15%; (c) iron (III) oxide (Fe2O3) content NOT greater than 2% Op. 08.03.12 Dec. date 06.06.12 - TC 1207968 Revoked for 2 years non use. In transit provisions apply	50 19.07.16
3822.00 REAGENTS AND DIAGNOSTIC KITS being urine test strips to perform the following tests: (a) amylase; (b) calibration test strips Op. 01.07.96 Dec. date 28.06.96 - TC 9608176 Revoked for 2 years non use. In transit provisions apply	50 19.07.16
3824.90 DECYL OLEATE Op. 01.07.96 Dec. date 19.06.96 - TC 9602099 Revoked for 2 years non use. In transit provisions apply	50 19.07.16

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
3824.90	METHYLMETHACRYLATE MONOMER, with silica filler Op. 01.07.96 Dec. date 18.06.96	- TC 9603596	50 19.07.16
	Revoked for 2 years non use. In transit provisions apply		
3824.90	LACTIC ACID, buffered with sodium lactate Op. 01.07.96 Dec. date 17.06.96	- TC 9603630	50 19.07.16
	Revoked for 2 years non use. In transit provisions apply		
3824.90	FORMALDEHYDE, 40% solution in butanol Op. 01.07.96 Dec. date 17.06.96	- TC 9606303	50 19.07.16
	Revoked for 2 years non use. In transit provisions apply		
3824.90.90	REAGENT, FLOTATION, being an ethylhexanol distillation residue Op. 11.08.05 Dec. date 28.10.05	- TC 0510608	50 19.07.16
	Revoked for 2 years non use. In transit provisions apply		
3824.90.90	GELLING AGENTS, being solutions of polyoxoaluminium octoate in ester solvents Op. 11.04.07 Dec. date 29.06.07	- TC 0705192	50 19.07.16
	Revoked for 2 years non use. In transit provisions apply		
3824.90.90	PRIMERS, MEMBRANE, solvent free, water soluble, bitumen based Op. 12.03.09 Dec. date 29.05.09	- TC 0908467	50 19.07.16
	Revoked for 2 years non use. In transit provisions apply		
3824.90.90	AMORPHOUS ALUMINO-SILICATE GEL, synthetic, in spherical bead form, having BOTH of the following: (a) chemical composition of NOT less than 97% silica, remainder alumina; (b) crushing strength NOT less than 120 N Op. 13.11.12 Dec. date 04.02.13	- TC 1243330	50 19.07.16
	Revoked for 2 years non use. In transit provisions apply		
3824.90.90	DISPERSING AGENT AND STABILISER, being the sodium salt of a phenosulphonic acid condensation product in powder form Op. 01.07.96 Dec. date 13.06.96	- TC 9605951	50 19.07.16
	Revoked for 2 years non use. In transit provisions apply		
3904.61.00	COATINGS, water based, containing polytetrafluoroethylene Op. 14.05.13 Dec. date 29.07.13	- TC 1315912	50 19.07.16
	Revoked for 2 years non use. In transit provisions apply		

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3904.90.00 KITS, WINDSCREEN REPAIR, comprising ALL of the following: (a) toolholders; (b) marking tools; (c) tool cases; (d) hole punches; (e) lamps; (f) polishing discs; (g) drills; (h) mirrors; (i) torches with batteries; (j) battery junction adaptors with heaters; (k) working manuals; (l) shooting globules; (m) pressure applicers; (n) videos and/or CDs; (o) resins; (p) vacuum sealants; (q) foils; (r) polishes; (s) carbide bits; (t) tapes; (u) blades	50 19.07.16
Op. 17.06.05 Dec. date 07.10.05 - TC 0507511 Revoked for 2 years non use. In transit provisions apply	
3907.20.00 POLYETHERS, acrylic modified, composition: Bisphenol A- Polyethylene Glycol-Di-Ether diacrylate Op. 01.07.96 Dec. date 12.06.96	50 19.07.16
Revoked for 2 years non use. In transit provisions apply	
3917.40.00 FITTINGS, FIBREGLASS AND/OR EPOXY, complying with BOTH of the following: (a) manufactured to specification ASTM D2992; (b) Underwriters Laboratory or Underwriters Laboratory Canada listed Op. 06.03.98 Dec. date 29.05.98	50 19.07.16
Op. 06.03.98 Dec. date 29.05.98 - TC 9802042	
Revoked for 2 years non use. In transit provisions apply	
3919.90.00 FILM, polyethylene terephthalate, transparent, having ALL of the following: (a) an acrylic pressure-sensitive adhesive coating on one side; (b) a release liner; (c) a printing receptive coating; (d) in rolls having a minimum width of 1300 mm Op. 14.02.95 Dec. date 15.06.95	50 19.07.16
Op. 14.02.95 Dec. date 15.06.95 - TC 9501982	
Revoked for 2 years non use. In transit provisions apply	
3919.90.00 FILM, copolymer, coloured, transparent, having BOTH the following: (a) release liner, bleached kraft, silicone coated one side; (b) thickness (excluding liner) NOT exceeding 0.14 mm Op. 29.08.95 Dec. date 08.12.95	50 19.07.16
Op. 29.08.95 Dec. date 08.12.95 - TC 9510147	
Revoked for 2 years non use. In transit provisions apply	
3920.10.00 POLYETHYLENE FILM, HEAT ACTIVATED ADHESIVE COATED, comprising ALL of the following: (a) two layer laminate; (b) adhesive activated at temperature of NOT less than 150 degrees C; (c) width NOT less than 600 mm and NOT greater than 1 500 mm; (d) thickness NOT less than 100 microns and NOT greater than 350 microns Op. 19.11.03 Dec. date 11.02.04	50 19.07.16
Op. 19.11.03 Dec. date 11.02.04 - TC 0314737	
Revoked for 2 years non use. In transit provisions apply	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3920.20.00 FILM, POLYPROPYLENE, multi-layered, cast coated food grade, having ALL of the following: (a) thickness not exceeding 30 micron (nominal); (b) sealant layer of LDPE/EVA; (c) release additive; (d) on reels, width 205 mm (+ or - 1 mm) OR 210 mm (+ or - 1 mm) Op. 19.01.96 Dec. date 22.07.96 - TC 9601927 Revoked for 2 years non use. In transit provisions apply	50 19.07.16
3920.43.00 POLYVINYL CHLORIDE FILM, biaxially-oriented, having BOTH of the following: (a) a thickness range of 40-150 microns; (b) shrinkage rates measured according to DIN 53377 as follows: (i) transverse direction, from 0% at 70 degrees C to 45% at 100 degrees C; (ii) longitudinal direction, from 0% at 70 degrees C to 6% max. at 100 degrees C Op. 01.01.02 Dec. date 03.01.02 - TC 0107124 Revoked for 2 years non use. In transit provisions apply	50 19.07.16
3920.49.00 POLYVINYL CHLORIDE SHEETS, unplasticised, calendered and embossed, having ALL of the following listed in EITHER TABLE A or TABLE B: TABLE A (a) gauges of 175, 250, 300 or 610 microns all + or - 5%; (b) opaque; (c) sheet size NOT to exceed 1 000 mm x 600 mm; (d) Vicat softening point with 5 kg weights ASTM D-1525 : (air) 89 degrees C minimum (silicone oil) 79 degrees C minimum TABLE B (a) clear; (b) gauges of 60 to 100 microns, both parameters + or - 10%; (c) sheet sizes NOT to exceed 1 000 mm x 600 mm; (d) Vicat softening point with 5 kg weights ASTM D-1525: (air) 70 degrees C minimum (silicone oil) 64 degrees C minimum Op. 01.01.02 Dec. date 03.01.02 - TC 0105337 Revoked for 2 years non use. In transit provisions apply	50 19.07.16

COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 01 September 2016, it is intended to take action to revoke these Orders under subsection 269SD (1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 31 August 2016.

Interested parties are invited to provide, by close of business, Wednesday 31 August 2016, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email tarcon@border.gov.au, or phone 02 6275 6475.

THE TABLE

Tariff Classification	Description	Concession Number
3822.00	REAGENTS OR DIAGNOSTIC KITS being ANY of the following: (a) enzyme or radio immunoassay kits for the measuring of: (i) hepatitis B: (1) surface antigen; (2) surface antibody; (3) core total antibody; (4) core IgM antibody; (ii) hepatitis A: (1) total antibody; (2) IgM antibody; (iii) hepatitis: (1) delta antigen; (2) delta total antibody; (iv) hepatitis BE antigen/antibody; (v) hepatitis confirmatory test; (vi) rebecca: (1) IgM antibody; (2) IgG antibody; (vii) cytomaglovirus: (1) IgM antibody; (2) IgG antibody; (b) haematology coagulation controls: (i) normal level controls; (ii) abnormal level controls Op. 21.10.90 Dec. date 21.02.92 - TC 9009381	
5407.72.00	SUNSCREEN FABRIC, polyvinyl chloride (PVC) coated polyester yarn, dyed, having ALL of the following: (a) 2x2 basket weave; (b) width NOT less than 2.5 m; (c) weight NOT less than 445 gsm and NOT greater than 595 gsm Op. 09.10.13 Dec. date 20.01.14 - TC 1333669	
7228.30	RODS, gas welding, cast iron Op. 13.03.84 Dec. date 13.03.84 - TC 8342156	
7304.19.00	TUBES, seamless, conforming to ALL of the following: (a) specification API 5L-X42 OR API 5L-X60 OR API 5L-B; (b) OD less than 153.4 mm OR greater than 482.3 mm; (c) resistance to stepwise cracking and tested to NACE standard TM02-84 Op. 01.01.07 Dec. date 08.11.06 - TC 0614211	

7304.39.00	PIPES, STEEL, POWER STATION STEAM GENERATION BOILER, being ANY of the following: (a) main and/or auxiliary steam pipes; (b) hot reheat pipes; (c) cold reheat pipes; (d) main feed water pipes; (e) super heater pipes Op. 31.08.07	Dec. date 09.11.07	- TC 0713866
7304.39.00	PIPES, GYPSUM DEHYDRATION SYSTEM, iron OR non-alloy steel, having an external diameter greater than 380 mm Op. 23.11.12	Dec. date 03.04.13	- TC 1245157
7304.41.00	TUBING, stainless steel, having ALL of the following: (a) welded threaded ends; (b) polytetrafluoroethylene (PTFE) seal; (c) hydrogenated nitrile butadiene rubber (HNBR) o-ring; (d) internal tube diameter of NOT less than 50 mm and NOT greater than 60 mm Op. 31.03.14	Dec. date 24.06.14	- TC 1411122
7304.41.00	TUBE OR PIPE, stainless steel, to specification UNS S31803, having a chemical composition by weight of ALL the following: (a) carbon 0.030% maximum; (b) manganese 2.00% maximum; (c) phosphorus 0.030% maximum; (d) sulphur 0.020% maximum; (e) silicon 1.00% maximum; (f) chromium 21.00 - 23.00% both inclusive; (g) nickel 4.50 - 6.50% both inclusive; (h) nitrogen 0.03 - 0.20% maximum; (i) molybdenum 2.50 - 3.50% both inclusive Op. 25.05.94	Dec. date 26.08.94	- TC 9404855
7304.41.00	TUBES, seamless, circular cross section, stainless steel, to specification ASTM A269 or ASTM A213, cold drawn and annealed, whether or NOT surface finished, having BOTH of the following: (a) OD NOT exceeding 6.35 mm; (b) WT NOT exceeding 1.20 mm Op. 31.07.95	Dec. date 27.10.95	- TC 9509324
7304.59.00	PIPES, STEEL, POWER STATION STEAM GENERATION BOILER, being ANY of the following: (a) main steam pipes; (b) hot reheat pipes; (c) cold reheat pipes; (d) main feed water pipes Op. 28.12.07	Dec. date 24.05.08	- TC 0800039
7304.59	TUBES, boiler, hot finished, seamless ferritic alloy steel, in straight lengths, ends plain, bevelled or threaded, BUT without further rework, to specification ASTM A213/A213M-89a Op. 10.02.92	Dec. date 23.07.92	- TC 9201989
7305.12.00	LINE PIPE, ELECTRIC RESISTANCE WELDED(ERW), complying with American Petroleum Institute standard API Specification 5L, grade X65, having BOTH of the following: (a) outside diameter (OD) NOT less than 508 mm; (b) wall thickness (WT) NOT less than 19.1 mm Op. 14.04.11	Dec. date 11.07.11	- TC 1112481
7305.19.00	PIPE SPOOLS, EXPANSION LOOP, stainless steel, having an outside diameter greater than 406.4 mm Op. 18.11.13	Dec. date 10.02.14	- TC 1338995
7305.20.00	CASING, electric resistance welded, conforming to American Petroleum Institute Specification 5CT (API 5CT), Grades C-75 OR L-80 OR N-80 OR C-90 OR C-95 OR S-95 OR T-95 OR P-110 OR Q-125 OR V-150, with OR without connectors, having BOTH of the following: (a) nominal outside diameter NOT less than 508 mm; (b) wall thickness NOT less than 12.7 mm Op. 21.05.10	Dec. date 17.08.10	- TC 1022968
7306.29.00	CASING, ERW, NT-80HE GRADE, having a diameter of NOT less than 32 cm (13 inches) and NOT greater than 36 cm (14 inches) Op. 01.01.07	Dec. date 09.11.06	- TC 0614218

7306.69.00	TUBES, cold drawn, carbon steel, hollow frame profile, having ANY of the following sectional dimensions: <table border="0"> <thead> <tr> <th>Length</th> <th>Width</th> <th>Wall Thickness</th> </tr> </thead> <tbody> <tr> <td>(a) 90 mm</td> <td>41 mm</td> <td>2.0 mm;</td> </tr> <tr> <td>(b) 104 mm</td> <td>43 mm</td> <td>2.5 mm;</td> </tr> <tr> <td>(c) 104 mm</td> <td>43 mm</td> <td>3.0 mm</td> </tr> </tbody> </table>	Length	Width	Wall Thickness	(a) 90 mm	41 mm	2.0 mm;	(b) 104 mm	43 mm	2.5 mm;	(c) 104 mm	43 mm	3.0 mm																																			
Length	Width	Wall Thickness																																														
(a) 90 mm	41 mm	2.0 mm;																																														
(b) 104 mm	43 mm	2.5 mm;																																														
(c) 104 mm	43 mm	3.0 mm																																														
	Op. 01.01.07	Dec. date 08.05.07	- TC 0705891																																													
7307.93.00	FITTINGS, BUTTWELD, STEEL PIPE OR TUBE, having ALL of the following: (a) inspection cap; (b) clamp assembly consisting of BOTH of the following: (i) clamp segments; (ii) studs and nuts, (c) seal ring; (d) butt welding hub																																															
	Op. 15.12.09	Dec. date 05.03.10	- TC 0948886																																													
7307.93.00	PARTS, BOILER INSPECTION BUTTWELD FITTINGS, being EITHER of the following: (a) butt weld hubs; (b) blind hubs																																															
	Op. 03.02.10	Dec. date 23.04.10	- TC 1005997																																													
7308.90.00	TEMPLATES, ANCHOR BOLT, TECHNICAL AMMONIUM NITRATE (TAN) PLANT																																															
	Op. 30.05.13	Dec. date 26.08.13	- TC 1317818																																													
7308.90.00	SUPPORT STRUCTURES, COMPRESSOR TRAIN, TECHNICAL AMMONIUM NITRATE PLANT																																															
	Op. 24.03.14	Dec. date 25.06.14	- TC 1410306																																													
7312.10.00	ROPE, steel wire, nominal diameter 2 mm to 4.5 mm, 6 x 6 construction																																															
	Op. 17.06.94	Dec. date 23.09.94	- TC 9405239																																													
7315.90.00	SHACKLES, KILN CHAIN, alloy, cast, having ALL of the following: <table border="0"> <thead> <tr> <th></th> <th>MIN</th> <th>MAX</th> </tr> </thead> <tbody> <tr> <td>(a) bolt and nut fixing;</td> <td></td> <td></td> </tr> <tr> <td>(b) distance of vertical line from shackle eye centre to internal surface of shackle</td> <td>85 mm</td> <td>110 mm;</td> </tr> <tr> <td>(c) internal diameter of shackle</td> <td>45 mm</td> <td>60 mm;</td> </tr> <tr> <td>(d) distance between shackle eyes</td> <td>30 mm</td> <td>60 mm;</td> </tr> <tr> <td>(e) diameter of shackle eye</td> <td>18 mm</td> <td>35 mm;</td> </tr> <tr> <td>(f) material diameter in shackle body</td> <td>16 mm</td> <td>32 mm;</td> </tr> <tr> <td>(g) material diameter of shackle ends</td> <td>12 mm</td> <td>24 mm;</td> </tr> <tr> <td>(h) external diameter of shackle ends</td> <td>40 mm</td> <td>75 mm;</td> </tr> <tr> <td>(i) bolt diameter</td> <td>16 mm</td> <td>32 mm;</td> </tr> <tr> <td>(j) heat resistant to a minimum temperature of 800 degrees C;</td> <td></td> <td></td> </tr> <tr> <td>(k) chromium content in the range from 5.5% to 28%, both inclusive;</td> <td></td> <td></td> </tr> <tr> <td>(l) (i) nickel content in the range from 3.05% to 23%, both inclusive; or</td> <td></td> <td></td> </tr> <tr> <td> (ii) aluminium content in the range from 0.5% to 2.05%, both inclusive;</td> <td></td> <td></td> </tr> <tr> <td>(m) carbon content NOT greater than 0.25%</td> <td></td> <td></td> </tr> </tbody> </table>		MIN	MAX	(a) bolt and nut fixing;			(b) distance of vertical line from shackle eye centre to internal surface of shackle	85 mm	110 mm;	(c) internal diameter of shackle	45 mm	60 mm;	(d) distance between shackle eyes	30 mm	60 mm;	(e) diameter of shackle eye	18 mm	35 mm;	(f) material diameter in shackle body	16 mm	32 mm;	(g) material diameter of shackle ends	12 mm	24 mm;	(h) external diameter of shackle ends	40 mm	75 mm;	(i) bolt diameter	16 mm	32 mm;	(j) heat resistant to a minimum temperature of 800 degrees C;			(k) chromium content in the range from 5.5% to 28%, both inclusive;			(l) (i) nickel content in the range from 3.05% to 23%, both inclusive; or			(ii) aluminium content in the range from 0.5% to 2.05%, both inclusive;			(m) carbon content NOT greater than 0.25%				
	MIN	MAX																																														
(a) bolt and nut fixing;																																																
(b) distance of vertical line from shackle eye centre to internal surface of shackle	85 mm	110 mm;																																														
(c) internal diameter of shackle	45 mm	60 mm;																																														
(d) distance between shackle eyes	30 mm	60 mm;																																														
(e) diameter of shackle eye	18 mm	35 mm;																																														
(f) material diameter in shackle body	16 mm	32 mm;																																														
(g) material diameter of shackle ends	12 mm	24 mm;																																														
(h) external diameter of shackle ends	40 mm	75 mm;																																														
(i) bolt diameter	16 mm	32 mm;																																														
(j) heat resistant to a minimum temperature of 800 degrees C;																																																
(k) chromium content in the range from 5.5% to 28%, both inclusive;																																																
(l) (i) nickel content in the range from 3.05% to 23%, both inclusive; or																																																
(ii) aluminium content in the range from 0.5% to 2.05%, both inclusive;																																																
(m) carbon content NOT greater than 0.25%																																																
	Op. 06.10.95	Dec. date 05.01.96	- TC 9511120																																													
7318.15.00	WHEEL BOLTS, 22 MM x 90 MM (7/8 INCH x 3 1/2 INCH) UNF, knurled shank and nut																																															
	Op. 09.08.05	Dec. date 04.11.05	- TC 0510513																																													
7318.19.00	ROCK ANCHORS, comprising ALL of the following: (a) drill bits; (b) threaded tubes; (c) inner tubes containing adhesive; (d) nuts																																															
	Op. 25.08.09	Dec. date 13.11.09	- TC 0931142																																													

7323.99.00	IRONING CABINETS, incorporating ALL of the following: (a) galvanized sheet metal cabinet; (b) ironing board; (c) ironing board cover; (d) power point; (e) light; (f) safety timer; (g) power cord Op. 26.07.10	Dec. date 18.10.10	- TC 1034153
7323.99.00	SETS, BAKING, consisting of ALL of the following: (a) carbon steel pans; (b) wooden rolling pin; (c) whisk Op. 25.01.12	Dec. date 16.04.12	- TC 1202956
7326.90.90	INSERTS, BODY ARMOUR comprising BOTH of the following: (a) stainless steel chain-mail inner; (b) textile fabric outer Op. 18.03.08	Dec. date 06.06.08	- TC 0804324
7326.90.90	BLAST JOINTS, DOWNHOLE Op. 16.09.10	Dec. date 06.12.10	- TC 1042686
7326.90.90	PALLETS, having ALL of the following: (a) internal steel frame; (b) roto-moulded plastic surface; (c) contoured top deck; (d) length and width NOT less than 1 165 mm; (e) height NOT less than 195 mm Op. 03.06.11	Dec. date 22.08.11	- TC 1117707
7607.11	FOIL, aluminium, having BOTH of the following: (a) thickness NOT exceeding 0.005 mm; (b) width NOT exceeding 325 mm Op. 24.12.84	Dec. date 24.12.84	- TC 8435193

CUSTOMS ACT 1901**TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS**

The Tariff Concession Order listed in THE TABLE below has been revoked.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

8481.80.90 GLOBE VALVES, disc, cast OR forged, carbon steel OR stainless steel, having a bore size NOT less than 15 mm Op. 12.12.13 Dec. date 11.04.14	50 28.06.16 - TC 1341157
--	--------------------------------

Order revoked following Comptroller-General's intention to
 revoke notice in Tariff Concession Gazette TC 16/24 of 29 June
 2016. In transit provisions apply

CUSTOMS ACT 1901 - NOTIFICATION OF REQUEST FOR REVIEW OF APPLICATION DECISIONS

A request has been received for review by Comptroller-General of Customs of the decision made on the application for the Tariff Concession Order for goods described in the following TABLE.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Date of Lodgement of Request	Initial Decision
3920.10.00 LINEAR LOW DENSITY POLYETHYLENE FILM, stretch, cast, having ALL of the following: (a) thickness NOT less than 8 microns and NOT greater than 35 microns; (b) width NOT less than 480 mm and NOT greater than 520 mm; (c) NOT less than 20 layers of film; (d) maximum stretch capacity NOT less than 400% Op. 22.12.15	50 27.07.16	REFUSE

- TC 1545943

CUSTOMS ACT 1901 - RESULT OF REQUEST FOR REVIEW OF AN APPLICATION DECISION

The Comptroller-General of Customs internal review result made on the Tariff Concession Order application for goods described in the following TABLE has been finalised:

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect	Review Decision
3923.90.00 CONTAINERS, poly lactic acid, with OR without lids, having a volume NOT greater than 1 000 ml Op. 12.11.15 ABF Decision : Refusal to make TCO affirmed	50 - TC 1541440	REFUSE

IMMIGRATION AND BORDER PROTECTION**TARIFF QUOTAS - QUOTA TRANSACTIONS PROCESSED DURING THE PERIOD 26 JULY 2016 to 02 AUGUST 2016.**

GENERAL INFORMATION

This Gazette contains details of quota transactions processed during the period 26 July 2016 to 02 August 2016 inclusive.

Part 1 contains a Table specifying quota category details.

Part 2, Section A, lists quota holders who received quota allocations via transfer transactions.

Part 2, Section B, lists all adjustments to previous allocations which have been caused by transfer transactions.

NB.- In Section B, transactions represent changes to individual tariff quotas and do not necessarily represent the entire holdings in that category for the quota holder.

- The "AS WAS" and "AS IS" columns indicate the quota levels for that particular tariff quota only at the time of that transaction.
- The amount of the transaction can be deduced by subtracting the "AS WAS" column from the "AS IS" column.

Inquiries concerning any information published within this Gazette should be directed to the Tariff Concession Administration, Australian Border Force, 5 Constitution Avenue, Canberra City, ACT, 2601.

PART 1**NOTICE OF MAKING A DETERMINATION UNDER PART XVI OF THE CUSTOMS ACT 1901**

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section A of Part 2 was made in relation to Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995 and subject to any conditions set out hereunder, that Determination applies to goods that are:

- (1) specified in the Table hereunder;
- (2) classified under a subheading of Schedule 3 to the Customs Tariff Act 1995, specified in Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995;
- (3) entered for home consumption not earlier than the start date, and not later than the finish date, by the person specified in that Determination, as shown in Part 2; and
- (4) in total, not in excess of such quantity as is specified in that Determination, as shown in Part 2.

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section B of Part 2 amended a previous Determination by deleting the figures in the column headed "QUANTITY AS WAS" and inserting the figures in the column headed "QUANTITY AS IS".

THE TABLE

CATEGORY CODE	UNIT QUANTITY	QUOTA ITEM NUMBER	QUOTA DESCRIPTION
311	Kilograms	61A	Cheese & Curd

PART 2**SECTION A - QUOTA ALLOCATIONS**

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG)	DETERMINATION NUMBER
-------------	--------------------------	--------------	---------------	-------------------------

PART 2**SECTION B - AMENDED ALLOCATIONS**

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG) AS WAS	QUANTITY (KG) AS IS	DETERMINATION NUMBER
311	KEBIA IMPORTEX PTY LIMITED	2204	716,930.00	516,930.00	000759
311	DELTA SALES PTY. LIMITED	3056	639,883.00	839,883.00	000759
