



**Commonwealth
of Australia**

Gazette

No. TC16/34, Wednesday, 7 September 2016
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Applications Refused	6
TCOs Made.....	7
Comptroller-General of Customs Initiated - Intention to Revoke Cancelled	7
TCOs Revoked - Unused for over 2 years	8
Comptroller-General of Customs Review of TCO Application Result	12

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the DIBP internet site at:

<http://www.border.gov.au>

The Tariff Concessions Administration Section is located at
5 Constitution Ave Canberra City 2601

Contact details:

General Email Inquiries:.....tarcon@border.gov.au

General Inquiries:(02) 6229 3567

TAPIN help desk:(02) 6275 6534

Cat. No.

ISSN 0813-8389

©Commonwealth of Australia, 2016

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Submission forms are available from Central Office or on the Department of Immigration and Border Protection web site www.border.gov.au.

For guidance on the required description style, phone 02 6229 3567.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3924.10.00 CONTAINERS, KITCHENWARE, FOOD STORAGE AND/OR MARINATING, vacuum seal, with OR without hoses Op. 10.08.16 Stated Use: Storing or marinating food in vacuum sealed containers Applicant: SUNBEAM CORPORATION LTD	50 - TC 1641245 5%
3924.10.00 CONTAINERS, plastic, having BOTH of the following: (a) ventilated lid; (b) volume capacity NOT less than 2.5 L and NOT greater than 9 L Op. 12.08.16 Stated Use: For storing goods such as fresh vegetables Applicant: TUPPERWARE PRODUCTS INC	50 - TC 1643645 5%
3925.10.00 TANKS OR SILOS, hot press moulded glass reinforced fibre, round, capacity NOT less than 300 L Op. 11.08.16 Stated Use: For the storage of ingredients in bakery operations Applicant: JB & BROTHERS PTY LTD	50 - TC 1641252 5%
7308.90.00 COMPONENTS, CLAD RACK WAREHOUSE, being ANY of the following: (a) complete knock down (CKD) tiered racking modules, module height exceeding 40 metres, including ANY of the following: (i) upright column beams; (ii) horizontal rails; (iii) horizontal brackets; (iv) diagonal rails; (v) diagonal plates; (vi) connection plates; (vii) bracing studs; (viii) support brackets; (ix) application plates; (x) roof beam supports; (xi) side wall supports;	50

(Continued on next page)

Description of Goods including the
Customs Tariff ClassificationSchedule 4 Item Number
General Duty Rate

(Continued from previous page)

	(xii) facade beam connectors; (xiii) filler plates; (xiv) pallet beams; (xv) tophats; (xvi) fine position brackets; (xvii) bay bracing diagonals; (xviii) bay bracing connectors, (b) facade components, facade height exceeding 40 metres, being ANY of the following: (i) facade beams; (ii) roof supports; (iii) upright column beams; (iv) horizontal braces; (v) diagonal braces; (vi) horizontal beams; (vii) side wall beams; (viii) vertical facade profiles; (ix) connection plates; (x) facade beam connectors, (c) roof components, being ANY of the following: (i) CKD roof trusses; (ii) braces; (iii) diagonal braces; (iv) connection brackets; (v) roof joists; (vi) beams, (d) racking module reserve components, being ANY of the following: (i) horizontal brackets; (ii) facade connectors		
Op. 04.08.16		- TC 1640686	
	Stated Use: Structural components of clad rack warehouse building to store pallets		
	Applicant: VANDERLANDE INDUSTRIES AUSTRALIA PTY LTD		5%
7326.90.90	LATCHES, lever operated, galvanized steel Op. 03.08.16	- TC 1639459	50
	Stated Use: For welding to closure rings for open head/top containers		
	Applicant: TRI-SURE CLOSURES AUSTRALIA PTY LTD		5%
8413.60.90	PUMPS, ROTARY POSITIVE DISPLACEMENT, having ALL of the following: (a) pump capacity exceeding 5 m ³ /h and NOT exceeding 270 m ³ /h; (b) displacement exceeding 10 L/rev and NOT exceeding 75L /rev; (c) NOT less than two impellers Op. 03.08.16	- TC 1639458	50
	Stated Use: Impeller pump which is used for the transfer of raw material into rendering processing plant		
	Applicant: HAARSLEV INDUSTRIES LTD		5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8421.31.00 FILTERS, AIR INTAKE, GAS TURBINE, having ALL of the following:</p> <ul style="list-style-type: none"> (a) continuous operating temperature exceeding 55 degrees Celsius and NOT exceeding 70 degrees Celsius; (b) airflow rating exceeding 3 238 m³/h and NOT exceeding 4 250 m³/h; (c) burst pressure exceeding 2 000 Pa <p>Op. 02.08.16</p> <p>Stated Use: Extraction of dust from ambient air at the air intake area of a gas turbine</p> <p>Applicant: GLNG OPERATIONS PTY LTD</p>	<p>50</p> <p>- TC 1638557</p> <p>5%</p>
<p>8426.41.00 CRANES, pedestrian operated, telescopic boom, electric motor, having BOTH of the following:</p> <ul style="list-style-type: none"> (a) maximum lift capacity NOT greater than 3 500 kg; (b) five wheels <p>Op. 10.08.16</p> <p>Stated Use: Pedestrian operated mobile crane</p> <p>Applicant: P A CONSTRUCTION EQUIPMENT PTY LTD</p>	<p>50</p> <p>- TC 1641832</p> <p>5%</p>
<p>8427.10.00 FORKLIFT TRUCKS, counterbalanced, operator seated, electric powered, conforming to Australian Standard AS 2359.7-1995, Part 7, clause 3.1.3.1.1, having ALL of the following:</p> <ul style="list-style-type: none"> (a) maximum load carrying capacity NOT less than 1 800 kg at a 500 mm load centre; (b) maximum lift height NOT less than 3 100 mm and NOT greater than 4 800 mm; (c) maximum travel speed NOT less than 16 km/h with or without a load; (d) centre wheelbase floor clearance NOT less than 100 mm; (e) hydraulic controls <p>Op. 11.08.16</p> <p>Stated Use: For lifting or handling industrial equipment</p> <p>Applicant: IKEA SUPPLY AG</p>	<p>50</p> <p>- TC 1641278</p> <p>5%</p>
<p>8427.10.00 FORKLIFTS, REACH TRUCK, RETRACTABLE MAST, rider seat, as defined in Australian Standard AS 2359.7-1995, Part 7, clause 3.1.3.1.2, electric powered, having ALL of the following:</p> <ul style="list-style-type: none"> (a) maximum load capacity NOT less than 1 600 kg at a 600 mm load centre and NOT less than 750 kg at a 1 250 mm load centre; (b) maximum lift height NOT less than 5 600 mm and NOT greater than 9 020 mm; (c) emergency cut-off switch; (d) 360 degree progressive steering control; (e) overhead guard warning flashlight; (f) glass roof; (g) maximum travel speed NOT less than 11 km with OR without a load; (h) electronic brakes; (i) parking brake <p>Op. 11.08.16</p> <p>Stated Use: For lifting or handling industrial equipment</p> <p>Applicant: IKEA SUPPLY AG</p>	<p>50</p> <p>- TC 1641516</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8428.90.00 STORAGE AND RETRIEVAL ELEVATORS, programmable logic controlled, including ALL of the following; (a) load capacity NOT greater than 50 kg; (b) lift speed NOT greater than 3 m/s; (c) height NOT greater than 18 metres; (d) NOT more than 2 twin belt conveyors Op. 02.08.16	- TC 1638899	50
Stated Use: Elevators with load handling device to lift trays or microshuttles in an automated warehouse		5%
Applicant: VANDERLANDE INDUSTRIES BV		
8428.90.00 PALLETISING SYSTEM, programmable logic controlled, having ALL of the following: (a) layer palletisers; (b) conveyors; (c) bag presser OR flattener; (d) bag turner Op. 03.08.16	- TC 1639457	50
Stated Use: To shuttle and stack packed product onto empty pallets and present the stacked pallets, double stacked		
Applicant: AUSTRALIAN PRIME FIBRE PTY LTD		5%
8438.80.00 CUTTERS, FROZEN MEAT AND/OR FOODSTUFF, having ALL of the following: (a) cutting capacity NOT greater than 520 mm width X 300 mm height; (b) guillotine; (c) hopper; (d) conveyor Op. 04.08.16	- TC 1639800	50
Stated Use: For cutting frozen meat and foodstuffs		
Applicant: COLUMBIT AUSTRALIA PTY LTD		5%
8465.91.00 CROSS CUT SAWING MACHINES, programmable logic controlled, including BOTH of the following: (a) flying saw, having two cutting units; (b) outfeed roller conveyor Op. 11.08.16	- TC 1641250	50
Stated Use: During the manufacture of insulation board		
Applicant: KINGSPAN INSULATION PTY LTD		5%
8479.89.90 HYDROGEN FLUORIDE AND NITROGEN GAS MIXING AND DISPENSING SYSTEM, having ALL of the following: (a) gas cabinet; (b) valves; (c) mass flow controllers; (d) pressure gauges Op. 10.08.16	- TC 1641247	50
Stated Use: Supplying hydrogen fluoride and nitrogen gas to a glass coating plant		
Applicant: CSR BUILDING PRODUCTS LTD		5%

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED

Applications for Tariff Concession Orders for the goods described in the following TABLE have been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3920.20.00 FILM, PRINTING, polypropylene, multi-layered, having shrinkage in the machine direction NOT less than 10% and NOT greater than 19% Op. 02.03.16 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Taghleef Industries Pty Ltd, Wodonga, Vic	50 - TC 1608743
7308.90.00 COMPONENTS, STRUCTURAL, being ANY of the following: (a) steel bars, having BOTH of the following: (i) drilled holes; (ii) steel nuts AND bolts, (b) steel brackets; (c) steel nodes; (d) steel clamps Op. 01.04.16 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Alltype Engineering Pty Ltd, Naval Base, WA	50 - TC 1612304
7604.29.00 ALUMINIUM PROFILES, having ALL of the following: (a) length NOT less than 1.5 m and NOT greater than 4 m; (b) drilled holes; (c) aluminium nuts AND bolts Op. 01.04.16 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Capral Limited, Parramatta, NSW and INEX Australia, Dandenong South, Vic	50 - TC 1612305
9004.10.00 SETS, SUNGLASSES, with OR without cleaning cloth, including BOTH of the following: (a) metal AND/OR plastic sunglasses; (b) cases AND/OR pouches Op. 17.03.16 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Holloway Eyewear, Westend, Qld	50 - TC 1610714

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
7326.90.90 BOLTS, EXPANSION, being folded tube with welded end bushings Op. 06.06.16 Dec. date 05.09.16	- TC 1619857 50 5%
8422.30.90 GENOTYPING ANALYSIS MACHINES, being ANY of the following: (a) liquid sample robot; (b) tip wash station Op. 26.05.16 Dec. date 05.09.16	- TC 1619347 50 5%
8479.89.90 ROBOTS, GENOTYPING ANALYSIS, with OR without tip washing station Op. 26.05.16 Dec. date 05.09.16	- TC 1619346 50 5%

CUSTOMS ACT 1901

CANCELLATION OF THE INTENTION TO REVOKE

The Request for revocation of Tariff Concession Orders for goods described in the following TABLE have been cancelled.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3204.19.00 DYES, LIQUID, OIL SOLUBLE, being azo, anthraquinone or morpholine derivatives as prescribed under Australian Standard AS1876-1990 Op. 22.10.97 Dec. date 09.01.98	- TC 9709354 50
5205.11.90 YARN, cotton, single uncombed ring spun Op. 20.12.07 Dec. date 14.03.08	- TC 0721922 50
5911.90 NETS - PRINTING CYLINDER Op. 16.12.91 Dec. date 19.03.92	- TC 9200365 50
7304.41.00 TUBES, seamless, circular cross section, stainless steel, to specification ASTM A269 or ASTM A213, cold drawn and annealed, whether or NOT surface finished, having BOTH of the following: (a) OD NOT exceeding 6.35 mm; (b) WT NOT exceeding 1.20 mm Op. 31.07.95 Dec. date 27.10.95	- TC 9509324 50

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF IMMIGRATION & BORDER PROTECTION

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC16/29 dated 3 August 2016.

Contact: Phone 02 6275 6475, or email tarcon@border.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3822.00 REAGENTS OR DIAGNOSTIC KITS being ANY of the following: (a) enzyme or radio immunoassay kits for the measuring of: (i) hepatitis B: (1) surface antigen; (2) surface antibody; (3) core total antibody; (4) core IgM antibody; (ii) hepatitis A: (1) total antibody; (2) IgM antibody; (iii) hepatitis: (1) delta antigen; (2) delta total antibody; (iv) hepatitis BE antigen/antibody; (v) hepatitis confirmatory test; (vi) rebecca: (1) IgM antibody; (2) IgG antibody; (vii) cytomegalovirus: (1) IgM antibody; (2) IgG antibody; (b) haematology coagulation controls: (i) normal level controls; (ii) abnormal level controls Op. 21.10.90 Dec. date 21.02.92 - TC 9009381	50 31.08.16
Revoked for 2 years non use. In transit provisions apply	
5407.72.00 SUNSCREEN FABRIC, polyvinyl chloride (PVC) coated polyester yarn, dyed, having ALL of the following: (a) 2x2 basket weave; (b) width NOT less than 2.5 m; (c) weight NOT less than 445 gsm and NOT greater than 595 gsm Op. 09.10.13 Dec. date 20.01.14 - TC 1333669	50 31.08.16
Revoked for 2 years non use. In transit provisions apply	
7228.30 RODS, gas welding, cast iron Op. 13.03.84 Dec. date 13.03.84 - TC 8342156	50 31.08.16
Revoked for 2 years non use. In transit provisions apply	
7304.19.00 TUBES, seamless, conforming to ALL of the following: (a) specification API 5L-X42 OR API 5L-X60 OR API 5L-B; (b) OD less than 153.4 mm OR greater than 482.3 mm; (c) resistance to stepwise cracking and tested to NACE standard TM02-84 Op. 01.01.07 Dec. date 08.11.06 - TC 0614211	50 31.08.16
Not valid until 1 January 2007. Revoked for 2 years non use. In transit provisions apply	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7304.39.00 PIPES, STEEL, POWER STATION STEAM GENERATION BOILER, being ANY of the following: (a) main and/or auxiliary steam pipes; (b) hot reheat pipes; (c) cold reheat pipes; (d) main feed water pipes; (e) super heater pipes Op. 31.08.07 Dec. date 09.11.07 - TC 0713866 Revoked for 2 years non use. In transit provisions apply	50 31.08.16
7304.39.00 PIPES, GYPSUM DEHYDRATION SYSTEM, iron OR non-alloy steel, having an external diameter greater than 380 mm Op. 23.11.12 Dec. date 03.04.13 - TC 1245157 Revoked for 2 years non use. In transit provisions apply	50 31.08.16
7304.41.00 TUBING, stainless steel, having ALL of the following: (a) welded threaded ends; (b) polytetrafluoroethylene (PTFE) seal; (c) hydrogenated nitrile butadiene rubber (HNBR) o-ring; (d) internal tube diameter of NOT less than 50 mm and NOT greater than 60 mm Op. 31.03.14 Dec. date 24.06.14 - TC 1411122 Revoked for 2 years non use. In transit provisions apply	50 31.08.16
7304.41.00 TUBE OR PIPE, stainless steel, to specification UNS S31803, having a chemical composition by weight of ALL the following: (a) carbon 0.030% maximum; (b) manganese 2.00% maximum; (c) phosphorus 0.030% maximum; (d) sulphur 0.020% maximum; (e) silicon 1.00% maximum; (f) chromium 21.00 - 23.00% both inclusive; (g) nickel 4.50 - 6.50% both inclusive; (h) nitrogen 0.03 - 0.20% maximum; (i) molybdenum 2.50 - 3.50% both inclusive Op. 25.05.94 Dec. date 26.08.94 - TC 9404855 Revoked for 2 years non use. In transit provisions apply	50 31.08.16
7304.59 TUBES, boiler, hot finished, seamless ferritic alloy steel, in straight lengths, ends plain, bevelled or threaded, BUT without further rework, to specification ASTM A213/A213M-89a Op. 10.02.92 Dec. date 23.07.92 - TC 9201989 Revoked for 2 years non use. In transit provisions apply	50 31.08.16
7304.59.00 PIPES, STEEL, POWER STATION STEAM GENERATION BOILER, being ANY of the following: (a) main steam pipes; (b) hot reheat pipes; (c) cold reheat pipes; (d) main feed water pipes Op. 28.12.07 Dec. date 24.05.08 - TC 0800039 Revoked for 2 years non use. In transit provisions apply	50 31.08.16
7305.12.00 LINE PIPE, ELECTRIC RESISTANCE WELDED(ERW), complying with American Petroleum Institute standard API Specification 5L, grade X65, having BOTH of the following: (a) outside diameter (OD) NOT less than 508 mm; (b) wall thickness (WT) NOT less than 19.1 mm Op. 14.04.11 Dec. date 11.07.11 - TC 1112481 Revoked for 2 years non use. In transit provisions apply	50 31.08.16

7305.19.00	PIPE SPOOLS, EXPANSION LOOP, stainless steel, having an outside diameter greater than 406.4 mm Op. 18.11.13	Dec. date 10.02.14	- TC 1338995	50 31.08.16
	Revoked for 2 years non use. In transit provisions apply			
7305.20.00	CASING, electric resistance welded, conforming to American Petroleum Institute Specification 5CT (API 5CT), Grades C-75 OR L-80 OR N-80 OR C-90 OR C-95 OR S-95 OR T-95 OR P-110 OR Q-125 OR V-150, with OR without connectors, having BOTH of the following: (a) nominal outside diameter NOT less than 508 mm; (b) wall thickness NOT less than 12.7 mm Op. 21.05.10	Dec. date 17.08.10	- TC 1022968	50 31.08.16
	Revoked for 2 years non use. In transit provisions apply			
7306.29.00	CASING, ERW, NT-80HE GRADE, having a diameter of NOT less than 32 cm (13 inches) and NOT greater than 36 cm (14 inches) Op. 01.01.07	Dec. date 09.11.06	- TC 0614218	50 31.08.16
	Revoked for 2 years non use. In transit provisions apply			
7307.93.00	FITTINGS, BUTTWELD, STEEL PIPE OR TUBE, having ALL of the following: (a) inspection cap; (b) clamp assembly consisting of BOTH of the following: (i) clamp segments; (ii) studs and nuts, (c) seal ring; (d) butt welding hub Op. 15.12.09	Dec. date 05.03.10	- TC 0948886	50 31.08.16
	Revoked for 2 years non use. In transit provisions apply			
7307.93.00	PARTS, BOILER INSPECTION BUTTWELD FITTINGS, being EITHER of the following: (a) butt weld hubs; (b) blind hubs Op. 03.02.10	Dec. date 23.04.10	- TC 1005997	50 31.08.16
	Revoked for 2 years non use. In transit provisions apply			
7308.90.00	TEMPLATES, ANCHOR BOLT, TECHNICAL AMMONIUM NITRATE (TAN) PLANT Op. 30.05.13	Dec. date 26.08.13	- TC 1317818	50 31.08.16
	Revoked for 2 years non use. In transit provisions apply			
7308.90.00	SUPPORT STRUCTURES, COMPRESSOR TRAIN, TECHNICAL AMMONIUM NITRATE PLANT Op. 24.03.14	Dec. date 25.06.14	- TC 1410306	50 31.08.16
	Revoked for 2 years non use. In transit provisions apply			
7312.10.00	ROPE, steel wire, nominal diameter 2 mm to 4.5 mm, 6 x 6 construction Op. 17.06.94	Dec. date 23.09.94	- TC 9405239	50 31.08.16
	Revoked for 2 years non use. In transit provisions apply			
7315.90.00	SHACKLES, KILN CHAIN, alloy, cast, having ALL of the following:	MIN	MAX	50 31.08.16
	(a) bolt and nut fixing;			
	(b) distance of vertical line from shackle eye centre to internal surface of shackle	85 mm	110 mm;	
	(c) internal diameter of shackle	45 mm	60 mm;	
	(d) distance between shackle eyes	30 mm	60 mm;	
	(e) diameter of shackle eye	18 mm	35 mm;	
	(f) material diameter in shackle body	16 mm	32 mm;	
	(g) material diameter of shackle ends	12 mm	24 mm;	
	(h) external diameter of shackle ends	40 mm	75 mm;	
	(i) bolt diameter	16 mm	32 mm;	

(Continued on next page)

(Continued from previous page)

- (j) heat resistant to a minimum temperature of 800 degrees C;
- (k) chromium content in the range from 5.5% to 28%, both inclusive;
- (l) (i) nickel content in the range from 3.05% to 23%, both inclusive; or
(ii) aluminium content in the range from 0.5% to 2.05%, both inclusive;
- (m) carbon content NOT greater than 0.25%

Op. 06.10.95 Dec. date 05.01.96 - TC 9511120

Revoked for 2 years non use. In transit provisions apply

7318.15.00 WHEEL BOLTS, 22 mm x 90 mm (7/8 inch x 3 1/2 inch) UNF, knurled shank and nut 50
31.08.16
Op. 09.08.05 Dec. date 04.11.05 - TC 0510513

Revoked for 2 years non use. In transit provisions apply

7318.19.00 ROCK ANCHORS, comprising ALL of the following: 50
31.08.16
(a) drill bits;
(b) threaded tubes;
(c) inner tubes containing adhesive;
(d) nuts
Op. 25.08.09 Dec. date 13.11.09 - TC 0931142

Revoked for 2 years non use. In transit provisions apply

7323.99.00 IRONING CABINETS, incorporating ALL of the following: 50
31.08.16
(a) galvanized sheet metal cabinet;
(b) ironing board;
(c) ironing board cover;
(d) power point;
(e) light;
(f) safety timer;
(g) power cord
Op. 26.07.10 Dec. date 18.10.10 - TC 1034153

Revoked for 2 years non use. In transit provisions apply

7323.99.00 SETS, BAKING, consisting of ALL of the following: 50
31.08.16
(a) carbon steel pans;
(b) wooden rolling pin;
(c) whisk
Op. 25.01.12 Dec. date 16.04.12 - TC 1202956

Revoked for 2 years non use. In transit provisions apply

7326.90.90 INSERTS, BODY ARMOUR comprising BOTH of the following: 50
31.08.16
(a) stainless steel chain-mail inner;
(b) textile fabric outer
Op. 18.03.08 Dec. date 06.06.08 - TC 0804324

Revoked for 2 years non use. In transit provisions apply

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7326.90.90 BLAST JOINTS, DOWNHOLE Op. 16.09.10 Dec. date 06.12.10 Revoked for 2 years non use. In transit provisions apply	- TC 1042686 50 31.08.16
7326.90.90 PALLETS, having ALL of the following: (a) internal steel frame; (b) roto-moulded plastic surface; (c) contoured top deck; (d) length and width NOT less than 1 165 mm; (e) height NOT less than 195 mm Op. 03.06.11 Dec. date 22.08.11 Revoked for 2 years non use. In transit provisions apply	50 31.08.16 - TC 1117707
7607.11 FOIL, aluminium, having BOTH of the following: (a) thickness NOT exceeding 0.005 mm; (b) width NOT exceeding 325 mm Op. 24.12.84 Dec. date 24.12.84 Revoked for 2 years non use. In transit provisions apply	50 31.08.16 - TC 8435193

CUSTOMS ACT 1901 - RESULT OF REQUEST FOR REVIEW OF AN APPLICATION DECISION

The Immigration and Border Protection internal review result made on the Tariff Concession Order application for goods described in the following TABLE has been finalised:

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect	Review Decision
3920.10.00 LINEAR LOW DENSITY POLYETHYLENE FILM, stretch, cast, having ALL of the following: (a) thickness NOT less than 8 microns and NOT greater than 35 microns; (b) width NOT less than 480 mm and NOT greater than 520 mm; (c) NOT less than 20 layers of film; (d) maximum stretch capacity NOT less than 400% Op. 22.12.15 Comptroller-General of Customs Decision: Refusal to make TCO affirmed	50 - TC 1545943	REFUSE