



## CONTENTS

Applications for TCOs .....	2
Refusals of Applications for TCOs .....	4
TCOs Made .....	5
Customs Initiated – Intention to Revoke TCOs.....	6
Customs Initiated – TCO Revoked and Re-Issued .....	7
Customs Initiated – TCO Revoked – Unused for over two years.....	8
Customs Internal Review Result .....	34
Determinations Made.....	35
Determination Revoked.....	36

### PUBLICATION ARRANGEMENTS:

The Australian Customs Service (Customs) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette), free of charge, on the Customs Internet site at:

<http://www.customs.gov.au>

Interested parties should select “media, publications and forms”, then “tariff concessions gazette”. The gazettes are listed in date order and may be selected from the list of Adobe Portable Document Format (PDF) files.

General Inquiries: ..... (02) 6275 6483

Facsimile: ..... (02) 6275 6376



Description of goods including the Customs Tariff Classification		Prescribed Item Number
8428.90.00	DRIVE REELS, marine Op. 29.11.04  Stated Use: Laying sub-sea flexible tubes  Applicant: SUBSEA 7 AUSTRALIA PTY LTD PERTH, WA, 6854	- TC 0413051 50
8477.90.90	INJECTION HEADS, FOOTWEAR, POLYURETHANE SOLE Op. 29.11.04  Stated Use: Manufacture of footwear  Applicant: OLIVER FOOTWEAR BALLARAT, VIC, 3350	- TC 0413052 50
8479.89.90	ARTICULATED LOADERS, 4 wheel drive, comprising ALL of the following: (a) operating weight greater than 4 000 kg; (b) engine flywheel power greater than 36 kW; (c) maximum dump clearance height NOT less than 2.3 m at 45 degree dump angle; but NOT including: (a) underground mine loaders; (b) telescopic boom loaders Op. 08.11.04  Stated Use: Articulated front end wheel loader which has facilities to attach a bucket, fork frame and tyre or a material handling arm  Applicant: VOLVO FINANCE AUSTRALIA PTY LTD CHULLORA, NSW, 2190	- TC 0411759 50
8479.89.90	CABLE TENSIONERS, marine Op. 29.11.04  Stated Use: Tensioning flexible tubes  Applicant: SUBSEA 7 AUSTRALIA PTY LTD PERTH, WA, 6854	- TC 0413050 50
9032.90.20	THROTTLE CONTROLS, electronic, comprising ALL of the following: (a) accelerator pedal position sensor; (b) ratio metric voltage signaller; (c) noise canceller and balancer Op. 12.11.04  Stated Use: To provide a signal to the power train control module in response to the driver's request for engine power  Applicant: AIR INTERNATIONAL PTY LTD ST AGNES, SA, 5097	- TC 0412234 50

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED

Applications for Tariff Concession Orders for the goods described in the following TABLE have been refused.

THE TABLE

Description of goods including the Customs Tariff Classification

3824.90.90	SPRAYING OIL ADJUVATED, having active constituents of paraffinic oil and alkoxyated alcohol non-toxic surfactants Op. 24.06.04	- TC 0406253
8483.10.99	ASSEMBLIES, PLANETARY GEAR DRIVE, SINGLE SPEED, having a shaft diameter NOT greater than 180 mm, AND being ANY of the following: (a) output splined solid shaft and flange; (b) output keyed solid shaft and flange; (c) support bracket and shaft; (d) input keyed shaft; (e) output hollow shaft and flange; (f) output hollow splined shaft and flange, with each assembly comprising ALL of the following: (a) shaft; (b) bearing; (c) housing; (d) seal Op. 29.06.04	- TC 0406462
8483.60.90	ADAPTORS, PLANETARY GEAR DRIVE, SINGLE SPEED, having a diameter NOT greater than 550 mm, and being EITHER of the following: (a) hydraulic motor; (b) electric motor Op. 29.06.04	- TC 0406465
8483.90.00	PARTS, PLANETARY GEAR DRIVE, SINGLE SPEED, being EITHER of the following: (a) static brakes, having a diameter NOT greater than 450 mm; (b) connection covers, hydraulic motor adaptor, having a diameter NOT greater than 545 mm Op. 29.06.04	- TC 0406463

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference no. follow the description of goods.

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number
3921.13.00 PANELS, INSULATING, polyisocyanurate (PIR) core, steel faced Op. 26.07.04	- TC 0407602 50
5603.14.00 FABRIC, non-woven polypropylene, polypropylene microhook film and elastic film Op. 22.09.04	- TC 0409638 50
6301.40.00 BLANKETS, POLYESTER, having ALL of the following: (a) feet pocket; (b) arm sleeve; (c) utility pockets Op. 29.09.04	- TC 0410271 50
6304.92.00 COVERS, FOOTSTOOL, having BOTH of the following: (a) cotton panels; (b) zipper Op. 24.09.04	- TC 0410006 50
6304.93.00 COVERS, FOOTSTOOL, having BOTH of the following: (a) synthetic panels; (b) zipper Op. 24.09.04	- TC 0409906 50
6402.19.00 SHOES, CRICKET, having BOTH of the following: (a) metal AND/OR plastic sprigs AND/OR spikes attached to the sole; (b) mid sole insert Op. 24.09.04	- TC 0410012 50
6815.99.00 EXPANSION SHEETS, REFRACTORY, having BOTH of the following: (a) magnesia content greater than 60%; (b) carbon content greater than 5% Op. 24.09.04	- TC 0410023 50
8414.90.90 FAN BLADES, aluminium, having a length greater than 2 metres Op. 23.09.04	- TC 0409899 50

Australian Customs Service

INTENTION TO REVOKE TARIFF CONCESSION ORDERS

I, Robert Crawford, under subsection 269SD(1AA) of the Customs Act 1901 (the Act):

- (a) declare my intention, subject to s.269SD(1AB) of the Act, to make an order revoking all of the Tariff Concession Orders as nominated in Column 1 and listed in the attached Schedule to this notice with effect from the date of this notice; and
- (b) invite any person who might be affected by the revocation of any Tariff Concession Order listed in the attached Schedule to give a written submission to the Chief Executive Officer of Customs within 28 days of the date of this notice.

Submissions should be sent to the following address:

National Manager,  
Trade Branch,  
Australian Customs Service,  
Customs House,  
5 Constitution Avenue,  
Canberra City, ACT 2601

or fax: 02 6275 6376.

For queries about this notice please phone 02 6275 6489 or 02 6275 6475.

For information on these Customs initiated revocations see Australian Customs Notice No. 2003/68 available for free on the Customs internet site: <http://www.customs.gov.au/resources/notices/ACN0368.pdf>.

Dated 15 December 2004.

(Robert Crawford)  
Delegate of the Chief Executive Officer of Customs

THE SCHEDULE

Column 1	Concession Number	Tariff Classification	Description
RETAIN	0408671	3923.21.00	STORAGE BAGS, VACUUM SEAL, having BOTH of the following: (a) one way vacuum seal valve; (b) zip lock seal closure Op. 24.08.04 Dec. date 29.10.04
REVOKE (1 of 1)	0200815	3923.21.00	STORAGE BAGS, VACUUM SEAL, polyethylene, having ALL of the following: (a) zip lock seal closure; (b) one way vacuum seal valve; (c) 5 layer polyethylene and nylon film construction Op. 22.01.02 Dec. date 14.06.02
RETAIN	0408222	8309.90.00	CAN ENDS, ring pull Op. 10.08.04 Dec. date 29.10.04
REVOKE (1 of 1)	9702331	8309.90.00	CAN ENDS, ring pull, full aperture, diameter exceeding 74 mm Op. 20.03.97 Dec. date 06.06.97
RETAIN	0408106	8439.99.00	PARTS, HEAD BOX, width NOT less than 6 m, being EITHER of the following: (a) apron lips; (b) tapered inlet header Op. 09.08.04 Dec. date 29.10.04
REVOKE (1 of 1)	0312606	8439.99.00	PARTS, HEAD BOX, 6 m width, being EITHER of the following: (a) apron lips; (b) tapered inlet header Op. 07.10.03 Dec. date 02.01.04

Column 1	Concession Number	Tariff Classification	Description
RETAIN	8531696	8472.90	STAPLING MACHINES, paper, but NOT including staplers which accept ready-made rectangular section wire staples, having BOTH of the following dimensions: (a) staple wire widths 0.45 mm (No. 26) OR 0.56 mm (No. 24); (b) staple leg length 6 mm Op. 13.05.85 NOTE: TCO rekeyed to 8205.59. TCO 8533758 applies.
REVOKE (1 of 1)	8533758	8205.59	STAPLERS, stationery, but NOT including staplers designed to use Type 24/6 or Type 26/6 staples For the purposes of TC 8533758 staple type refers to wire gauge leg length in mm Op. 13.05.85 Dec. date 09.10.85
RETAIN	0408864	8535.40.10	SURGE ARRESTERS, METAL OXIDE Op. 30.08.04 Dec. date 05.11.04
REVOKE (1 of 1)	0207918	8535.40.10	SURGE ARRESTERS, GAPLESS, metal oxide, having BOTH of the following: (a) voltage of 1 kV OR greater; (b) line discharge class 2, 3, 4 and 5 as defined by AS 1307.2 - 1996 Op. 29.08.02 Dec. date 18.11.02
RETAIN	0409320	9503.41.00	TOYS, stuffed, representing animals or non human creatures, but NOT including teddy bears Op. 13.09.04 Dec. date 22.11.04 NOTE: This TCO is eligible for Item 50A.
REVOKE (1 of 1)	0104325	9503.41.00	STUFFED TOYS, representing animals OR non human creatures, maximum length 40 cm, but NOT including teddy bears Op. 24.05.01 Dec. date 03.08.01 NOTE: This TCO is eligible for Item 50A.

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1)&(2)

COMMERCIAL TARIFF CONCESSION ORDER REVOKED AND A NARROWER TARIFF CONCESSION ORDER MADE

The Commercial Tariff Concession Order for the good described in the following TABLE has been revoked and a narrower Tariff Concession Order made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

THE TABLE

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
TCO REVOKED 8477.40 PELLETISING MACHINES, underwater die face cutter type but NOT including such pelletising machines when imported with single screw extruders Op. 08.11.88 NOTE: Tariff classification change - see TC 0413136 keyed to 8477.80.00. In-transit provisions do NOT apply.	50 05.12.04 - TC 8810238
TCO REISSUED 8477.80.00 PELLETISING MACHINES, underwater die face cutter type but NOT including such pelletising machines when imported with single screw extruders Op. 06.12.04	50 - TC 0413136

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDERS AND COMMERCIAL TARIFF CONCESSION ORDERS  
REVOCATION AT THE INITIATIVE OF CUSTOMS

The Tariff Concession Orders or Commercial Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these Orders was notified in Gazette TC 04/44 dated 10 November 2004. Orders 9501771, 9800026, 9901712, 9902504, 0206110, 0206336, 0210013 and 0210014 notified in that Gazette have NOT been revoked at the request of importers on this occasion.

Contact: fax 02 6275 6376 or email [tarcon@customs.gov.au](mailto:tarcon@customs.gov.au).

THE TABLE

Description of Goods including the Customs Tariff Classification	Prescribed Item No. Date
2509.00.00 CHALK, ground, having ALL of the chemical properties listed in table A and ALL of the physical properties listed in table B: TABLE A	50 09.12.04
Property Value	
(a) calcium carbonate content 96.3% +/- 0.5%	
(b) silica content 1.5% +/- 0.2%	
(c) clays content 1.0% +/- 0.2%	
TABLE B	
Property Value Test Method	
(a) brightness (Y value) 88 +/- 1 Zeiss elrepho 2000 photoelectric photometer (magnesium oxide = 100)	
(b) void volume 15.0ml/100g +/- 0.5ml/100g	
(c) particle size distribution Sedigaph 5000 or equivalent	
(i) 45 micron sieve residue 16% max	
(ii) finer than:	
(a) 40 micron 91% +/- 3%	
(b) 25 micron 81% +/- 3%	
(c) 15 micron 75% +/- 3%	
(d) 10 micron 70% +/- 3%	
(e) 5 micron 56% +/- 3%	
(f) 2 micron 29% +/- 3%	
Op. 12.10.93 - TC 9310866	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
2916.15.00 ISODECYL OLEATE Op. 21.06.93 - TC 9304601	50 09.12.04
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
3208.90.00 BODY PRIMER having BOTH of the following: (a) between 30% - 60% of methyl ethyl ketone; (b) between 10% - 30% of acetone Op. 12.10.95 - TC 9511209	50 09.12.04
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
3208.90.00 LACQUER PRIMER, having BOTH of the following: (a) between 30-60% methyl ethyl ketone; (b) between 10-30% ethyl acetate Op. 30.11.95 - TC 9512977	50 09.12.04
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
3214.10 SURFACING PREPARATIONS, non-refractory, two part, having a basis of natural rubber Op. 08.11.83 - TC 8340049	50 09.12.04
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3214.10.00 SEALANT, two component being polyurethane polymers and coal tar, having ALL of the following: (a) pot life greater than 40 minutes at 20 degrees C; (b) elongation at break greater than 200 per cent (DIN 53504); (c) shore A hardness 10 OR greater (DIN 53505) Op. 18.06.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9904518
3214.90 POWDERS, cement capping, being a resin derived essentially from calcium carbonate, shellac and phenol formaldehyde Op. 30.12.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 8800788
3402.13.00 STEARAMIDE MEA STEARATE Op. 06.04.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9309091
3404.90.00 N,N,-ETHYLENE BISOLEAMIDE Op. 03.05.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9505295
3506.10.00 SKIN ADHESIVE, in 28 g tubes Op. 02.11.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9511649
3506.91.00 DISPERSION GLUE, polyurethane, water based Op. 18.08.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9406895
3702.43 FILM, MONOCHROMATIC SENSITIVITY, graphic arts colour proofing, capable of producing colour proofs of 3 or more colours from separation negatives or positives by a layering of monochrome pigments on a support sheet Op. 29.09.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 8734853
3824.90 DISCS, ceramic, piezoelectric, of lead zirconium titanate Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9603584
3824.90.90 STEARYLTRIMONIUM HYDROXYETHYL HYDROLYSED COLLAGEN Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9605996
3906.90.00 CEMENT ADDITIVES, OILWELL, being a mixture of ALL of the following: (a) graft polymers of lignite; (b) acrylamido methyl propane sulphonic acid; (c) dimethyl acrylamide; (d) acrylonitrile Op. 20.08.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9807435

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>3909.40.00 FRICTION DUST, having ALL of the following:                      (a) free flowing granular solids in powder form;                      (b) chemically inert and fully cured with a particle size less than 2 000 microns;                      (c) an aldehyde condensation product of cashew nutshell liquid                      Op. 25.09.00                      NOTE:                      Revoked in accordance with ss.269SD(1A) of the Customs Act.                      In transit provisions apply</p>	<p>50 09.12.04  - TC 0008091</p>
<p>3909.50.10 EXPANDING FILLER, put up in aerosol cans containing polyurethane foam pre-polymer solution, having ALL of the following:                      (a) active ingredient of diphenylmethan-4, 4'-diisocyanate;                      (b) propellant of tetrafluorethane and dimethylether;                      (c) pre-polymer solution capable of expanding its volume up to 30 times after extrusion from can as a foam;                      (d) weight of can contents NOT greater than 580 g                      Op. 29.09.93                      NOTE:                      Revoked in accordance with ss.269SD(1A) of the Customs Act.                      In transit provisions apply</p>	<p>50 09.12.04  - TC 0007050</p>
<p>3913.90.00 BEADS, dextrans-based, biologically inert, comprising a non rigid surface                      Op. 15.04.93                      NOTE:                      Revoked in accordance with ss.269SD(1A) of the Customs Act.                      In transit provisions apply</p>	<p>50 09.12.04  - TC 9305256</p>
<p>3916.20.00 BLEACHER (SEAT) COVERS, being moulded solid vinyl capping, lengths NOT exceeding 10 m                      Op. 11.07.94                      NOTE:                      Revoked in accordance with ss.269SD(1A) of the Customs Act.                      In transit provisions apply</p>	<p>50 09.12.04  - TC 9406053</p>
<p>3917.33.90 UMBILICAL CORDS, COLD MILL SHAPEMETER                      Op. 02.07.02                      NOTE:                      Revoked in accordance with ss.269SD(1A) of the Customs Act.                      In transit provisions apply</p>	<p>50 09.12.04  - TC 0205758</p>
<p>3919.10 CELLULOSE ACETATE TAPE, graphic borders, printed to an accuracy of + or - 0.05 mm, self-adhesive base NOT exceeding 8 mm                      Op. 19.04.89                      NOTE:                      Revoked in accordance with ss.269SD(1A) of the Customs Act.                      In transit provisions apply</p>	<p>50 09.12.04  - TC 8903231</p>
<p>3920.30 POLYSTYRENE PLANAR FORMS, multi-layered, coextruded, brown one side, white the other, thickness 0.775 mm to 0.825 mm (both inclusive)                      Op. 07.07.83                      NOTE:                      Revoked in accordance with ss.269SD(1A) of the Customs Act.                      In transit provisions apply</p>	<p>50 09.12.04  - TC 8333079</p>
<p>3920.51.00 SHEETS, co-extruded composite, polymethyl methacrylate capped acrylonitrile butadiene styrene, being BOTH the following:                      (a) thickness NOT less than 2.0 mm and NOT greater than 3.0 mm;                      (b) width NOT less than 300 mm and NOT greater than 2200 mm                      Op. 19.08.93                      NOTE:                      Revoked in accordance with ss.269SD(1A) of the Customs Act.                      In transit provisions apply</p>	<p>50 09.12.04  - TC 9307478</p>
<p>3920.92.00 TAPE, slitted nylon                      Op. 08.05.02                      NOTE:                      Revoked in accordance with ss.269SD(1A) of the Customs Act.                      In transit provisions apply</p>	<p>50 09.12.04  - TC 0203935</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
3921.14.00 REGENERATED CELLULOSE VEGETAL MATERIAL, absorbent open core construction, having a nominal size 160 mm x 105 mm x 15 mm + or - 18% Op. 07.04.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9309127	
3921.90 POLYTETRAFLUOROETHYLENE PLANAR FORMS, having an inseparable glass fibre fabric backing Op. 19.02.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 8801803	
3923.21.00 BAGS, SANDWICH, coextruded, linear low density polyethylene with fold lock top, thickness 9 to 18 microns having dimensions of 18cm x 16cm plus or minus 5mm Op. 28.09.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9510963	
3923.21.00 BAGS, sandwich, high density polyethylene, embossed, side welded with fold lock top, thickness 8 to 10 microns, size 16cm x 16.5 cm plus or minus 5 mm, lip 4 cm and top fold 4 cm Op. 22.02.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9402387	
3923.90.00 DRUMS, high density polyethylene, reusable, nominal capacity 110 l, with blow mould formation and sloped bottom with sump. United Nations Group 2 tested, UN code 1H1Y1.8100, conforming to United Nations and United States (DOT) approved standards, including drum fittings imported separately Op. 27.01.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9501234	
3923.90.00 WRAPS, sandwich cut, cellophane with attached cardboard support strips Op. 04.05.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9404525	
3926.90 FLOOR POLISHING DRIVE PAD MATERIAL, one side filled polyurethane, other side beaded polypropylene and nylon bristles Op. 17.08.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 8432675	
3926.90.90 ACID TANKS, PICKLING LINE, polypropylene, having ALL of the following: (a) length exceeding 20 metres; (b) wall thickness exceeding 35 mm; (c) granite dam caps and guides Op. 12.08.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 0207365	
3926.90.90 END CAPS, VINYL BLEACHER SEAT COVER Op. 11.09.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9510418	
3926.90.90 PARTS, INKJET OR LASER PRINTERS, being ANY of the following: (a) chassis hole caps; (b) flip-out feet; (c) ink spittoon foam pads; (d) length adjusting pads; (e) pickup roller shaft grounding clips;	50 09.12.04

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
(f) preprinted nameplates; (g) print cartridge nozzle caps; (h) transfer roller guide bushings; (i) viewing lenses Op. 13.03.00	- TC 0002646
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
4002.51.00 ACRYLONITRILE-BUTADIENE RUBBER (NBR), latex blend, comprising NBR and polyvinyl chloride Op. 14.05.97	50 09.12.04 - TC 9704286
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
4010.32.00 TRANSMISSION BELTS, AUTOMOTIVE, endless, polyester or aramid fibre, flex bonded tensile members Op. 01.01.02	50 09.12.04 - TC 0107411
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
4010.39.00 BELTING, extruded nylon reinforced, antistatic, thickness NOT exceeding 2 mm, width NOT exceeding 450 mm, length 55 m or greater Op. 01.01.02	50 09.12.04 - TC 0105959
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
4016.99.00 FITTINGS, moulded, non-tubular, heat shrinkable, having ANY of the following: (a) one inlet and two or more outlets; (b) one inlet and one outlet each having a different diameter Op. 09.02.95	50 09.12.04 - TC 9501530
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
4408.10 SLATS, pencil, being wax ingested timber, NOT exceeding EITHER of the following dimensions: (a) width 102 mm; (b) length 254 mm Op. 25.10.83	50 09.12.04 - TC 8340634
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
4805.91.99 TISSUE PAPER, coloured, sulphite, machine glazed, having BOTH of the following: (a) a weight of 22 g/sq m or greater but NOT exceeding 28 g/sq m; (b) a minimum of 38% by weight of mechanical pulp; (c) a width of 308 mm or greater but NOT exceeding 328 mm Op. 01.01.02	50 09.12.04 - TC 0106943
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
4805.93.99 PAPERBOARD, single layer, having ALL of the following: (a) manufactured from at least 95% post consumer newsprint (b) binder by volume 2-3% paraffin wax added in the pulper (c) thickness NOT less than 11mm or GREATER than 13mm (d) in sheet form with sides exceeding 90cm Op. 01.01.02	50 09.12.04 - TC 0107622
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
4811.59.10 FILTER PAPER, in rolls, having a minimum linear length of 500 m, having ALL of the following: (a) impregnated with natural or synthetic resins; (b) thickness 0.3 mm or greater but NOT exceeding 2.5 mm; (c) grammage 100 g/sq m or greater but NOT exceeding 220 g/sq m; (d) permeability by the Frazier method 5 CFM or greater but NOT exceeding 110 CFM	50 09.12.04

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0201470
4811.60.00 LINER MATERIAL, consisting of base paper, wax laminated to coextruded film providing peelable seal, stiffness and deadfold recloseability, being material having ALL of the following: (a) a water vapour transfer rate (WVTR) of NOT more than 1.2 g/sq m flat/24 h at 37 degrees C and 90% relative humidity; (b) a grammage of 70 g-91 g/sq m; (c) a tear strength of: . machine direction exceeding 45 but NOT exceeding 60 g/force as measured by TAPPI test method T414 TS-65; . cross machine direction exceeding 280 g/force as measured by TAPPI test method T414 TS-65; (d) a tensile strength of: . machine direction exceeding 3 kN/m but NOT exceeding 4.3 kN/m as measured by TAPPI test method T404; . cross machine direction exceeding 1.5 kN/m but NOT exceeding 2.5 kN/m as measured by TAPPI test method T404	50 09.12.04
Op. 01.01.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0106171
4811.90 CARBON BLACK PAPER, electrical semiconducting, having a base conforming to International Standard IEC 554 Op. 28.08.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
Op. 28.08.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8434653
5205.26.00 YARN, cotton, combed, ring spun, finer than 11 tex, single ply Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9607515
5205.44.00 MERCERISED COTTON YARN, on cones, having ALL of the following characteristics: (a) 100% cotton; (b) combed; (c) gassed; (d) waxed; (e) dyed; (f) mercerised.	50 09.12.04
Op. 01.02.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9501320
5207.10 THREAD, embroidery, 100% cotton, dyed, mercerised, 2ply, put up on snap spools for retail sale Op. 13.07.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
Op. 13.07.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9206617
5209.21 FABRIC, wholly of cotton, having ALL of the following: (a) impregnated with a flame retardant chemical; (b) seamless, with a width of 300 cm or greater but NOT exceeding 315 cm; (c) weight of 380 g/sq m or greater but NOT exceeding 400 g/sq m	50 09.12.04
Op. 31.12.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8736171
5402.41.00 YARN, nylon filament, untextured, having a decitex of 220 to 250 (inclusive) Op. 16.05.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
Op. 16.05.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9505543

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect																																																								
<p>5404.10.00 YARNS, modified polyester, monofilament, being EITHER of the following:</p> <p>(a) polyester monofilament yarn being:</p> <p>(i) round;</p> <p>(ii) diameters 0.12 mm, 0.15 mm, 0.17 mm, 0.20 mm, 0.22 mm, 0.25 mm, 0.27 mm, 0.30 mm, 0.35 mm, 0.40 mm (tolerance of +/- 4% for yarns less than 0.22 mm and +/- 3% for yarns greater than 0.22 mm);</p> <p>(iii) wound on reusable Din 200 or Din 250 spools;</p> <p>(iv) winding variation NOT greater than 1.6 mm radius across width of spool;</p> <p>(v) percentage shrinkage at 200 degrees C and % strain at 3 GPD as per the following table:</p> <table border="1" data-bbox="352 539 997 835"> <thead> <tr> <th>Yarn Diameter</th> <th>Shrinkage %</th> <th>Shrinkage Range</th> <th>Strain %</th> </tr> </thead> <tbody> <tr><td>0.12 (warp)</td><td>11.5</td><td>10/13</td><td>3.5</td></tr> <tr><td>0.15 (shute)</td><td>9.0</td><td>8/10</td><td>7.6</td></tr> <tr><td>0.17 (shute)</td><td>3.0</td><td>2/4</td><td>25.5</td></tr> <tr><td>0.17 (warp)</td><td>11.5</td><td>10/13</td><td>3.5</td></tr> <tr><td>0.20 (shute)</td><td>3.0</td><td>2/4</td><td>9.0</td></tr> <tr><td>0.20 (shute)</td><td>6.5</td><td>7.5/8.5</td><td>25.5</td></tr> <tr><td>0.22 (shute)</td><td>3.0</td><td>2/4</td><td>9.0</td></tr> <tr><td>0.25 (shute)</td><td>3.0</td><td>2/4</td><td>25.5</td></tr> <tr><td>0.27 (warp)</td><td>11.5</td><td>10/13</td><td>25.0</td></tr> <tr><td>0.30 (shute)</td><td>2.0</td><td>2/4</td><td>25.5</td></tr> <tr><td>0.30 (shute)</td><td>7.5</td><td>6.5/8.5</td><td>25.5</td></tr> <tr><td>0.35 (shute)</td><td>3.0</td><td>2/3</td><td>9.0</td></tr> <tr><td>0.40 (shute)</td><td>3.0</td><td>2/3</td><td>9.0</td></tr> </tbody> </table> <p>(b) polyester monofilament yarn being:</p> <p>(i) round, rectangular or oval;</p> <p>(ii) dimensions oval 0.20 mm minimum 1.00 mm maximum;</p> <p>(iii) dimensions rectangular 0.20 mm minimum 1.00 mm maximum;</p> <p>(iv) dimensions round 0.4 mm - 1.0 mm;</p> <p>(v) dimensions tolerance NOT to exceed +/- 5%;</p> <p>(vi) hydrolysis resistant to retain strength of at least 50% after 14 days in conditions of 250 degrees F at 15 psig;</p> <p>(vii) 0.95 inherent viscosity for abrasion resistance;</p> <p>(viii) elongation at 3 GPD of 14% for warp and 28% for shute;</p> <p>(ix) shrinkage at 200 degrees C of 11.5% for warp and 5% for shute;</p> <p>(x) uniform colouration</p> <p>Op. 15.09.97 - TC 9708139</p> <p>NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	Yarn Diameter	Shrinkage %	Shrinkage Range	Strain %	0.12 (warp)	11.5	10/13	3.5	0.15 (shute)	9.0	8/10	7.6	0.17 (shute)	3.0	2/4	25.5	0.17 (warp)	11.5	10/13	3.5	0.20 (shute)	3.0	2/4	9.0	0.20 (shute)	6.5	7.5/8.5	25.5	0.22 (shute)	3.0	2/4	9.0	0.25 (shute)	3.0	2/4	25.5	0.27 (warp)	11.5	10/13	25.0	0.30 (shute)	2.0	2/4	25.5	0.30 (shute)	7.5	6.5/8.5	25.5	0.35 (shute)	3.0	2/3	9.0	0.40 (shute)	3.0	2/3	9.0	<p>50 09.12.04</p>
Yarn Diameter	Shrinkage %	Shrinkage Range	Strain %																																																						
0.12 (warp)	11.5	10/13	3.5																																																						
0.15 (shute)	9.0	8/10	7.6																																																						
0.17 (shute)	3.0	2/4	25.5																																																						
0.17 (warp)	11.5	10/13	3.5																																																						
0.20 (shute)	3.0	2/4	9.0																																																						
0.20 (shute)	6.5	7.5/8.5	25.5																																																						
0.22 (shute)	3.0	2/4	9.0																																																						
0.25 (shute)	3.0	2/4	25.5																																																						
0.27 (warp)	11.5	10/13	25.0																																																						
0.30 (shute)	2.0	2/4	25.5																																																						
0.30 (shute)	7.5	6.5/8.5	25.5																																																						
0.35 (shute)	3.0	2/3	9.0																																																						
0.40 (shute)	3.0	2/3	9.0																																																						
<p>5407.72.00 POLYPROPYLENE NETTING, WOVEN, having BOTH of the following:</p> <p>(a) a weight of 810gsm;</p> <p>(b) tensile strength of 20 KN per 10cm in the warp and 7.5 KN per 10cm in the weft direction</p> <p>Op. 01.07.98 - TC 9805604</p> <p>NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04</p>																																																								
<p>5509.11.00 YARN, 100% spun nylon, single ply, having each of the following characteristics;</p> <p>(a) tex of 290 to 310 (inclusive);</p> <p>(b) manufactured from staple fibre having a decitex of 5 to 7 (inclusive) per filament</p> <p>Op. 16.05.95 - TC 9505557</p> <p>NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04</p>																																																								
<p>5509.32.00 YARN, 2 ply, spun acrylic fibre, solution dyed, having ALL of the following properties:</p> <p>(a) UV stabilised;</p> <p>(b) incorporating pigments with colour fastness greater than 7 (Blue Wool Scale);</p> <p>(c) each ply having a tex between 29 and 33 (inclusive);</p> <p>Op. 21.04.95 - TC 9505065</p> <p>NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04</p>																																																								

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
5509.51.00 YARN, single ply, 65% polyester, 35% viscose rayon, ring spun, with high twist of 1100 to 1400 turns per metre, counts 29 to 31 tex (inclusive) Op. 28.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9508546	
5509.51.00 YARN, spun, 2 ply, 65% polyester, 35% viscose rayon, (+/- 10%), bright - bright, measuring 148 decitex per single yarn (40/2 E.C.C), (+/- 10%) Op. 01.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9505885	
5509.53.00 YARN, 2 ply, 65% polyester, 35% combed cotton, ring spun, counts 7 to 8 tex (inclusive)(ECC 84 to 74) in the single Op. 28.06.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9508535	
5509.59.00 YARN, polyester, comprised of polyester filament core yarn, spun polyester boucle yarn, polyester filament pressing yarn and having 649 twists per metre Op. 08.05.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9505383	
5510.12.00 YARN, spun, 2ply, viscose rayon, measuring 20 tex per single yarn (2/30 ECC) Op. 30.05.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9505830	
5603.13.00 FABRIC, non-woven, carded, traverse wound, having ALL of the following features: (a) weight exceeding 70 g/sq m but NOT exceeding 90 g/sq m; (b) thermally bonded carded web; (c) having a mixture of fibres between 2.0 and 7.0 denier (inclusive); (d) having a width range of 50 mm to 110 mm (inclusive) For the purposes of this order, ALL measurements have a tolerance of + OR - 5% Op. 07.02.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9701151	
5609.00.00 OIL MOP (rope type), consisting of fibrillated polypropylene strips attached to a central length of textile material Op. 23.10.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9610337	
5906.99.00 FABRIC, AIRCRAFT LIFE RAFT, AIR HOLDING, conforming to US Federal Aviation Administration (FAA) Standard TSO-C70a Op. 04.09.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9807967	
5907.00.00 FABRIC, cotton OR man-made fibre base cloth, flock coated on one side, bearing designs from the flock coating Op. 15.07.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 0206219	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>5910.00.00 BELTS, endless, antistatic, consisting of woven textile, coated on one side with polyvinyl chloride and on the other side with carbon varnish Op. 23.10.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9610444</p>
<p>5911.90 APRONS, continuous belt, wool combing machine Op. 20.03.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 9003213 50 09.12.04</p>
<p>6001.10.00 FABRIC, LONG PILE, acrylic yarn inserted, warp knitted, polyester backing, having a pile height NOT less than 6 mm and NOT greater than 13 mm Op. 12.02.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 9801334 50 09.12.04</p>
<p>6001.10.00 FABRIC, multi coloured Jacquard patterned sliver knitted, synthetic fibre, with a pile height not exceeding 11mm, having BOTH of the following: (a) weight not less than 366gsm and not more than 423gsm; (b) width not less than 130cm and not more than 150cm Op. 26.04.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 9404373 50 09.12.04</p>
<p>6302.10.00 PROTECTOR, mattress, bassinet, having ALL the following: (a) size 56 cms by 40.5 cms; (b) 100% knitted cotton upper towelling; (c) 100% PVC backed; (d) fitted with two elastic straps Op. 13.01.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9401296</p>
<p>6302.10.00 PROTECTORS, MATTRESS, elasticized, having EACH of the following: (a) an upper of 100% cotton knitted loop pile towelling; (b) a base of 100% knitted polyester Op. 20.02.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 9603274 50 09.12.04</p>
<p>6303.12.90 BLINDS, 100% polyester, pre-formed blanket in cellular form or laid flat, layered, assembled by means of welding and consisting of three knitted layers Op. 29.11.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 0009807 50 09.12.04</p>
<p>6307.90 INFLATABLE SWIMMING AIDS, containing an inflation chamber in the front of the vest and inflation chamber in the rear of the vest capable of being regulated to vary buoyancy Op. 12.06.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>- TC 9205776 50 09.12.04</p>
<p>6402.19.00 BASEBALL SHOES, not having a heel, having ALL of the following: (a) four fixed metal cleats on the forefoot of the sole, each situated on individual raised blocks having a height NOT greater than 10 mm and a circumference NOT greater than 90 mm; (b) two fixed metal cleats on the rearfoot of the sole, each situated on an individual raised block having a height NOT greater than 10 mm and a circumference NOT greater than 90 mm; (c) each metal cleat having the following dimensions: (i) height from block 8 mm - 10 mm; (ii) width 14 mm - 16 mm; (iii) thickness 1 mm - 2 mm;</p>	<p>50 09.12.04</p>

(continued on next page)



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
(d) one moulded cleat on forefoot of sole, having the following dimensions: (i) height 6 mm - 8 mm; (ii) circumference at base of cleat 80 mm - 85 mm;	
(e) fifteen moulded studs behind the two rearfoot metal cleats having the following dimensions: (i) height: maximum of 6 mm; (ii) circumference NOT greater than 25 mm	
(f) having no other protrusions moulded to the sole Op. 06.11.95	- TC 9511788
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
6804.22 WHEELS, grinding, oxychloride or resinoid bonded, reinforced with woven steel wire Op. 01.11.83	50 09.12.04 - TC 8340820
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
6805.30 BALLS, sponge rubber, with a surface coating of carborundum Op. 04.07.88	50 09.12.04 - TC 8806188
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
6815.99 IMPEDERS, ferrite Op. 21.01.88	50 09.12.04 - TC 8800656
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
6815.99 REFRACTORY UNITS, modular, fusion cast, containing the following chemical composition: (a) aluminium oxide - 50.6%; (b) zirconium oxide - 32.5%	50 09.12.04 - TC 8803478
Op. 09.03.88 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
6902.20.00 REFRACTORY PRODUCTS, fused cast alumina zirconia silica, having ALL of the following: (a) silica 5% to 20%; (b) aluminium 45% to 60%; (c) zircon 30% to 45%; (d) specific gravity within the range 3 500 kg/cubic metre to 4 150 kg/cubic metre Op. 21.06.01	50 09.12.04 - TC 0105006
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
6903.90 PLATES, sliding gate nozzle Op. 01.01.88	50 09.12.04 - TC 8802554
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
6914.10 STOPPERS, bottle, swing wire type Op. 31.07.84	50 09.12.04 - TC 8432649
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7005.29.00 GLASS, having a pyrolitic and hydrophilic and photocatalytic coating Op. 02.10.01	50 09.12.04 - TC 0108851
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>7006.00 GLASS, heat resistant, maximum service temperature 740 degrees C, capable of thermal shock resistance at 800 degrees C Op. 27.06.91 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 9105871</p>	
<p>7009.91 MIRRORS, convex, having BOTH of the following: (a) an area exceeding 1 140 sq cm; (b) a reflective backing on the concave side Op. 15.11.83 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 8341194</p>	
<p>7207.20.00 STEEL BAR, round cornered square section, to Defence Standard 13-47/2, ultrasonically tested in accordance with ASTM E-381, having the following dimensions: (a) sides exceeding 117 mm; (b) corner radius NOT exceeding 18 mm Op. 05.07.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 0205896</p>	
<p>7211.29.00 STRIP, SPRING STEEL, cold rolled flat, width NOT exceeding 20 mm, thickness NOT exceeding 0.6 mm, having a chemical composition by weight of ALL of the following: (a) Carbon - 0.60% to 0.90% (both inclusive); (b) Silicon - 0.05% to 0.35% (both inclusive); (c) Manganese - 0.30% to 0.90% (both inclusive); (d) Phosphorus - 0.035% maximum; (e) Sulphur - 0.035% maximum Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 9601381</p>	
<p>7215.10 BARS, flat, steel, bright or cold finished, having dimensions wider than 100 mm or thickness greater than 25 mm Op. 30.12.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 8801305</p>	
<p>7216.32.00 I BEAM UPRIGHT SECTIONS, having ALL the following: (a) inner rail dimension 230 mm x 127 mm; (b) flange width 127 mm; (c) web thickness 19 mm; (d) flange thickness 32.5 mm; (e) flange angle 92 degrees Op. 30.12.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 9811074</p>	
<p>7217.10.00 WIRE, high carbon steel, hardened and tempered, in shapes (other than rounds), with die drawn edges, having BOTH of the following: (a) a chemical composition by weight of ALL of the following: (i) carbon 0.65% to 0.85%; (ii) manganese 0.30% to 0.80%; (iii) silicon 0.15% to 0.35%; (iv) phosphorus 0.03% maximum; (v) sulphur 0.02% maximum (b) a nominal dimension of: (i) 3.048 mm (.120") x .457 mm (0.018") tolerance: width (+ or - 0.051 mm) thickness (+ or - 0.015 mm) Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 9606594</p>	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
7217.10.00 WIRE, oil tempered, square edge, having ALL of the following: (a) nominal dimensions up to 1.75 mm x 1.75 mm; (b) dimensional tolerance of +/- 0.03 mm; (c) in coils NOT exceeding 250 kg Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9606585	
7220.11 FLAT-ROLLED PRODUCTS, having a content exceeding 22.5% by weight of nickel Op. 02.08.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 8432353	
7220.20 STRIP, cold rolled, containing 18% to 22% (both inclusive) by weight of nickel and chromium, having ALL the following sizes: (a) thickness 0.30 mm or greater but NOT exceeding 0.76 mm; (b) width 12.70 mm or greater but NOT exceeding 400 mm Op. 20.04.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9004025	
7226.11.00 HOOP, strip or sheet, electrical steel, having a silicon content by weight of 2.3% to 2.7% (both inclusive) Op. 01.07.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9607864	
7226.91 HOOP AND STRIP, hardened and tempered, of rectangular section, of a thickness NOT exceeding 6 mm, of a width NOT exceeding 500 mm and of such dimension that the thickness does NOT exceed one tenth of the width Op. 28.02.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 8341612	
7226.91.00 SHEETS, PLATES AND FLATS, high alloy steel, to specification DIN 90MnCrV8 Op. 14.02.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9504074	
7302.90.00 RAIL CLIPS, CRANE, having ALL of the following: (a) maximum allowable side load of 200 kN; (b) tightening torque 275 Nm; (c) total adjustment range 20 mm Op. 29.08.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9610169	
7304.51 TUBES, seamless, having ALL of the following: (a) chemical composition by weight of ALL of the following: (i) carbon - 0.08% to 0.25% (both inclusive); (ii) molybdenum - 0.10% to 0.60% (both inclusive); (iii) manganese - 0.50% to 1.70% (both inclusive); (iv) chromium - 1.6% maximum; (b) a yield strength of NOT less than 650 MPa; (c) an ultimate tensile strength of NOT less than 744 MPa; (d) elongation 13% minimum Op. 23.01.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 8733166	
7306.30.00 TUBES, ERW STEEL, to specification JIS G 3445 No. 3 STKM 11A, having BOTH of the following: (a) nominal O.D 7.45 mm; (b) nominal W.T 0.66 mm Op. 13.08.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9307387	

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7306.40 TUBES, alloy steel, in straight lengths, ends plain, bevelled or threaded in accordance with ANY of the following Pipe Material Specification options: (a) AS; (b) ASME; (c) ASTM; (d) BS; (e) DIN, but without further rework, containing NOT less than 10% by weight of chromium, having EITHER of the following: (a) OD NOT less than 1 250 mm; (b) WT NOT less than 5 mm and NOT exceeding 25 mm Op. 01.01.88	50 09.12.04
- TC 8800619	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7310.29.00 CANS, BEVERAGE, 5 litre capacity, having a steel body with chrome plated steel ends Op. 19.07.00	50 09.12.04
- TC 0006502	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7318.15.00 BOLTS, WHEEL, knurled shank, 22 mm (7/8") x 90 mm (3 1/2") UNF (unified fine) and UNC (unified coarse) Op. 27.06.02	50 09.12.04
- TC 0205553	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7318.16.00 GLANDS, FLEXIBLE METAL CONDUIT FITTING Op. 26.02.98	50 09.12.04
- TC 9801693	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7318.16.00 NUTS, being parts of ANY of the following aluminium working machines:	50 09.12.04
(a) scroll shear; (b) can body maker; (c) can end press; (d) can cupping press; (e) flanger and or necker; (f) can trimmer Op. 19.08.94	- TC 9406940
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7323.10 PADS OR SHEETS, ophthalmic lens grinding, fining or polishing Op. 01.07.85	50 09.12.04
- TC 8533560	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7326.90 MILLS, being attachments to chainsaws Op. 06.03.84	50 09.12.04
- TC 8341342	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
7326.90 THIMBLES, shoe last Op. 13.03.84	50 09.12.04
- TC 8342061	
NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
7408.19.00 WIRE, copper, whether or NOT galvanic zinc coated, but not otherwise coated, having both of the following: (a) OD NOT exceeding 0.351 mm; (b) Tolerance + or - 1.5 micron Op. 15.04.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9404196
7408.21 WIRE, brass, crinkled Op. 13.03.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 8437009
7604.29 BARS, aluminium, conforming to Aircraft Specification QQA225/6 or QQA225/8, Alloy 2024, being EITHER of the following: (a) hexagon bar having a dia NOT less than 12.7 mm but NOT greater than 44.5 mm; (b) round bar having a dia NOT less than 19.05 mm but NOT greater than 38.10 mm Op. 18.05.87 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 8733401
7606.92.00 BLANKS, ALUMINIUM ALLOY, having ALL of the following: (a) clad on one OR both sides with stainless steel; (b) thickness of 2 mm OR greater but NOT exceeding 4 mm (including one OR two layers of cladding, each 0.2 mm - 0.4 mm thick); (c) length NOT exceeding 500 mm; (d) width NOT exceeding 500 mm Op. 19.02.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9901257
7607.11.00 COIL, ALUMINIUM, BRAZING, 3000 series core alloy, having ALL of the following: (a) zinc (Zn) in the range from 0.3% to 0.6% (weight %) (both inclusive); (b) thickness of 0.1 mm + or - 0.01 mm; (c) width of 90 mm + or - 0.2 mm Op. 21.08.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9807454
7608.20.00 TUBING, aluminium, having an inside diameter (ID) NOT exceeding 13.5 mm and a wall thickness (WT) NOT exceeding 0.92 mm Op. 05.08.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9406584
7616.99.00 LIPSTICK HOLDERS AND CAPS, gold anodized Op. 06.05.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9606731
7806.00 PROTECTORS, ovarian Op. 03.04.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 8437185
8205.59.00 TOOLS, THEFT-PROOF TERMINATOR, CABLE INSTALLATION OR REMOVAL Op. 03.05.96 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9606639

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8413.11.00 PUMPS, FUEL DISPENSING, to National Standards Commission Australia Document 101 Op. 21.10.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9907965</p>
<p>8413.82.00 PUMPS, archimedean screw, having ALL of the following: (a) screw diameter of 300 mm to 5 000 mm; (b) maximum tensile stress of 20 N/mm<sup>2</sup>; (c) with or without upper and/or lower bearings; (d) 2 or 3 welded flights; (e) maximum screw speed of 118 rpm Op. 04.09.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9707789</p>
<p>8413.91.90 PARTS, BENT AXIS FIXED DISPLACEMENT PISTON TYPE HYDRAULIC PUMP, being ANY of the following: (a) spare parts kit, comprising cylinder barrel and valve plate; (b) cylinder barrel; (c) valve plate; (d) mainshaft; (e) shaft assembly, comprising shaft and pin Op. 08.09.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9510384</p>
<p>8418.69.00 CHILLERS, FOOD, INDUSTRIAL, having ALL of the following: (a) turnable with distribution arms; (b) carbon dioxide chilling processor; (c) capacity 6 500 kg/hour OR greater Op. 16.05.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 0204215</p>
<p>8419.32.00 CYLINDERS, DRYING, PAPER OR PAPERBOARD MAKING MACHINE, yankee or MG, diameter 3 m OR greater Op. 06.10.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9907621</p>
<p>8419.50.90 HEAT EXCHANGERS, SULPHURIC ACID PLANT, having extruded lead tubes Op. 17.07.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 0206335</p>
<p>8419.89.90 AUTOCLAVES OR FLASH VESSELS, PRESSURE OXIDATION, comprising ALL of the following: (a) glass reinforced plastic refractory brick vessel; (b) steel external shell; (c) titanium baffles and inserts Op. 22.07.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9905466</p>
<p>8419.90.90 ROLLERS, SOLID FUSED SILICA, having ALL of the following: (a) diameter of 70 mm; (b) length of 1 800 mm to 3 000 mm Op. 14.04.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9803139</p>
<p>8421.21.90 FILTERING AND DISINFECTING APPARATUS, WATER, ANTI-MICROBIAL, personal portable, having ALL of the following: (a) capability of removing or de-activating all types of bacteria, viruses and protozoa; (b) hand operated pump or plunger; (c) replaceable cartridge having BOTH of the following: (i) first stage fibre filtering element with an effective</p>	<p>50 09.12.04</p>

(continued on next page)



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8422.30.90 CARTONING MACHINES, horizontal, intermittent motion, stainless steel construction, programme logic controlled, capable of BOTH of the following:            (a) packing up to 75 primary cartons per minute;            (b) erecting, loading and sealing of primary folding cartons constructed from solid fibreboard            Op. 01.01.02            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>8422.30.90 FILLERS OR CRIMPERS OR GASSERS OR TESTERS, AEROSOL CAN, capacity NOT less than 250 cans per minute            Op. 01.01.02            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04 - TC 0108781</p>
<p>8422.30.90 FORM AND FILL AND SEAL MACHINES, SACHET, comprising ALL of the following:            (a) towelette inserter;            (b) towelette doser;            (c) output of 400 sachets per minute OR greater            Op. 19.04.02            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04 - TC 0203350</p>
<p>8422.90.00 PARTS, ROTARY HEAD BOTTLE RINSING MACHINE, the machine having ALL of the following features:            (a) ability to rinse internally by nozzle entry in order to remove dust and debris from new containers;            (b) rinsing function confined to internal container surfaces only keeping external surfaces completely dry;            (c) containers inverted through 180 degrees by gripping neck only with inclined containers transported through a rotary horizontal plane,            being ANY of the following:            (a) stop starwheel;            (b) infeed worm;            (c) set of stars and guide, comprising ALL of the following:                (i) infeed starwheel;                (ii) centre guide;                (iii) outfeed starwheel;            (d) neck clamps;            (e) body clamps;            (f) clamping jaws            Op. 07.07.95            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04 - TC 9508791</p>
<p>8423.30.00 WEIGHING MACHINES, PELLETISED DOG FOOD, multi-chamber, hopper feed, incorporating load cell measurement, having BOTH of the following:            (a) minimum of 45 pre-set package weights;            (b) maximum capacity 1 kg per chamber            Op. 17.05.00            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04 - TC 0004798</p>
<p>8424.89.90 GUNS, WASHDOWN, having ALL of the following:            (a) adjustable spray and volume;            (b) maximum working pressure of 620 kPa;            (c) maximum operating temperature 80 degrees C;            (d) rubber jacket and hand grip            Op. 17.02.93            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04 - TC 9308314</p>
<p>8428.33.00 ACCUMULATION BUFFER SYSTEM, horizontal, having ALL of the following:            (a) u-shaped buffer;            (b) fixed belt conveyors in parallel;            (c) take off stations;            (d) minimum accumulation length 25 metres;            (e) maximum row speed not less than 60 rows per minute</p>	<p>50 09.12.04</p>

(continued on next page)



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Op. 01.08.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0106659
8428.39.00 CONVEYORS, STEEL LINE PIPE ROLLING MILL, being EITHER of the following: (a) entry roll conveyors, having ALL of the following: (i) non powered rollers; (ii) hydraulically operated hump table; (iii) adjustable pivot table; (b) run out conveyors, having ALL of the following: (i) electrically powered rollers; (ii) hydraulically operated kick off arms	50 09.12.04
Op. 03.07.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0205837
8428.90.00 HARVESTING SYSTEM, POULTRY, comprising ALL of the following: (a) catcher; (b) trailer mounted hopper; (c) packer	50 09.12.04
Op. 10.12.99 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9909967
8428.90.00 POULTRY SYSTEMS, LIVE BIRD HANDLING, computer controlled, comprising ALL the following: (a) door closer; (b) poultry cage handler; (c) poultry unloader; (d) cage washer; (e) dust extractors	50 09.12.04
Op. 13.06.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0204997
8428.90.00 SCISSOR LIFTS, (elevating work platforms) self propelled, having ALL of the following: (a) DC powered; (b) maximum width of 84 cm; (c) pothole protection activated by platform movement; (d) built-in level sensor cut out; (e) maximum platform height from 4.50 m to 6.10 m (both inclusive)	50 09.12.04
Op. 06.04.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9504774
8428.90.00 SCREW CONVEYORS, LIVE BOTTOM, comprising ALL the following: (a) conveyor traction frames; (b) hydraulic cylinder; (c) hydraulic power packs	50 09.12.04
Op. 03.06.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0204720
8429.40 ROLLERS, road (compactors), tamping foot, self-propelled, having a working weight of 32 t or greater	50 09.12.04
Op. 02.05.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8531099
8430.50.00 TRENCHING MACHINES, ride on, track laying, having ALL the following: (a) dual path hydrostatic drive, variable speed from 1.6 km/h to 2.3 km/h, digging speed of chain from 137 m/min to 221 m/min; (b) fitted with either a chain trenching boom and hydraulic drive conveyor belt, or digging wheel boom; (c) power rating from 100 kW to 503 kW (both inclusive)	50 09.12.04
Op. 27.06.95 NOTE: (continued on next page)	- TC 9508471

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	
8431.41.00 COIL LIFTER ARMS, having a capacity of 25 tonnes OR greater Op. 12.03.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0202114 50 09.12.04
8434.20.00 CAROUSEL MOULDING AND PRE-HARDENING MACHINES, CHEESE, including polytetrafluoroethylene moulds Op. 22.05.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0204436 50 09.12.04
8438.10 DOUGH DEGASSERS Op. 31.07.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 8434278 50 09.12.04
8438.20.00 IMPACT TURBO GRINDING MILLS, SUGAR, explosion pressure shock resistant up to 10 bar, with a hardness of 3 to 4 on the Mohs hardness scale, having ALL of the following: (a) a maximum output of NOT less than 1200 kg/h; (b) a sieve perforation NOT greater than 1.00 mm; (c) air circulating piping with two coolers Op. 17.04.01 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0103212 50 09.12.04
8438.80.00 FOOD PROCESSOR, bowl, having ALL of the following: (a) direct drive; (b) safety arm; (c) 3.79 or 5.68 litre capacity; (d) bowl scraper; (e) stainless steel bowl Op. 21.07.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9406272 50 09.12.04
8438.80.00 SOY MILK PRODUCTION SYSTEM, comprising ALL of the following: (a) triplet pressure cooker; (b) slurry balance tank; (c) continuous roller extractor; (d) curdling barrel Op. 26.10.00 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0008946 50 09.12.04
8439.30.00 FACING MACHINERY, CORRUGATING, single facers, single (dual) facers OR double facers, having BOTH of the following: (a) working width of 1 600 mm OR greater; (b) output speed of 150 m/min OR greater Op. 18.02.98 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9801483 50 09.12.04
8451.80.00 SHEARING AND/OR CROPPING MACHINE, textile fabrics Op. 21.11.95 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 9512787 50 09.12.04
8477.80.00 EXTRUSION LINES, FOAM RUBBER PIPING, comprising ALL of the following: (a) single screw extruder; (b) pre-cure oven; (c) microwave oven incorporating a conveyor; (d) post cure ovens; (e) haul off machine;	50 09.12.04

(continued on next page)

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
(Continued from previous page)	
(f) cut off saw Op. 16.07.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	- TC 0206252
8479.89 COMPACTING MACHINES, domestic garbage, having a height NOT exceeding 1 m and a compaction force NOT exceeding 17.8 kN Op. 24.04.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 8438808	
8479.89.90 INSERTION LINES, HIGH DENSITY POLYETHYLENE EXTRUDED FOAM TUBING Op. 26.02.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 0201733	
8479.89.90 METER/MIX AND DISPENSING EQUIPMENT, multicomponent resin, high pressure (70 bar - 400 bar) or low pressure (0 bar - 40 bar), output from 0.1 g/minute, utilising spraying and pouring application and which must maintain a component ratio accuracy to three decimal places Op. 08.07.94 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9406033	
8479.89.90 SHOOTING RANGES, firearm, indoor Op. 25.08.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9307551	
8479.90 VIBRATORY MOTOR PARTS, being variable force wheels incorporating a counterweight piston in a cylinder which is moved across the diameter of the wheel by compressed air to produce a variable counterweight force Op. 14.05.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9204890	
8479.90.90 PARTS, DIAPER MAKING MACHINE, being ANY of the following: (a) assembly screen; (b) chamber to drum seal; (c) impression roll; (d) anvil Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9703615	
8480.49.00 PIPE MOULDS, forged alloy steel Op. 22.12.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9711255	
8481.40 VALVES, REGULATING AND OVER SPEED TRIP, turbine, steam supply shutting off Op. 26.06.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 8438762	
8481.80 COUPLERS OR ADAPTORS, hose or pipe, propylene, cam locking, quick release Op. 20.02.92 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04
- TC 9202760	

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8481.80 VALVES, BALL, 1/4" and 5/16" BSP and SAE male copper flare inlet and outlet connections Op. 22.01.90 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9000858</p>
<p>8481.80 VALVES, BLOW DOWN, boiler, flange connection 25 mm, capable of being sequentially operated in accordance with Section 7.4.2 of Australian Standard 1271-1973 Op. 12.06.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 8438680</p>
<p>8481.80 VALVES, CONTROL, chemical feed, spa or hot tub Op. 12.06.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 8438682</p>
<p>8481.80 VALVES, HYDRAULIC, two-way or three-way, solenoid controlled, universal normally open, normally closed, pipe size 3.2 mm National Pipe Taper, pressure rating 6.9 MPa or greater but NOT exceeding 20.7 MPa Op. 12.06.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 8439635</p>
<p>8481.80 VALVES, NON-ALCOHOLIC BEVERAGE DISPENSER, NOT being solenoid types Op. 24.05.89 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 8903403</p>
<p>8481.80 VALVES, WATERBED, polyvinyl chloride body, polyethylene insert and polypropylene cap Op. 26.06.84 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 8438779</p>
<p>8481.80.90 REGULATORS, PRESSURE, gas OR liquid, pilot operated, having ALL of the following: (a) steel body/housing; (b) cylindrical metal inner core containing a series of longitudinal slots; (c) expansible tube of one piece moulded elastomer construction; (d) inlet port size of NOT less than 25 mm Op. 05.12.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9710742</p>
<p>8481.80.90 VALVES, SOLENOID, 12V DC operated, direct acting, with bypass outlet, having ALL of the following: (a) maximum pressure rating NOT less than 860 kPa (125 PSI); (b) flow rating of NOT less than 37.85 litres per minute (10 US gallons per minute) at 860 kPa (125 PSI); (c) internal parts resistant to agricultural spray chemicals Op. 10.08.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 9307344</p>
<p>8483.40.90 GEARBOXES, HORIZONTAL PARALLEL SHAFT, having ALL the following: (a) single gear ratio 6.52 to 1; (b) power rating 2 500 kW; (c) helicoidal gears Op. 26.08.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply</p>	<p>50 09.12.04 - TC 0207733</p>



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8507.30.00 ACCUMULATORS, ELECTRONIC BAR CODE READER, nickel cadmium, having ALL the following:            (a) rigid case with dimensions of 47 mm x 65 mm x 15 mm (all + or - 2%);            (b) nominal operating voltage 6 V;            (c) nominal capacity 400 mAh            Op. 27.12.95            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>8507.30.00 ACCUMULATORS, nickel cadmium, alkaline, button type, double stack, hermetically sealed, nominal voltage 2.4 V, dimension 25.1 mm x 18.0 mm            Op. 08.04.94            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>8515.31 WELDING SYSTEMS, pipe, orbital, tungsten inert gas, automatic having an integrated power source            Op. 01.01.88            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>8516.79.00 LEMONADE MAKERS, DOMESTIC, having ALL of the following:            (a) heated water reservoir;            (b) sugar chamber;            (c) juice extractor;            (d) pitcher            Op. 18.09.02            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>8516.80.00 HEATER ELEMENTS, VALVE SEAT, BLAST FURNACE VALVE            Op. 02.07.02            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>8525.10.90 TRANSMITTERS, digital, providing ALL of the following:            (a) analogue to digital converter;            (b) data coding method sub-band ADPCM;            (c) 2 channels or 4 channels;            (d) digital compression;            (e) operate between 845-852 MHz with a bandwidth NOT exceeding 400 kHz;            (f) maximum output power 7 W            Op. 01.07.97            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>8527.39.00 RECEIVERS, audio, digital, being a single channel per carrier receiver, having ALL of the following:            (a) L-band tuner;            (b) BPSK data demodulator;            (c) ISO-MPEG audio decoder            Op. 03.02.95            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>8527.39.00 RECEIVERS, digital, providing ALL of the following:            (a) digital to analogue converter;            (b) data coding method sub-band ADPCM;            (c) 2 channels or 4 channels;            (d) digital expansion;            (e) operate between 845-852 MHz with a bandwidth NOT exceeding 400 kHz            Op. 14.05.93            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
8527.39.00 RECEIVERS, satellite, capable of decoding transmissions in B-MAC format to either PAL or NTSC format but NOT both Op. 03.03.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9308622
8527.90.90 RECEIVERS, frequency agile broadband, 915-928 MHz, serial data output, utilising dual diversity antennae Op. 01.07.97 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9703767
8529.90.90 CAMERA PEDESTALS, STUDIO, TV BROADCASTING AND/OR VIDEO, having ALL of the following: (a) capacity 115 kg OR greater; (b) fully skirted base; (c) 4 stage column Op. 27.06.02 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 0205518
8535.21.00 CIRCUIT BREAKERS, AC, indoor, compact, hermetically sealed fixed type, single pole, SF6 insulated (IP 65) using the vacuum as a breaking medium exceeding 30 kV but NOT exceeding 36 kV, but NOT when imported with auxiliary equipment Op. 18.03.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9308875
8535.90 CONNECTORS, oil wellhead OR packer, capable of withstanding working pressures of 34.4748 MPa or greater, being ANY of the following: (a) upper OR surface power connectors; (b) feed through connectors; (c) lower OR down-hole connectors Op. 06.06.86 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 8633865
8535.90.00 CLAMPS, earthing galvanised cast iron, fitted with hardened circular cutting jaws for effective earthing on painted metallic structures, having a maximum permissible short-circuit current rating of 23.5 kA/second Op. 07.09.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9310124
8536.49 CONTACTORS, locomotive, having ALL of the following: (a) 3 pole or 4 pole; (b) 74 V DC or 110 V DC nominal operating coil voltage; (c) current rating 250 A DC or greater Op. 28.06.85 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 8533356
8536.50.99 SWITCHES, LOAD BREAK, DISCONNECTOR, FUSED, with a rated operational voltage of 1 000 V AC, having ALL of the following: (a) spring compression make and break assembly directly coupled to a one piece contact carrier; (b) operational current rating of 400 A or greater, but NOT exceeding 1 250 A; (c) 3 or 4 pole configuration; (d) fully visualized breaking; (e) front or side operation Op. 26.07.93 NOTE: Revoked in accordance with ss.269SD(1A) of the Customs Act. In transit provisions apply	50 09.12.04 - TC 9307167

Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>8536.69.90 CONNECTORS, COMPUTER, having ALL of the following:            (a) SCSI (small computer system interface);            (b) incorporating NOT less than 21 resistor chips, 4 capacitor chips and 2 ferrite beads            Op. 17.12.97            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 9711107</p>	
<p>8544.41.90 CABLES, COMPUTER, having ALL of the following:            (a) conductor 28 American Wire Gauge (AWG) tin plated copper 0.38 mm;            (b) insulation 0.63 mm polyvinyl chloride (PVC);            (c) wires in 10 pairs with varied left hand lay;            (d) inner shield of aluminium polyester tape (aluminium side out);            (e) outer shield 36 American Wire Gauge (AWG) tin plated copper braid (80% minimum coverage);            (f) differential impedance 85 ohms (nominal);            (g) mutual capacitance 65.6 pico Farads per metre;            (h) single ended impedance 55 ohms;            (i) direct current (DC) resistance 0.22 ohms per metre;            (j) dielectric strength 1 000 V DC conductor-conductor and conductor-shield;            (k) fitted on one end with a 34 position connector and fitted on the other end with a 26 position connector            Op. 15.12.97            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 9710996</p>	
<p>8544.51.90 CABLES, COMPUTER SIGNAL, having ALL of the following:            (a) SCSI (small computer system interface) type;            (b) 68 primary wires in twisted pairs, 2 twists per 2.54 cm;            (c) lay length 107.95 mm with left hand lay;            (d) wall thickness 0.51 mm;            (e) outside diameter 8.13 mm;            (f) dielectric strength 500 V DC            For the purposes of para (c), (d) and (e) allow tolerances of + or - 5%            Op. 18.11.97            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 9710161</p>	
<p>8544.59.00 WIRE AND CABLE, electrical, insulated with modified radiation cross-linked ETFE polymer, to the following specifications:            (a) MIL-W-22759/32-35 and 41-46            (b) MIL-C-27500            Op. 22.12.94            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 9501028</p>	
<p>8544.59.00 WIRE AND CABLE, electrical, insulated, dual wall construction of radiation cross-linked polyalkene and polyvinylidene fluoride (PVF2), to the following specifications:            (a) MIL-W-81044            (b) MIL-C-27500            Op. 22.12.94            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 9501026</p>	
<p>8607.99.00 INTERCAR CANOPIES, PASSENGER TILT TRAIN, having ALL of the following features:            (a) fully enclosed;            (b) double skinned;            (c) sound attenuated;            (d) smooth surfaced inbuilt walkway            Op. 21.03.96            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04</p>
<p>- TC 9604842</p>	



Description of goods including the Customs Tariff Classification	Prescribed Item Number Last day of effect
<p>9405.50 LAMPS, flame operation, having ALL of the following:            (a) two cylindrical gauzes which conduct away the heat of the flame;            (b) a cylindrical glass for viewing the flame;            (c) a locked fuel vessel;            (d) an integral attachment for sampling of atmosphere from within which the lamp is operating;            (e) automatic extinguishing of flame if oxygen content of atmosphere falls below 17%            Op. 05.02.88            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04       - TC 8802296</p>
<p>9406.00.00 SOLAR DRYING HALLS, SEWAGE SLUDGE            Op. 15.08.02            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04 - TC 0207430</p>
<p>9503.90.99 TOYS, DESIGN, GEOMETRIC MOSAIC, having ALL of the following:            (a) coloured modular mosaic tiles with fixing pins;            (b) base boards moulded with tile pin perforations;            (c) removing AND repositioning tools            Op. 19.03.98            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04   - TC 9802385</p>
<p>9506.99.90 SKATEBOARD BINDING SYSTEM, comprising BOTH of the following:            (a) skateboarding shoe, having a circular hole in the outer sole which contains a locking ring;            (b) rubber circular skateboard cleats, domed at the top            Op. 03.12.99            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04  - TC 9909638</p>
<p>9508.90.00 PARTS, ROLLER COASTER RIDE, being ANY of the following:            (a) brakes;            (b) electrical controls;            (c) drive motors;            (d) passenger vehicles;            (e) rotary platforms;            (f) support columns;            (g) support angles, cleats and brackets;            (h) tracks;            (i) vertical vehicle lifts;            (j) track and support weldments            Op. 01.01.02            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04       - TC 0201869</p>
<p>9508.90.00 TRAINS, ROLLER COASTER            Op. 01.01.02            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04 - TC 0109483</p>
<p>9603.90.00 BRUSHES, jewellery, nylon filament bristles, length including handle NOT exceeding 65 mm, width NOT exceeding 5 mm along its length, height including bristles NOT exceeding 12 mm            Op. 26.12.94            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04 - TC 9500437</p>
<p>9608.39.00 PENS, TUBULAR POINT, refillable, including an air pulse ink feeder and a spring loaded sealer            Op. 23.12.97            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04 - TC 9711270</p>
<p>9615.90 CURLING IRONS, cordless, powered by a disposable gas cartridge            Op. 01.01.88            NOTE:            Revoked in accordance with ss.269SD(1A) of the Customs Act.            In transit provisions apply</p>	<p>50 09.12.04 - TC 9008666</p>



NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of determinations applying to goods of a kind specified in the table below.

In the table:

- (i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the Determination reference number;
- (ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods.

THE TABLE

Description of Goods Dates of Effect		Prescribed Item Number
Stainless Steel for use in a winery project. 26.11.03 to 25.11.05	- MD 347600	71
Pneumatic Membrane Presses for use in a winery project. 26.11.03 to 25.11.05	- MD 347601	71
Centrifuges for use in a winery project. 26.11.03 to 25.11.05	- MD 347602	71
Gear Units Couplings for use in a mining project (replacement for revoked MD 347345). 23.12.02 to 30.09.03	- MD 347620	71
Components of Longwall Mining Equipment 19.09.02 to 18.09.04	- MD 347625	71
Components for Longwall Mining Equipment 19.09.02 to 18.09.04	- MD 347626	71
Equipment for Waste Processing Plant 25.11.03 to 28.02.05	- MD 347627	71
Components of Longwall Mining Equipment 19.09.02 to 18.09.04	- MD 347629	71
Stainless Steel for use in a winery project. 26.11.03 to 25.11.05	- MD 347638	71
Stainless Steel for use in a winery project. 26.11.03 to 25.11.05	- MD 347639	71
Stainless Steel for use in a winery project. 26.11.03 to 25.11.05	- MD 347640	71
Screw Presses for use in a winery project. 26.11.03 to 25.11.05	- MD 347643	71
Components of a Core Making Line, for use in a engine block project. 27.10.04 to 31.12.05	- MD 347647	71
Components of Engine Block Manufacturing Lines. 27.10.04 to 31.12.05	- MD 347648	71
Components of Core Making Line for use in an engine block project. 27.10.04 to 31.12.05	- MD 347650	71
Components of a Treating and Finishing Line, for use in an engine block project. 27.10.04 to 31.12.05	- MD 347652	71
Components of a Machining and Testing Line, for use in an engine block project. 27.10.04 to 31.12.05	- MD 347654	71

NOTICE OF REVOCATION OF DETERMINATION MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the revocation of a determination made under section 273 of the Customs Act 1901, which applied to goods of a kind specified in the table below.

In the table:

- (i) the first column specifies the kind of goods to which the determination applied, any conditions specified in the determination, the original commencement date of the determination and the Determination reference number;
- (ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applied to the specified goods.
- (iii) the third column specifies the date of revocation, being the date on which the determination ceases to have effect.

THE TABLE

Description of Goods Commencement Date	Prescribed Item Number	Revocation Date
Gear Units Couplings for use in a mining project. (replacement for revoked MD 347195) Op. 23.12.02 Dec. date 26.07.04	71	03.12.04
	- MD 347345	