



Commonwealth
of Australia

Gazette

No. TC 05/35, Wednesday, 31 August 2005
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

| | |
|--------------------------------------|----|
| TCO Applications | 2 |
| Section 273 Determinations Made..... | 11 |

The Australian Customs Service (Customs) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the Customs internet site at: <http://www.customs.gov.au>

Interested parties should select “media, publications and forms”, then “tariff concessions gazette”. The gazettes are listed in date order and may be selected from the list of Adobe Portable Document Format (PDF) files.

General Inquiries:(02) 6275 6404

Facsimile:(02) 6275 6376

| | | | |
|------------|---|----|--------------|
| 8404.90.00 | <p>PARTS, AUXILIARY PLANT, STEAM GENERATION BOILER, NOT less than 2 230 tonnes per hour comprising ANY of the following:</p> <ul style="list-style-type: none"> (a) hangers; (b) manifolds; (c) walls; (d) tubes; (e) supports; (f) straps; (g) separators; (h) tanks; (i) coils; (j) silencers; (k) casings; (l) frames; (m) dampers; (n) expansion joints; (o) roofs; (p) floors; (q) noses; (r) blocks; (s) bellows <p>Op. 25.07.05</p> <p>Stated Use: Coal fired steam generation boiler 2,230 tph</p> <p>Applicant: HITACHI LIMITED QLD, 4064</p> | 50 | - TC 0509808 |
| 8504.40.90 | <p>POWER SUPPLIES, MAGNET, having ALL of the following:</p> <ul style="list-style-type: none"> (a) output current NOT less than 100 amps; (b) user variable wave forms; (c) output stability under inductive loads of NOT less than 10 parts per million (0.00001%); (d) current setting NOT less than 18 bits; (e) manual controls; (f) direct connected computer controls (g) remote connected computer controls <p>Op. 26.07.05</p> <p>Stated Use: The goods are very stable power supplies that were designed for use in particle accelerators such as synchrotrons. It is possible that they may be used in other applications that require such a high degree of stability but the applicant is unaware of any such application</p> <p>Applicant: MAJOR PROJECTS VICTORIA. SECRETARY TO THE DEPARTMENT OF INFRASTRUCTURE</p> | 50 | - TC 0509822 |
| 8704.21.10 | <p>VANS, diesel engine, gross vehicle weight greater than 3.5 t</p> <p>Op. 22.07.05</p> <p>Stated Use: Vehicles for the carriage of goods</p> <p>Applicant: IVECO TRUCKS AUSTRALIA LTD</p> | 50 | - TC 0509824 |

| | | |
|------------|---|------------------------|
| 3902.10.00 | POLYPROPYLENE, HOMOPOLYMER RESIN, having ALL of the following: (a) flexural modulus complying with ASTM D790 greater than 20 000 kg/cm ² ; (b) heat deflection temperature complying with ASTM D648 greater than 125 degrees C; (c) density complying with ASTM 1238 greater than 0.905 g/cm ³ Op. 27.07.05 | 50 - TC 0509831 |
| | Stated Use: Used in the manufacture of multi stackable, transparent, preserved fruit extended shelf life containers Applicant: VISYPAK OPERATIONS PTY. LTD. VIC, 3000 | |
| 7607.19.00 | FOIL, ALUMINIUM, having ALL of the following: (a) gauge NOT less than 25 microns and NOT greater than 50 microns; (b) printed with colours on one side; (c) on reels having a width greater than 520 mm Op. 27.07.05 | 50 - TC 0509832 |
| | Stated Use: The manufacture of pressed shapes which are used to wrap chocolate novelties Applicant: GRADUAL PTY. LTD. VIC, 3205 | |
| 8535.21.00 | CIRCUIT-BREAKERS, GENERATOR, three phase Op. 29.07.05 | 50 - TC 0509996 |
| | Stated Use: Circuit breakers are designed to make and break electrical circuits in order to synchronise the operations of the generators in the Snowy Hydro electric scheme, enabling switch on/off under all operating conditions Applicant: SNOWY HYDRO LIMITED | |
| 3920.49.00 | POLYVINYL CHLORIDE FILM, unplasticised Op. 29.07.05 | 50 - TC 0509999 |
| | Stated Use: For pharmaceutical packaging Applicant: TECHNI-CHEM AUSTRALIA PTY LTD NSW, 2073 | |

| | | | |
|------------|--|--------------|----|
| 8436.80.90 | WOODCHIPPERS AND/OR MULCHERS, incorporating a hammer mill Op. 01.08.05 | - TC 0510002 | 50 |
| | Stated Use: Used to turn branches and trees into mulch | | |
| | Applicant: D.R MACTAGGART & E.W MACTAGGART | | |
| 7210.70.00 | SHEET, COMPOSITE, galvanized steel laminated with polyvinyl chloride, having BOTH of the following: (a) steel thickness NOT less than 0.6 mm; (b) polyvinyl chloride laminate thickness NOT less than 0.8 mm Op. 01.08.05 | - TC 0510003 | 50 |
| | Stated Use: Waterproof membrane | | |
| | Applicant: PROJEX GROUP PTY LIMITED | | |
| 7219.90.00 | SHEET, COMPOSITE, stainless steel laminated with polyvinyl chloride, having BOTH of the following: (a) steel thickness NOT less than 0.6 mm; (b) polyvinyl chloride laminate thickness NOT less than 0.8 mm Op. 01.08.05 | - TC 0510004 | 50 |
| | Stated Use: Waterproof membrane | | |
| | Applicant: PROJEX GROUP PTY LIMITED | | |
| 3919.90.00 | SHEET, POLYVINYL CHLORIDE, having BOTH of the following: (a) release liner; (b) glass fabric reinforcing liner Op. 01.08.05 | - TC 0510005 | 50 |
| | Stated Use: Waterproof membrane | | |
| | Applicant: PROJEX GROUP PTY LIMITED | | |
| 8417.90.00 | SKIDS AND/OR POSTS, WALKING BEAM FURNACE Op. 01.08.05 | - TC 0510010 | 50 |
| | Stated Use: Parts for a walking beam furnace (gas) in a steel hot strip mill | | |
| | Applicant: BLUESCOPE STEEL (AIS) PTY. LTD. SA, 5001 | | |
| 8431.39.00 | PARTS, DISC BRAKE, INDUSTRIAL, being ANY of the following: (a) calipers; (b) brake pads; (c) switches Op. 03.08.05 | - TC 0510203 | 50 |
| | Stated Use: Conveyors, mining industry | | |
| | Applicant: CUSTOM FLUIDPOWER PTY LTD | | |

| | | | |
|------------|---|----|--------------|
| 7312.10.00 | <p>ROPE, WIRE, being ANY of the following:</p> <ul style="list-style-type: none"> (a) grade 1570, configuration 6/7, diameter NOT less than 2 mm and NOT greater than 6 mm; (b) grade 1570, configuration 6/19, diameter NOT less than 3 mm and NOT greater than 10 mm; (c) grade 1570, configuration 6/24, diameter NOT less than 8 mm and NOT greater than 11 mm; (d) grade 1570, configuration 7/7, diameter NOT less than 1.6 mm and NOT greater than 5 mm; (e) grade 1770, configuration 6/25, diameter NOT less than 8 mm and NOT greater than 19 mm; (f) grade 2070, configuration 7/7, diameter NOT greater than 5 mm; (g) grade 2070, configuration 7/19, diameter NOT less than 3 mm and NOT greater than 12 mm <p>Op. 04.08.05</p> <p>Stated Use: Lifting, towing and mooring applications</p> <p>Applicant: BEAVER SALES PTY LIMITED NSW, 1851</p> | 50 | - TC 0510205 |
| 8475.29.00 | <p>GLASSWOOL ROLL MANUFACTURING LINE, insulation fibre, having ALL the following:</p> <ul style="list-style-type: none"> (a) furnace and forehearth molten glass refractories; (b) formers and curers; (c) adjustable working width NOT less than 1.2 m but NOT greater than 1.5 m; (d) roll formers; (e) wrappers and packagers <p>Op. 04.08.05</p> <p>Stated Use: The manufacture and packaging of roll formed, high thermal performance, glasswool fibre product</p> <p>Applicant: CSR BUILDING PRODUCTS LIMITED NSW, 2057</p> | 50 | - TC 0510271 |
| 6902.10.00 | <p>TAPHOLE BLOCKS, REFRACTORY, having ALL of the following:</p> <ul style="list-style-type: none"> (a) magnesia (MgO) content greater than 65%; (b) carbon content greater than 15%; (c) bulk density greater than 2500 Kg/m3 <p>Op. 05.08.05</p> <p>Stated Use: BOS (Basic Oxygen Steel) Taphole Blocks used in steel making process</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY. LTD. SA, 5001</p> | 50 | - TC 0510288 |
| 6902.10.00 | <p>SNORKELS, VACUUM DEGASSER, REFRACTORY</p> <p>Op. 05.08.05</p> <p>Stated Use: Assembled refractory component in a vacuum degasser in a steel hot strip mill</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY. LTD. SA, 5001</p> | 50 | - TC 0510289 |

| | | |
|------------|--|--------------------|
| 3920.20.00 | POLYPROPYLENE FILM, CAST, having BOTH of the following: (a) width NOT less than 180 mm; (b) thickness NOT less than 100 microns Op. 05.08.05 | 50 - TC 0510306 |
| | Stated Use: Film is to be used to manufacture the outside clear sleeve on DVD cases. The material is affixed to the case by plastic welding. DVD advertising is placed between case and welded sleeve Applicant: CINQPLAST PLASTOP AUSTRALIA PTY LIMITED | |
| 7606.12.00 | SHEET, COMPOSITE, having BOTH of the following: (a) core of either aluminium tri-hydroxide or low density polyethylene; (b) inner and outer skin of aluminium sheet Op. 05.08.05 | 50 - TC 0510332 |
| | Stated Use: Cladding or lining for buildings Applicant: HALIFAX VOGEL GROUP PTY LIMITED | |
| 8485.90.00 | KITS, OVERHAUL OR REBUILD, TRANSMISSION, comprising ALL of the following: (a) bearings; (b) oil seals; (c) snap rings; (d) gaskets Op. 05.08.05 | 50 - TC 0510333 |
| | Stated Use: Goods are utilised as overhaul and/or rebuild kit for truck transmissions Applicant: EATON PTY LTD VIC, 3137 | |
| 8428.90.00 | FRUIT PICKING PLATFORMS, SCISSOR LIFT, plc, on rails Op. 08.08.05 | 50 - TC 0510430 |
| | Stated Use: For picking fruit in orchards Applicant: COSTA'S PTY. LTD. | |
| 8417.90.00 | PARTS, WALKING BEAM FURNACE, being ANY of the following: (a) bell housings; (b) cylinder blocks; (c) oil conditioners and/or oil coolers; (d) couplings; (e) valve stands; (f) oil tanks; (g) expansion joints Op. 08.08.05 | 50 - TC 0510436 |
| | Stated Use: Parts for a walking beam furnace (gas fired) in a steel hot strip mill Applicant: BLUESCOPE STEEL (AIS) PTY. LTD. SA, 5001 | |

- 8419.89.90 PRESSURE ACID LEACH PROCESSING PLANT, comprising ALL of the following: 50
- (a) launders;
 - (b) tanks;
 - (c) rakes;
 - (d) agitators;
 - (e) pumps;
 - (f) autoclaves;
 - (g) flash vessels;
 - (h) pre-heaters;
 - (i) heat exchangers;
 - (j) compressors;
 - (k) air receivers;
 - (l) air blowers;
 - (m) conveyors;
 - (n) filters;
 - (o) valves;
 - (p) scrubbers;
 - (q) accumulators;
 - (r) acid sparges;
 - (s) flocculants;
 - (t) steam injectors;
 - (u) cranes and/or hoists;
 - (v) power transformers;
 - (w) cables and/or controllers;
 - (x) variable speed drives and/or battery chargers;
 - (y) actuators and/or meters;
 - (z) gauges and/or probes
- Op. 08.08.05 - TC 0510437
- Stated Use:
Recovery of nickel and cobalt from beneficiated limonite and saprolite ores
- Applicant: RAVENSTHORPE NICKEL OPERATIONS PTY LTD
- 8474.39.00 MIXING AND BATCHING LINE, DRY, plc, having ALL of the following: 50
- (a) product dosers;
 - (b) vibrating check screens and/or weighers;
 - (c) fluid bed dryers;
 - (d) elevators and conveyors;
 - (e) batched material mixers;
 - (f) rotary baggers;
 - (g) bag feeders;
 - (h) palletisers;
 - (i) shrink wrappers
- Op. 08.08.05 - TC 0510476
- Stated Use:
The dry mixing of earth, aggregate, ores and mineral substances to produce bagged cement products
- Applicant: BLUE CIRCLE SOUTHERN CEMENT LTD
- 8422.30.90 FILLER AND CAPPER LINE, aerosol containers, comprising ALL of the following: 50
- (a) product fillers and/or valve inserters and/or vacuum crimpers;
 - (b) valve elevators;
 - (c) valve sorters;
 - (d) cap sorters;
 - (e) cappers
- Op. 09.08.05 - TC 0510512
- Stated Use:
For the production of aerosol containers
- Applicant: UNILEVER AUSTRALIA LIMITED
NSW, 2121

| | | |
|------------|--|--------------|
| 8481.80.90 | CHRISTMAS TREES, SUBSEA WELL, GAS, BIG BORE, having a bore greater than 160 mm Op. 09.08.05 | 50 |
| | Stated Use: Control of flows in subsea gas wells | |
| | Applicant: WOODSIDE ENERGY LTD. WA, 6000 | - TC 0510514 |
| 8433.30.00 | RAKES, HAY Op. 09.08.05 | 50 |
| | Stated Use: For attachment to agricultural machinery for raking hay | |
| | Applicant: HOWARD AUSTRALIA PTY LTD | - TC 0510516 |
| 8465.10.00 | BORERS AND/OR TENONERS AND/OR MORTISERS AND/OR MILLERS AND/OR END CUTTERS Op. 08.08.05 | 50 |
| | Stated Use: Design and manufacture of timber chairs | |
| | Applicant: A CISCAREKKA & N COSCARELLA & O COSCARELLA | - TC 0510517 |
| 8704.22.00 | TRUCKS, CAB CHASSIS, compression ignition engine, 4x4 wheel drive, gross vehicle weight greater than 9 tonne but NOT greater than 15 tonne, single or dual cab Op. 10.08.05 | 50 |
| | Stated Use: Transportation of goods within the design specifications of the subject vehicle | |
| | Applicant: HINO MOTOR SALES AUSTRALIA PTY. LTD. NSW, 2229 | - TC 0510521 |
| 8543.90.90 | PARTS SYNCHROTRON, being ANY of the following: (a) YAG (yttrium aluminium garnet) screens; (b) faraday cups Op. 11.08.05 | 50 |
| | Stated Use: Components of a linear accelerator that forms part of a synchrotron | |
| | Applicant: MAJOR PROJECTS VICTORIA. SECRETARY TO THE DEPARTMENT OF INFRASTRUCTURE | - TC 0510523 |
| 8428.90.00 | RACKING, PALLET, having a height greater than 28 metres Op. 11.08.05 | 50 |
| | Stated Use: For the storage of pallets in a warehouse distribution facility | |
| | Applicant: SIEMENS LTD. VIC, 3153 | - TC 0510587 |

| | | | |
|------------|---|--------------|----|
| 3920.10.00 | POLYETHYLENE FILM, EMBOSSED, apertured with NOT less than 16 holes per square centimetre and NOT greater than 22 holes per square centimetre, in sheets NOT less than 70 mm and NOT greater than 85 mm in width Op. 11.08.05 | - TC 0510588 | 50 |
| | Stated Use: A babies napkin liner specially designed to facilitate quick transfer of the liquid to the core of the nappy Applicant: DSG PTY. LTD. | | |
| 8303.00.00 | SAFES, ELECTRONIC, HOTEL GUESTS Op. 11.08.05 | - TC 0510609 | 50 |
| | Stated Use: Security purposes in hotels for guests valuables, passports, money, jewellery and the like Applicant: VINTECH SYSTEMS PTY LTD | | |
| 8424.10.00 | FIRE EXTINGUISHERS, dry chemical Op. 11.08.05 | - TC 0510610 | 50 |
| | Stated Use: Put out fires Applicant: CHUBB FIRE SAFETY LIMITED | | |

NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of the determination applying to goods of a kind specified in the table below.

In the table:

(i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the Determination reference number;

(ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods.

THE TABLE

| Description of Goods Dates of Effect | Schedule 4 Item Number |
|--|---------------------------|
| Rearing Cage Systems, Laying Cage Systems, and Grading and Packing Line for use in an egg production facility upgrade. 08.06.05 to 07.06.07 | 71 - AD 01000006 |
| Optical Grade Polycarbonate for use in the manufacture of compact discs (CDs), CD ROMS and digital versatile discs (DVDs). 01.07.05 to 30.06.07 | 57 - MD 348077 |
| Optical Grade Polycarbonate for use in the manufacture of compact discs (CDs), CD ROMS and digital versatile discs (DVDs). 01.07.05 to 30.06.07 | 57 - MD 348078 |
| Optical Grade Polycarbonate for use in the manufacture of compact discs (CDs), CD ROMS and digital versatile discs (DVDs). 01.07.05 to 30.06.07 | 57 - MD 348079 |
| Optical Grade Polycarbonate for use in the manufacture of compact discs (CDs), CD ROMS and digital versatile discs (DVDs). 01.07.05 to 30.06.07 | 57 - MD 348080 |
| Optical Grade Polycarbonate for use in the manufacture of compact discs (CDs), CD ROMS and digital versatile discs (DVDs). 01.07.05 to 30.06.07 | 57 - MD 348081 |
| Optical Grade Polycarbonate for use in the manufacture of compact discs (CDs) and digital versatile discs (DVDs). 01.07.05 to 30.06.07 | 57 - MD 348082 |
| Electric Motors for use in a Mining Project. 17.08.04 to 17.09.05 | 71 - MD 348028 |
| Crane rails for use in a Mining Project. 17.08.04 to 17.09.05 | 71 - MD 348029 |

| | | |
|---|-------------|----|
| Ash cooling system for a dry ash cooling and extraction project. | | 71 |
| 24.12.03 to 31.12.04 | - MD 348072 | |
| Ash cooling systems for a dry ash cooling and extraction project. | | 71 |
| 01.07.05 to 30.06.07 | - MD 348075 | |